



CATALOGUE 2024/25

www.tactixtools.com



HAND TOOLS



**PRECISION
TOOLS**



**POWER TOOLS
ACCESSORIES**



**PERSONAL
PROTECTIVE
EQUIPMENT**



Since 1992, Meridian International, an ISO9001 accredited company, has successfully established itself as one of the leading organizations serving the tool and hardware market, becoming the headquarters for an effective group of manufacturers with the proven capabilities of serving global customers. Such ability can be attributed to the synchronized approach to manufacturing taken by Meridian, following a collaborative process of internal research, product development and graphic design together with proven sourcing, manufacturing, and distribution capabilities.


Currently, we utilize a team containing more than 30 engineers and industrial designers who are involved in the coordination and execution of conceptual design, mechanical design, and the overall project management activities. In addition to our ongoing cooperation with some of the world’s leading design houses, we currently have international branches located in Australia, Luxembourg, United Kingdom, Latin America, United States of America to guarantee our products strength across the competitive global markets. This comprehensive process ensures both the originality and superior quality of our products.

Meridian International also utilizes strong sourcing capabilities, currently working in co-operation with 700+ factories across China and in several other Asian countries. Our experienced product managers and sourcing specialists are constantly working with customers on the development and management of their product ranges.




HAND TOOLS

Fastening	1-19
Striking	20-24
Measuring	24-26
Layout	26-28
Cutting	29-35
Masonry & Painting	35-42
Finishing	43-48
Plumbing	48-50
Mechanic's Tools	51-76
Electrician	77-81
Insulated Tools	82-85
Knives & Multi-Tools	86-87
Security & Torches	87-88
Miscellaneous	89-91
Tool Sets	92-94
Hardware Assortment	94-99
Promotion	100-108
TACTIX QP	109
TACTIX PRO	110-112



PRECISION TOOLS

Precision Screwdrivers	114-116
Wood Working Tools	116-119
Machinist Tools	119-120
Specialty Tools	121-123





LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200001	160 mm (6 in.)	0369 8	6	36
200003	200 mm (8 in.) high leverage	0370 4	6	24

LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200009	160 mm (6 in.)	0373 5	6	36
200011	190 mm (7-1/2 in.) high leverage	0374 2	6	24
200013	220 mm (8-1/2 in.) high leverage	0375 9	6	24

DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200005	160 mm (6 in.)	0371 1	6	36
200007	200 mm (8 in.) high leverage	0372 8	6	24

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200008	190 mm (7-1/2 in.) high leverage	0742 9	6	24

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200017	160 mm (6 in.)	0377 3	6	36
200019	200 mm (8 in.)	0378 0	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200021	160 mm (6 in.)	0379 7	6	36

END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200023	160 mm (6 in.)	0380 3	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200024	200 mm (8 in.)	4706 7	6	36

WIRE STRIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200025	160 mm (6 in.)	0381 0	6	36

SCREW REMOVAL PLIERS

- Removes stripped screws
- Specifically designed to grip screw heads
- Wire cutting blades



Item No.	Size	EAN 69426292+	Inner	Outer
200029	160 mm (6 in.)	8373 7	6	36

DISPLAY FOR SCREW REMOVAL PLIERS

- Display includes 1 pc try me pliers
- Display contains 12 pliers



Item No.	Size	EAN 69426292+	Inner	Outer
200029DISPLAY			0	1

SLIP JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200051	175 mm (7 in.)	0382 7	6	36
200053	200 mm (8 in.)	0383 4	6	24

GROOVE JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200061	200 mm (8 in.)	0384 1	6	24
200063	250 mm (10 in.)	0385 8	6	24
200065	300 mm (12 in.)	0386 5	6	12

BOX JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200071	250 mm (10 in.)	0387 2	6	24

FENCE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200075	270 mm (10-1/2 in.)	4876 7	6	24

MINI LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200081	120 mm (4-3/4 in.)	0388 9	6	36

MINI DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200083	110 mm (4-1/4 in.)	0389 6	6	36

MINI BENT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200085	120 mm (4-3/4 in.)	0390 2	6	36

MINI FLAT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200087	120 mm (4-3/4 in.)	0391 9	6	36

MINI END NIPPER

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200089	100 mm (4 in.)	0392 6	6	36

MINI LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
200091	115 mm (4-1/2 in.)	69426292+	6	36

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200108	190 mm (7-1/2 in.)	69426292+	6	24

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200117	160 mm (6 in.)	69426292+	6	36
200119	200 mm (8 in.)	69426292+	6	24

LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200101	160 mm (6 in.)	69426292+	6	36
200103	200 mm (8 in.)	69426292+	6	24

LINESMAN PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200109	160 mm (6 in.)	69426292+	6	36
200111	190 mm (7-1/2 in.)	69426292+	6	24
200113	220 mm (8-1/2 in.)	69426292+	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200121	160 mm (6 in.)	69426292+	6	36

PLASTIC CUTTING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Spring-loaded



Without cutting edge bevel, for plastic parts flush cutting



Item No.	Size	EAN	Inner	Outer
200104	160 mm (6 in.)	69426292+	6	36

HEAVY-DUTY LINESMAN PLIERS

- High-leverage mechanics
- Crimping function
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200114	230 mm (9 in.)	69426292+	6	24

END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200123	160 mm (6 in.)	69426292+	6	36

DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200105	160 mm (6 in.)	69426292+	6	36
200107	200 mm (8 in.)	69426292+	6	24

FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200115	160 mm (6 in.)	69426292+	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200124	200 mm (8 in.)	69426292+	6	36

SLIP JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200151	160 mm (6 in.)	69426292+	6	36
200153	200 mm (8 in.)	69426292+	6	24

GROOVE JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200161	200 mm (8 in.)	69426292+	6	24
200163	250 mm (10 in.)	69426292+	6	24
200165	300 mm (12 in.)	69426292+	6	12

MINI LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200181	120 mm (4-3/4 in.)	69426292+	6	36

MINI DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200183	110 mm (4-1/4 in.)	69426292+	6	36

MINI BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200185	120 mm (4-3/4 in.)	69426292+	6	36

MINI FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200187	120 mm (4-3/4 in.)	69426292+	6	36

MINI END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200189	100 mm (4 in.)	69426292+	6	36

HEAVY-DUTY FENCE PLIERS

- For installing, maintaining, and repairing wire fences
- 3 wire cutters
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200201	250 mm (10 in.)	69426292+	6	24

LONG REACH PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200221	280 mm (11 in.)	69426292+	6	24

LONG REACH PLIERS 45°

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200223	280 mm (11 in.)	69426292+	6	24

LONG REACH PLIERS 90°

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
200225	280 mm (11 in.)	69426292+	6	24

LONG REACH PLIERS 20° OFFSET

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200227	280 mm (11 in.)	69426292+	6	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200551	125 mm (5 in.)	0427 5	6	36
200553	175 mm (7 in.)	0428 2	6	24
200555	250 mm (10 in.)	0429 9	6	12

WELDING CLAMP LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200603	266 mm (10 in.)	3143 1	2	24

CARPENTER'S PINCER

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200303	200 mm (8 in.)	0420 6	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200507	165 mm (6-1/2 in.)	0425 1	6	36
200509	235 mm (9-1/2 in.)	0426 8	6	24

FLAT WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200611	200 mm (8 in.)	3144 8	4	24
200613	250 mm (10 in.)	3145 5	4	24

TOWER PINCER

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200313	225 mm (9 in.)	0421 3	6	24
200316	250 mm (10 in.)	7786 6	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200557	165 mm (6-1/2 in.)	0430 5	6	36
200559	235 mm (9-1/2 in.)	0431 2	6	24

C TYPE WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200621	160 mm (6 in.)	3146 2	4	24
200623	275 mm (11 in.)	3147 9	4	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200501	125 mm (5 in.)	0422 0	6	36
200503	175 mm (7 in.)	0423 7	6	24
200505	250 mm (10 in.)	0424 4	6	12

STRAIGHT JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle

CR-V



Item No.	Size	EAN	Inner	Outer
200563	175 mm (7 in.)	3481 4	6	24
200565	250 mm (10 in.)	3482 1	6	12

C TYPE WELDING LOCKING PLIERS WITH SWIVEL PAD

- High carbon steel
- Nickel plated



Item No.	Size	EAN	Inner	Outer
200633	275 mm (11 in.)	3149 3	4	24



AUTO GRIP PLIERS

- Auto-grip function
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
200711	180 mm (7 in.)	5913 8	20	40
200713	250 mm (10 in.)	5914 5	20	40

MINI WATER PUMP PLIERS

- Chrome-Vanadium steel
- Compact design
- Precision forged
- 26 mm max jaw opening



Item No.	Size	EAN	Inner	Outer
200721	100 mm (4 in.)	5064 7	6	36

INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201003	200 mm (8 in.)	1435 9	6	24

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201005	160 mm (6 in.)	1436 6	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201011	200 mm (8 in.)	1437 3	6	24

INSULATED BENT NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201017	160 mm (6 in.)	8091 0	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201025	160 mm (6 in.)	1438 0	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
201063	230 mm (9 in.)	1439 7	6	24


3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 160 mm (6 in.) long nose pliers
- 200 mm (8 in.) combination pliers
- VDE/GS certified
- 1000 V insulated

CR-V



Item No.	Size	EAN	Inner	Outer
201083	3 pc	8642 4	3	12



CIRCLIP PLIERS STRAIGHT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202011	175 mm (7 in.)	69426292+	6	24

4 PC CIRCLIP PLIERS SET

- Internal and external use
- 0°, 45°, 90° tips
- 1.4 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202024	150 mm (6 in.)	69426292+	6	24

4 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN	Inner	Outer
204009	4 pc	69426292+	6	12

CIRCLIP PLIERS STRAIGHT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202013	175 mm (7 in.)	69426292+	6	24

2 PC PLIERS & WRENCH SET

- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) adjustable wrench



Item No.	Size	EAN	Inner	Outer
204001	2 pc	69426292+	6	12

2 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose pliers
- 110 mm (4-1/4 in.) diagonal pliers



Item No.	Size	EAN	Inner	Outer
204024	2 pc	69426292+	6	24

CIRCLIP PLIERS BENT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202015	175 mm (7 in.)	69426292+	6	24

3 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers



Item No.	Size	EAN	Inner	Outer
204005	3 pc	69426292+	6	12

5 PC MINI PLIERS

- 1 pc mini bent nose pliers
- 1 pc mini long nose pliers
- 1 pc mini linesman pliers
- 1 pc mini diagonal pliers
- 1 pc mini end nipper
- Zipper case included



Item No.	Size	EAN	Inner	Outer
204025	5 pc	69426292+	6	12

CIRCLIP PLIERS BENT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN	Inner	Outer
202017	175 mm (7 in.)	69426292+	6	24

3 PC PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN	Inner	Outer
204007	3 pc	69426292+	6	12

4 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose plier
- 120 mm (4-3/4 in.) bent nose pliers
- 110 mm (4-1/4 in.) diagonal pliers
- 100 mm (4 in.) end nipper



Item No.	Size	EAN	Inner	Outer
204036	4 pc	69426292+	6	24



SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle
- Parallel tip

Item No.	Size	EAN	Inner	Outer
205000	2.5 x 75 mm (3/32 x 3 in.)	2987 2	6	72
205001	3.0 x 75 mm (1/8 x 3 in.)	0432 9	6	72
205002	3.0 x 100 mm (1/8 x 4 in.)	2988 9	6	72
205003	4.0 x 100 mm (5/32 x 4 in.)	0433 6	6	72
205004	4.0 x 125 mm (5/32 x 5 in.)	2989 6	6	72

SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205009	5.5 x 100 mm (7/32 x 4 in.)	0436 7	6	72
205017	5.5 x 150 mm (7/32 x 6 in.)	2991 9	6	72
205010	6.5 x 100 mm (1/4 x 4 in.)	1373 4	6	72
205014	6.5 x 150 mm (1/4 x 6 in.)	3024 3	6	72
205020	6.5 x 38 mm (1/4 x 1-1/2 in.)	2827 1	6	72
205013	8.0 x 150 mm (5/16 x 6 in.)	0438 1	6	60
205015	10 x 200 mm (3/8 x 8 in.)	0439 8	6	60

PHILLIPS SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205031	#0 x 60 mm (2-1/2 in.)	0440 4	6	72
205032	#0 x 75 mm (3 in.)	2994 0	6	72
205033	#1 x 75 mm (3 in.)	0441 1	6	72
205047	#1 x 38 mm (1-1/2 in.)	4740 1	6	72
205037	#2 x 100 mm (4 in.)	0443 5	6	72
205038	#2 x 125 mm (5 in.)	2996 4	6	72
205035	#2 x 38 mm (1-1/2 in.)	0442 8	6	72
205041	#3 x 150 mm (6 in.)	0445 9	6	60
205045	#3 x 200 mm (8 in.)	4164 5	6	60

POZI SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205052	#0 x 75 mm (3 in.)	2997 1	6	72
205054	#1 x 100 mm (4 in.)	2998 8	6	72
205063	#1 x 38 mm (1-1/2 in.)	4741 8	6	72
205057	#2 x 100 mm (4 in.)	0449 7	6	72
205055	#2 x 38 mm (1-1/2 in.)	0448 0	6	72
205061	#3 x 150 mm (6 in.)	0451 0	6	60

TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205069	T-8 x 75 mm (3 in.)	0847 1	6	72
205071	T-10 x 75 mm (3 in.)	0452 7	6	72
205073	T-15 x 100 mm (4 in.)	0453 4	6	72
205075	T-20 x 100 mm (4 in.)	0454 1	6	72
205077	T-25 x 100 mm (4 in.)	0455 8	6	72
205081	T-30 x 125 mm (5 in.)	0457 2	6	72
205083	T-40 x 150 mm (6 in.)	0458 9	6	60
205085	T-45 x 150 mm (6 in.)	0459 6	6	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TAMPER TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205151	T-10 x 75 mm (3 in.)	3463 0	6	72
205153	T-15 x 100 mm (4 in.)	3464 7	6	72
205155	T-20 x 100 mm (4 in.)	3465 4	6	72
205157	T-25 x 100 mm (4 in.)	3466 1	6	72
205159	T-27 x 125 mm (5 in.)	3467 8	6	72
205161	T-30 x 125 mm (5 in.)	3468 5	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

GO-THROUGH SLOTTED SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205173	6 x 150 mm (1/4 x 6 in.)	5069 2	6	72
205177	8 x 200 mm (5/16 x 8 in.)	5071 5	6	72

GO-THROUGH PHILLIPS SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle

Item No.	Size	EAN	Inner	Outer
205183	#2 x 100 mm (4 in.)	5073 9	6	72
205185	#2 x 150 mm (6 in.)	5074 6	6	72
205187	#3 x 150 mm (6 in.)	5075 3	6	72
205189	#3 x 200 mm (8 in.)	5076 0	6	72



6-IN-1 SCREWDRIVER WITH BITS

- Non-slip bi-material handle
- ⊕ #1 & #2
- ⊖ 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.

CR-V



Item No.	Size	EAN	Inner	Outer
205211	6-in-1	69426292+	6	60

2-IN-1 SCREWDRIVER

- Non-slip bi-material handle
- 125 mm (5 in.) interchangeable shank
- ⊖ 6.5 mm (1/4 in.)
- ⊕ #2



Item No.	Size	EAN	Inner	Outer
205213	2-in-1	69426292+	12	48

AWL

- Non-slip bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
205233	100 mm (4 in.)	69426292+	6	60

MAGNETIC TIP DRIVER

- Non-slip bi-material handle
- Magnetic bit holder



Item No.	Size	EAN	Inner	Outer
205241	100 mm (4 in.)	69426292+	6	72

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- ⊖ 4 mm, 5.5 mm, 6.5 mm
- ⊕ #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205245		69426292+	16	48

STUBBY RATCHET SCREWDRIVER


- Removable extension bar for working in tight space
- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- ⊖ 4 mm, 5.5 mm, 6.5 mm
- ⊕ #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205247		69426292+	16	48

43 PC RATCHET SCREWDRIVER SET


- 40 pc bits:
- ⊕ #0, #1 x 3, #2 x 3, #3 x 2
- ⊖ 3 mm x 2, 4 mm x 2, 5 mm x 2, 6 mm x 2, 7 mm
- ⊕ #1, #2, #3
- ⊖ #0 x 2, #1 x 2, #2 x 2
- ⊖ T-8, T-10, T-15, T-20, T-25, T-27, T-30
- ⊖ 2, 2.5, 3, 4, 5, 6 mm
- 215 mm flexible extension
- Ratchet screwdriver
- Bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
205253	43 pc	69426292+	6	12

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- ⊖ 4 mm, 5.5 mm, 6.5 mm
- ⊕ #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205248		69426292+	6	24

STUBBY RATCHET SCREWDRIVER


- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- ⊖ 4 mm, 5.5 mm, 6.5 mm
- ⊕ #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205249		69426292+	6	24

RATCHET TELESCOPIC SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- ⊖ 4 mm, 5.5 mm, 6.5 mm
- ⊕ #1, #2, #3



Item No.	Size	EAN	Inner	Outer
205250		69426292+	6	24

6-IN-1 SCREWDRIVER WITH BITS

- ⊕ #1 & #2
- ⊖ 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.

CR-V



Item No.	Size	EAN	Inner	Outer
205387	6-in-1	4810 1	12	48

6 PC SCREWDRIVER SET

- ⊕ #0 x 75 mm (3 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- ⊖ 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.) & 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN	Inner	Outer
205401	6 pc	1276 8	6	24

6 PC SCREWDRIVER SET

- ⊕ #0 x 60 mm (2-1/2 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- ⊕ T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.) & T-25 x 100 mm (4 in.)



Item No.	Size	EAN	Inner	Outer
205403	6 pc	1277 5	6	24

6 PC SCREWDRIVER SET

- ⊕ T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.), T-20 x 100 mm (4 in.), T-25 x 100 mm (4 in.) & T-30 x 125 mm (5 in.)



Item No.	Size	EAN	Inner	Outer
205405	6 pc	1448 9	6	24

10 PC SCREWDRIVER SET

- ⊖ 6.5 x 38 mm (1/4 x 1-1/2 in.), 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.) & 6.5 x 100 mm (1/4 x 4 in.)
- ⊕ #2 x 38 mm (1-1/2 in.), #0 x 75 mm (3 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- ⊕ T-10 x 75 mm (3 in.) & T-15 x 100 mm (4 in.)



Item No.	Size	EAN	Inner	Outer
205407	10 pc	1449 6	6	12

6 PC GO-THROUGH SCREWDRIVER SET

- ⊖ 5 x 75 mm (3/16 x 3 in.), 6 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.)
- ⊕ #1 x 75 mm (3 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN	Inner	Outer
205426	6 pc	4809 5	6	24

6 PC SCREWDRIVER SET

- ⊕ #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)
- ⊖ 3 x 75 mm (1/8 x 3 in.), 4 x 100 mm (5/32 x 4 in.)
- ⊕ #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)



Item No.	Size	EAN	Inner	Outer
205408	6 pc	8431 4	6	24

2 PC SCREWDRIVER SET

- ⊕ #2 x 100 mm (4 in.)
- ⊖ 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN	Inner	Outer
205409	2 pc	8861 9	6	24

2 PC STUBBY SCREWDRIVER SET

- ⊕ #2 x 38 mm (1-1/2 in.)
- ⊖ 6.5 x 38 mm (1/4 x 1-1/2 in.)



Item No.	Size	EAN	Inner	Outer
205411	2 pc	8862 6	6	24

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ 6 x 150 mm (1/4 x 6 in.) ⊕ #1 x 150 mm (6 in.)
- ⊖ 5 x 100 mm (3/16 x 4 in.) ⊕ #2 x 150 mm (6 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205435	4 pc	69426292+	3949 9	6 36

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ T-10 x 83 mm (3-1/4 in.) ⊕ T-20 x 83 mm (3-1/4 in.)
- ⊖ T-15 x 83 mm (3-1/4 in.) ⊕ T-25 x 83 mm (3-1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205437	4 pc	69426292+	3950 5	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ 6 x 100 mm (1/4 x 4 in.) ⊕ #1 x 100 mm (4 in.)
- ⊖ 6 x 150 mm (1/4 x 6 in.) ⊕ #2 x 100 mm (4 in.)
- ⊖ 5 x 75 mm (3/16 x 3 in.)
- ⊖ 5 x 150 mm (3/16 x 6 in.)

CR-V




Item No.	Size	EAN	Inner	Outer
205439	6 pc	69426292+	3951 2	6 24

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊕ #2 x 100 mm (4 in.)
- ⊖ 6 x 100 mm (1/4 x 4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205431	2 pc	69426292+	3947 5	6 60

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ T-10 x 83 mm (3-1/4 in.)
- ⊖ T-15 x 83 mm (3-1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205433	2 pc	69426292+	3948 2	6 60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

20 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ 5 x 75 mm (3/16 x 3 in.), 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.), 6 x 150 mm (1/4 x 6 in.), 6 x 38 mm (1/4 x 1-1/2 in.)
- ⊕ #1 x 100 mm (4 in.), #1 x 150 mm (6 in.), #2 x 100 mm (4 in.), #2 x 150 mm (6 in.), #2 x 38 mm (1-1/2 in.)
- 6 pc precision screwdriver
- ⊕ #0, #00
- ⊖ 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- 2 pc offset
- ⊕ #1-5 mm (3/16 in.)
- ⊕ #2-6 mm (1/4 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205440	20 pc	69426292+	4544 5	0 8

2 PC STUBBY SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ 6 x 38 mm (1/4 x 1-1/2 in.)
- ⊕ #2 x 38 mm (1-1/2 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
205441	2 pc	69426292+	3952 9	6 60

6 PC PRECISION SCREWDRIVER SET

- Chrome-Vanadium steel blade
- ⊖ 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- ⊕ #00, #0

CR-V



Item No.	Size	EAN	Inner	Outer
205791	6 pc	69426292+	1460 1	8 32


35 PC SCREWDRIVER SET

- 8 pc Screwdriver:
 - ⊖ 6 x 38 mm, 5 x 75 mm, 6 x 100 mm, 8 x 150 mm
 - ⊕ #2 x 38 mm, #2 x 100 mm, #1 x 75 mm, #3 x 150 mm
- 1 pc Magnetic Driver
- 20 pc 1 in. Bits: ⊕ #1, #2, #3 ⊖ 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
- ⊕ #1, #2, #3 ⊖ T-10, T-20, T-30
- 6 pc Precision Screwdriver
 - ⊖ 1.5 mm, 2 mm, 2.5 mm, 3 mm
 - ⊕ #0, #00

CR-V




Item No.	Size	EAN	Inner	Outer
205445	35 pc	69426292+	6730 0	0 6



SLOTTED INSULATED SCREWDRIVERS

- VDE/GS certified
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
205500	2.5 x 75 mm	4736 4	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

PHILLIPS INSULATED SCREWDRIVERS

- VDE/GS certified
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

POZI INSULATED SCREWDRIVERS

- VDE/GS certified
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN	Inner	Outer
205523	#1 x 80 mm	1457 1	6	60

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- ⊖ 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- ⊕ #0 x 60 mm, #1 x 80 mm & #2 x 100 mm

CR-V




Item No.	Size	EAN	Inner	Outer
205601	6 pc	69426292+	1459 5	6 24

12 PC SCREWDRIVER SET

- 5 pc VDE screwdriver:
 - ⊕ #1 x 80 mm, #2 x 100 mm
 - ⊖ 3 x 75 mm, 4 x 100 mm, 5.5 x 125 mm
- 6 pc precision screwdriver:
 - ⊕ #00, #0
 - ⊖ 1.5, 2.0, 2.5, 3.0 mm
- 1 pc 140 mm VDE tester



Item No.	Size	EAN	Inner	Outer
205604	12 pc	69426292+	8643 1	6 24



12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle, 10 pc S2 steel interchangeable VDE shank
- ⊖ 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
- ⊕ #0, #1, #2,
- 1 pc VDE tester 125-250 V
- Nylon pouch included

S2



Item No.	Size	EAN	Inner	Outer
205605VD	12 pc	69426292+	9322 4	6 24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include ⊕ #00, #0
- ⊖ 1.5, 1.8, 2.0, 2.5, 3.0 mm
- Plastic storage case included

S2



Item No.	Size	EAN	Inner	Outer
205793VD	7 pc	69426292+	9323 1	6 24

SLOTTED CHS SCREWDRIVERS

- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205611	2.5 x 75 mm (3/32 x 3 in.)	0001 7	12	96
205612	3.0 x 75 mm (1/8 x 3 in.)	0002 4	12	96
205613	3.0 x 100 mm (1/8 x 4 in.)	0003 1	12	96
205614	3.0 x 150 mm (1/8 x 6 in.)	0004 8	12	96
205617	4.0 x 100 mm (5/32 x 4 in.)	0005 5	12	96
205618	4.0 x 125 mm (5/32 x 5 in.)	0008 6	12	96
205621	5.0 x 38 mm (3/16 x 1-1/2 in.)	0009 3	12	96
205622	5.0 x 75 mm (3/16 x 3 in.)	0010 9	12	96
205623	5.0 x 100 mm (3/16 x 4 in.)	0011 6	12	96
205624	5.0 x 150 mm (3/16 x 6 in.)	0012 3	12	96
205626	6.0 x 38 mm (1/4 x 1-1/2 in.)	0013 0	12	96
205627	6.0 x 100 mm (1/4 x 4 in.)	0014 7	12	96
205628	6.0 x 125 mm (1/4 x 5 in.)	0015 4	12	72
205629	6.0 x 150 mm (1/4 x 6 in.)	0016 1	12	72
205632	8.0 x 100 mm (5/16 x 6 in.)	0019 2	12	72
205635	10.0 x 200 mm (3/8 x 8 in.)	0020 8	12	72

PHILLIPS CHS SCREWDRIVERS

- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205641	#0 x 60 mm (2-1/2 in.)	0021 5	12	96
205642	#0 x 75 mm (3 in.)	0022 2	12	96
205645	#1 x 75 mm (3 in.)	0023 9	12	96
205646	#1 x 100 mm (4 in.)	0024 6	12	96
205647	#1 x 150 mm (6 in.)	0025 3	12	96
205651	#2 x 38 mm (1-1/2 in.)	0026 0	12	96
205652	#2 x 100 mm (4 in.)	0027 7	12	72
205653	#2 x 125 mm (5 in.)	0028 4	12	72
205655	#2 x 200 mm (8 in.)	0029 1	12	72
205656	#2 x 250 mm (10 in.)	0030 7	12	72
205659	#3 x 150 mm (6 in.)	0031 4	12	72
205660	#3 x 200 mm (8 in.)	0080 2	12	72

CHS NUT DRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205705	3/16 in. x 75 mm	0087 1	12	72
205706	1/4 in. x 75 mm	0088 8	12	72
205707	5/16 in. x 75 mm	0089 5	12	72
205708	11/32 in. x 75 mm	0090 1	12	72
205709	3/8 in. x 75 mm	0195 3	12	72
205710	7/16 in. x 75 mm	0196 0	12	72
205711	1/2 in. x 75 mm	0199 1	12	72

4 PC CHS SCREWDRIVER SET

- 5 x 100 mm (3/16 x 4 in.), 6 x 100 mm (1/4 x 4 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205774	4 pc	0200 4	6	24

6 PC CHS SCREWDRIVER SET

- 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205775	6 pc	0214 1	6	24

10 PC CHS SCREWDRIVER SET

- 5 x 75 mm (3/16 x 3 in.), 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 38 mm (1/4 x 1-1/2 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 38 mm (1-1/2 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205776	10 pc	0215 8	6	12

16 PC HEX & TORX KEY SET

- Chrome-Vanadium steel
- 1.27, 1.5, 2, 2.5, 3, 4, 5, 6 mm
- T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-40



Item No.	Size	EAN 69426292+	Inner	Outer
206028	16 pc	4879 8	10	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206001	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0460 2	6	36
206003	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0461 9	6	36

9 PC BALL END LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206005	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0462 6	6	36
206007	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0463 3	6	36

9 PC LONG TORX® KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206009	T-10, 15, 20, 25, 27, 30, 40, 45 & 50	0464 0	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC EXTRA LONG BALL END HEX KEY SET


- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206015	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	4260 4	6	36
206017	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4261 1	6	36

LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206031	1.5 mm	78	15	4362 5	20	120
206032	2 mm	84	17	4363 2	20	120
206033	2.5 mm	91	20	4364 9	20	120
206034	3 mm	101	22	4365 6	20	120
206036	4 mm	108	28	4366 3	20	120
206038	5 mm	121	32	4367 0	20	120
206040	6 mm	144	37	4368 7	20	120
206042	8 mm	166	43	4369 4	20	120
206044	10 mm	177	49	4370 0	20	120
206046	12 mm	220	57	6699 0	10	60
206048	14 mm	250	69	6700 3	10	60
206050	16 mm	256	75	6701 0	10	40
206051	1/16 in.	77	15	4371 7	20	120
206052	5/64 in.	83	17	4372 4	20	120
206053	3/32 in.	88	19	4373 1	20	120
206054	7/64 in.	93	21	4374 8	20	120
206055	1/8 in.	98	22	4375 5	20	120
206056	9/64 in.	103	23	4376 2	20	120
206057	5/32 in.	109	25	4377 9	20	120
206058	3/16 in.	119	29	4378 6	20	120
206059	7/32 in.	129	31	4379 3	20	120
206060	1/4 in.	141	34	4380 9	20	120
206061	5/16 in.	160	40	4381 6	20	120
206062	3/8 in.	180	44	4382 3	20	120

BALL END LONG HEX KEY


- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206071	1.5 mm	78	15	4383 0	20	120
206072	2 mm	84	17	4384 7	20	120
206073	2.5 mm	91	20	4385 4	20	120
206074	3 mm	101	22	4386 1	20	120
206076	4 mm	108	28	4387 8	20	120
206078	5 mm	121	32	4388 5	20	120
206080	6 mm	144	37	4389 2	20	120
206082	8 mm	166	43	4390 8	20	120
206084	10 mm	177	49	4391 5	20	120
206091	1/16 in.	77	15	4392 2	20	120
206092	5/64 in.	83	17	4393 9	20	120
206093	3/32 in.	88	19	4394 6	20	120
206094	7/64 in.	93	21	4395 3	20	120
206095	1/8 in.	98	22	4396 0	20	120
206096	9/64 in.	103	23	4397 7	20	120
206097	5/32 in.	109	25	4398 4	20	120
206098	3/16 in.	119	29	4399 1	20	120
206099	7/32 in.	129	31	4400 4	20	120
206100	1/4 in.	141	34	4401 1	20	120
206101	5/16 in.	160	40	4402 8	20	120
206102	3/8 in.	180	44	4403 5	20	120

EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206111	1.5 mm	90	14	4404 2	20	120
206112	2 mm	101	17	4405 9	20	120
206113	2.5 mm	113	19	4406 6	20	120
206114	3 mm	128	22	4407 3	20	120
206116	4 mm	143	28	4408 0	20	120
206118	5 mm	164	32	4409 7	20	120
206120	6 mm	185	37	4410 3	20	120
206122	8 mm	207	43	4411 0	20	120
206124	10 mm	233	49	4412 7	12	72
206131	1/16 in.	90	14	4413 4	20	120
206132	5/64 in.	101	17	4414 1	20	120
206133	3/32 in.	113	19	4415 8	20	120
206134	7/64 in.	122	21	4416 5	20	120
206135	1/8 in.	128	22	4417 2	20	120
206136	9/64 in.	139	24	4418 9	20	120
206137	5/32 in.	143	28	4419 6	20	120
206138	3/16 in.	164	32	4420 2	20	120
206139	7/32 in.	175	35	4421 9	20	120
206140	1/4 in.	185	37	4422 6	20	120
206141	5/16 in.	207	43	4423 3	20	120
206142	3/8 in.	232	48	4424 0	12	72

BALL END EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206151	1.5 mm	90	14	4425 7	20	120
206152	2 mm	101	17	4426 4	20	120
206153	2.5 mm	113	19	4427 1	20	120
206154	3 mm	128	22	4428 8	20	120
206156	4 mm	143	28	4429 5	20	120
206158	5 mm	164	32	4430 1	20	120
206160	6 mm	185	37	4431 8	20	120
206162	8 mm	207	43	4432 5	20	120
206164	10 mm	233	49	4433 2	12	72
206171	1/16 in.	90	14	4434 9	20	120
206172	5/64 in.	101	17	4435 6	20	120
206173	3/32 in.	113	19	4436 3	20	120
206174	7/64 in.	121.8	20.8	4437 0	20	120
206175	1/8 in.	128.2	22.2	4438 7	20	120
206176	9/64 in.	139	24	4439 4	20	120
206177	5/32 in.	143	28	4440 0	20	120
206178	3/16 in.	164	32	4441 7	20	120
206179	7/32 in.	175	35	4442 4	20	120
206180	1/4 in.	185	37	4443 1	20	120
206181	5/16 in.	207	43	4444 8	20	120
206182	3/8 in.	232	48	4445 5	12	72

8 PC TORX® TAMPER KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206209	T-9, 10, 15, 20, 25, 27, 30 & 40	0469 5	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

BALL END T-HANDLE HEX KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206301	2 mm	4446 2	6	60
206303	2.5 mm	4447 9	6	60
206305	3 mm	4448 6	6	60
206307	4 mm	4449 3	6	60
206309	5 mm	4450 9	6	60
206311	6 mm	4451 6	6	36
206313	7 mm	4452 3	6	36
206315	8 mm	4453 0	6	36
206317	10 mm	4454 7	6	36
206331	5/64 in.	4455 4	6	60
206333	3/32 in.	4456 1	6	60
206335	1/8 in.	4457 8	6	60
206337	5/32 in.	4458 5	6	60
206339	3/16 in.	4459 2	6	60
206343	1/4 in.	4461 5	6	36
206345	5/16 in.	4462 2	6	36
206347	3/8 in.	4463 9	6	36

T-HANDLE TORX® KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206377	T-9	2659 8	6	60
206378	T-10	2660 4	6	60
206379	T-15	2661 1	6	60
206380	T-20	2662 8	6	60
206381	T-25	2663 5	6	60
206382	T-27	2664 2	6	36
206383	T-30	2665 9	6	36
206384	T-40	2666 6	6	36
206385	T-45	2667 3	6	36
206386	T-50	2668 0	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

5 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206360	3, 4, 5, 6 & 8 mm	4976 4	6	12

7 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206366	2.5, 3, 4, 5, 6, 8 & 10 mm	2650 5	6	12
206367	3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4874 3	6	12

4 PC PUNCH SCREWDRIVER BIT SET

- Slotted 10 mm (3/8 in.), 8 mm (5/16 in.), PH #2, #3
- Forward/reverse rotation
- Can use with 1/2 in. Dr. impact socket



Item No.	Size	EAN 69426292+	Inner	Outer
207201	4 pc	2781 6	6	12

5 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206393	T-10, 15, 20, 25 & 30	4978 8	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206397	T-10, 15, 20, 25, 27, 30 & 40	2669 7	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

19 PC SPIN FORCE DRILL & BIT SET

- Min length 175 mm (7 in.), Max length 223 mm (8-3/4 in.)
- Works like a Yankee® screwdriver
- 6 pc drill bits: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64 in.
- 11 pc 2 in. bits: 1/8 in. x 2, 3/16 in. x 2, 1/4 in. x 2; #0 x 2, #1 x 2, #2;
- Drill hole starter



Item No.	Size	EAN 69426292+	Inner	Outer
209021	19 pc	2622 2	8	24

YANKEE® IS REGISTERED TRADEMARK OF THE STANLEY WORKS

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210001	150 mm (6 in.)	0308 7	6	36
210003	200 mm (8 in.)	0309 4	6	36
210005	250 mm (10 in.)	0310 0	6	24
210007	300 mm (12 in.)	0311 7	6	12
210009	375 mm (15 in.)	0312 4	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Heavy-duty
- Wide open



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
210011	150 mm (6 in.)	24 mm	2952 0	6	36
210013	200 mm (8 in.)	29 mm	2953 7	6	36
210015	250 mm (10 in.)	34 mm	2954 4	6	24
210017	300 mm (12 in.)	41 mm	2955 1	6	12
210019	375 mm (15 in.)	44 mm	2956 8	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Chrome plated



Item No.	Size	EAN 69426292+	Inner	Outer
210021	150 mm (6 in.)	3842 3	6	36
210023	200 mm (8 in.)	3843 0	6	36
210025	250 mm (10 in.)	3844 7	6	24
210027	300 mm (12 in.)	3845 4	6	12
210029	375 mm (15 in.)	3846 1	6	12

3 PC ADJUSTABLE WRENCH SET

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- 150 mm (6 in.), 200 mm (8 in.), 250 mm (10 in.)
- Cr-plated



Item No.	Size	EAN 69426292+	Inner	Outer
210123	3 pc	5665 6	6	12

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24

C-CLAMP

- Heavy-duty cast-iron body



Item No.	Size	EAN 69426292+	Inner	Outer
215001	50 mm (2 in.)	0257 8	6	60
215003	75 mm (3 in.)	0258 5	6	24
215005	100 mm (4 in.)	0259 2	6	12
215007	125 mm (5 in.)	0260 8	6	12
215009	150 mm (6 in.)	0261 5	4	8
215011	200 mm (8 in.)	0262 2	4	8

QUICK ACTION F-CLAMP

- Quick release function
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215453	300 mm (12 in.)	2748 9	6	12
215455	450 mm (18 in.)	2749 6	6	12
215457	600 mm (24 in.)	2750 2	6	12
215459	900 mm (36 in.)	2751 9	6	12

PUMP CLAMP

- Heavy-duty cast-iron body
- For professional wood and metal working



Item No.	Size	EAN 69426292+	Inner	Outer
215475	500 x 120 mm	8376 8	0	6
215479	1000 x 120 mm	8377 5	0	4

F-CLAMP

- All steel construction and swivel handle for more clamp force
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215213	200 x 80 mm	0608 8	6	12
215217	300 x 80 mm	0610 1	6	12
215227	300 x 120 mm	0615 6	4	8
215229	400 x 120 mm	0616 3	4	8
215233	600 x 120 mm	0618 7	2	4
215237	1000 x 120 mm	0620 0	2	4

F-CLAMP

- Heavy-duty cast iron body
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215403	150 x 50 mm	0625 5	6	36
215405	200 x 50 mm	0626 2	6	36
215409	300 x 50 mm	0628 6	6	36
215413	200 x 80 mm	0630 9	6	12
215417	300 x 80 mm	0632 3	6	12
215427	300 x 120 mm	0637 8	0	8
215429	400 x 120 mm	0638 5	0	6
215433	600 x 120 mm	0640 8	0	6
215437	1000 x 120 mm	0642 2	0	4

DUAL-ACTION TRIGGER CLAMP

- One-hand clamping and spreading function
- Non-slip soft handle
- 100 kg (230 lbs.) clamp force



Item No.	Size	EAN 69426292+	Inner	Outer
215601	150 mm (6 in.)	2642 0	6	12
215603	300 mm (12 in.)	2643 7	6	12
215604	450 mm (18 in.)	2744 1	6	12
215605	600 mm (24 in.)	2644 4	6	12
215607	900 mm (36 in.)	2645 1	4	8
215609	1200 mm (48 in.)	2646 8	4	8

HEAVY-DUTY TRIGGER CLAMP

- 135 kg (300 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 81mm throat depth
- Pivoting jaws



Item No.	Max open	EAN 69426292+	Inner	Outer
215611	150 mm (6 in.)	9391 0	6	12
215613	300 mm (12 in.)	9392 7	6	12
215614	450 mm (18 in.)	9393 4	6	12
215615	600 mm (24 in.)	9394 1	6	12
215617	900 mm (36 in.)	9395 8	4	8

DUAL-ACTION TRIGGER CLAMP

- 60 kg (138 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 65 mm throat depth



Item No.	Max open	EAN 69426292+	Inner	Outer
215631	150 mm (6 in.)	3022 9	0	6
215632	300 mm (12 in.)	3932 1	0	6
215633	450 mm (18 in.)	9464 1	0	6
215634	600 mm (24 in.)	9465 8	0	6
215636	900 mm (36 in.)	9485 6	0	6

NYLON CLAMP

- Non-slip soft handle



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
215701	2 pc 80 mm	32 mm	1461 8	6	24
215703	110 mm	46 mm	1462 5	12	48
215704	4 pc 110 mm	46 mm	5123 1	18	54
215705	165 mm	58 mm	1463 2	6	36
215706	3 pc 165 mm	58 mm	5626 7	18	36
215707	225 mm	90 mm	1464 9	6	24



RATCHET CLAMP

- Quick release function



Item No.	Max opening mouth	EAN 69426292+	Inner	Outer
215771	50 mm (2 in.)	3473 9	6	24
215772	100 mm (4 in.)	5432 4	6	24

PIPE CLAMP

- Works with steel pipes
- Soft jaws included
- H style base prevents clamps from tipping over



Item No.	Size	EAN 69426292+	Inner	Outer
215803	1/2 in. (12.7 mm)	1699 5	3	12
215805	3/4 in. (19.05 mm)	1465 6	3	12

CORNER CLAMP

- Clamp various sized work pieces with 2 spindles



Item No.	Size	EAN 69426292+	Inner	Outer
215851	75 mm (3 in.)	2752 6	6	24

BAND CLAMP

- Used in cabinet work, furniture assembly, and framing
- Ideal for use with various shaped work pieces
- Pass through joints



Item No.	Size	EAN 69426292+	Inner	Outer
215901	4 m (13 ft.)	3472 2	0	12

CORNER & VISE CLAMP

- Used in cabinet work, furniture assembly, and framing
- Clamp different thicknesses
- Pass through joints



Item No.	Size	EAN 69426292+	Inner	Outer
215907		7201 4	12	24

BENCH VISE WITH SWIVEL BASE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216004	100 mm (4 in.)	2980 3	0	2
216005	125 mm (5 in.)	2981 0	0	2
216006	150 mm (6 in.)	2982 7	0	1

BENCH VISE WITH FIXED BASE

- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216033	75 mm (3 in.)	5217 7	0	2
216034	100 mm (4 in.)	5218 4	0	2
216035	125 mm (5 in.)	5219 1	0	1
216036	150 mm (6 in.)	5220 7	0	1
216038	200 mm (8 in.)	5221 4	0	1

HEAVY-DUTY BENCH VISE WITH FIXED BASE

- Extra weight provides more stability
- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216053	75 mm (3 in.)	5222 1	0	2
216054	100 mm (4 in.)	5223 8	0	2
216055	125 mm (5 in.)	5224 5	0	1
216056	150 mm (6 in.)	5225 2	0	1
216058	200 mm (8 in.)	5226 9	0	1

HOME VISE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216093	90 mm (3-1/2 in.)	3449 4	0	4

TABLE VISE WITH SWIVEL BASE


- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216203	60 mm (2-1/2 in.)	3450 0	0	10

MULTI-ANGLE VISE

- Ideal for holding small parts
- Portable, quickly Clamps to surface
- Tabletop 360° rotates and swivels vise tilts 45°



Item No.	Size	EAN 69426292+	Inner	Outer
216211		7202 1	0	12

DRILL VISE

- Replaceable hardened jaw



Item No.	Size	EAN 69426292+	Inner	Outer
216404	100 mm (4 in.)	2983 4	0	8

WOOD WORKING VISE

- Cast iron base



Item No.	Size	EAN 69426292+	Inner	Outer
216447	150 mm (6 in.)	3451 7	0	6

RIVET GUN

- Heavy-duty
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217001	250 mm (10 in.)	0853 2	6	12

FLEX HEAD RIVET GUN

- 360° rotating head for working in tight space
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217022		2610 9	4	8

HEAVY-DUTY RIVET GUN

- Single pull action for fast, repetitive applications
- 3.2 mm (1/8 in.), 4.0 mm (5/32 in.), 4.8 mm (3/16 in.), 6.0 mm (15/64 in.) & 6.4 mm (1/4 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217025		3356 5	0	6

LONG-ARM RIVET GUN

- Industrial compound action riveter with high leverage long tubular handle
- 2.4 mm (3/32 in.), 3.2 mm (1/8 in.), 4.0 mm (5/32 in.) & 4.8 mm (3/16 in.)
- Suit for aluminum rivet



Item No.	Size	EAN 69426292+	Inner	Outer
217029		3357 2	0	10

100 PC RIVET SET

- Grip range 0.8-3 mm
- Aluminum



Item No.	D	L	EAN 69426292+	Inner	Outer
217051	2.4 mm (3/32 in.)	6.4 mm (1/4 in.)	3938 3	20	120
217053	3.2 mm (1/8 in.)	6.4 mm (1/4 in.)	3939 0	20	120
217055	4.0 mm (5/32 in.)	6.4 mm (1/4 in.)	3940 6	12	72
217057	4.8 mm (3/16 in.)	6.4 mm (1/4 in.)	3941 3	12	72

EYELET PLIERS

- Use with 4 mm eyelet
- Ergonomic large handle
- 50 eyelets included



Item No.	Size	EAN	Inner	Outer
217201	50 pc 4 mm replace eyelets	1466 3	6	36
217210	50 pc 4 mm replace eyelets	8793 3	12	144

EYELET PLIERS

- Use with 6 mm eyelet
- 50 pc 6 mm eyelets included



Item No.	Size	EAN	Inner	Outer
217203	50 pc 6 mm replace eyelets	8664 6	6	36
217211	50 pc 6 mm replace eyelets	8690 5	54	216

PUNCH PLIERS

- 6 punch size 2.5, 3, 3.5, 4, 4.5 & 5 mm
- Ergonomic large handle



Item No.	Size	EAN	Inner	Outer
217401		1467 0	6	24

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 100 pc staples



Item No.	Size	EAN	Inner	Outer
218003		1468 7	6	12

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 200 pc staples



Item No.	Size	EAN	Inner	Outer
218005		7032 4	6	12

HEAVY-DUTY STAPLE GUN


- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplied with 600 pc staples



Item No.	Size	EAN	Inner	Outer
218011	3-in-1	1469 4	6	12

HEAVY-DUTY STAPLE GUN

- High/low power adjustment
- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplier with 600 pc staples
- With belt clip



Item No.	Size	EAN	Inner	Outer
218013		7033 1	6	12

11.3 mm HEAVY-DUTY STAPLES

- Fits 218011, 218013
- 11.3 mm wide staples



Item No.	Size	EAN	Inner	Outer
218101	1000 pc 6 mm (1/4 in.)	3358 9	12	144
218103	1000 pc 8 mm (5/16 in.)	3359 6	12	72
218105	1000 pc 10 mm (3/8 in.)	3360 2	12	72
218107	1000 pc 12 mm (1/2 in.)	3361 9	12	72
218109	1000 pc 14 mm (9/16 in.)	3362 6	12	72

11.3 mm LIGHT-DUTY STAPLES

- Fits 218003, 218005
- 11.3 mm wide staples



Item No.	Size	EAN	Inner	Outer
218121	1000 pc 6 mm (1/4 in.)	3363 3	12	144
218123	1000 pc 8 mm (5/16 in.)	3364 0	12	72

BRAD NAILS



Item No.	Size	EAN	Inner	Outer
218147	1000 pc 12 mm (1/2 in.)	3367 1	12	144
218151	1000 pc 16 mm (5/8 in.)	3368 8	12	144

10.6 mm HEAVY-DUTY STAPLES

- Fits 218011, 218013
- 10.6 mm wide staples



Item No.	Size	EAN	Inner	Outer
218161	1000 pc 6 mm	0298 1	12	144
218162	1000 pc 8 mm	2292 7	12	72
218163	1000 pc 10 mm	2293 4	12	72
218164	1000 pc 12 mm	2295 8	12	72
218165	1000 pc 14 mm	2296 5	12	72



MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220011	25 mm	0646 0	6	24
220013	30 mm	0647 7	6	12
220015	35 mm	0648 4	6	12
220017	40 mm	0649 1	6	12
220019	45 mm	0650 7	4	8
220021	50 mm	0651 4	2	6

JOINER HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220031	16 mm	0652 1	6	36
220033	20 mm	0653 8	6	36
220035	25 mm	0654 5	6	24
220037	30 mm	0655 2	6	12
220039	35 mm	0656 9	6	12

ELECTRICIAN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220051	18 mm	0657 6	6	36

MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220103	200 g	0658 3	6	36
220105	300 g	0659 0	6	24
220107	400 g	0660 6	6	24
220109	500 g	0661 3	6	12
220111	600 g	0662 0	6	12
220113	800 g	0663 7	4	12
220115	1000 g	0664 4	4	8

STONE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220531	1000 g	0665 1	4	8
220533	1250 g	0666 8	4	8
220535	1500 g	0667 5	4	8

DRILLING HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
220631	0.9 kg (2 lbs.)	0668 2	4	8
220635	1.36 kg (3 lbs.)	0670 5	4	8
220637	1.8 kg (4 lbs.)	0671 2	4	8

CLAW HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
221001	225 g (8 oz.)	0672 9	6	24
221003	340 g (12 oz.)	0673 6	6	24
221005	450 g (16 oz.)	0674 3	6	12
221007	570 g (20 oz.)	0675 0	6	12

CLAW HAMMER

- Forged hammer head with magnetic nail holder
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
221031	700 g	0678 1	6	12

CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221051	450 g (16 oz.)	0679 8	6	12
221053	570 g (20 oz.)	0680 4	6	12

RIP CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221055	680 g (24 oz.)	0681 1	6	12

MAX-IMPACT CLAW HAMMER

- Max-impact technology enables a faster swing and greater impact
- Precision balanced head for user comfort and control
- Magnetic nail start feature enables one-handed nailing operation
- Fully forged one piece for a lifetime of use
- Non-slip bi-material soft handle



Item No.	Size	EAN	Inner	Outer
221057	450 g (16 oz.)	69426292+ 7780 4	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Tubular handle with non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
221071	225 g (8 oz.)	0682 8	6	36
221073	450 g (16 oz.)	0683 5	6	12
221075	570 g (20 oz.)	0684 2	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN	Inner	Outer
221201	225 g (8 oz.)	0685 9	6	24
221203	450 g (16 oz.)	0686 6	6	12
221205	570 g (20 oz.)	0687 3	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Wood handle



Item No.	Size	EAN	Inner	Outer
221209	225 g (8 oz.)	3998 7	6	24
221211	340 g (12 oz.)	3999 4	6	24
221213	450 g (16 oz.)	3847 8	6	12
221215	570 g (20 oz.)	3848 5	6	12

BALL PEIN HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222003	225 g (8 oz.)	0689 7	6	24
222005	340 g (12 oz.)	0690 3	6	24
222007	450 g (16 oz.)	0691 0	6	12
222009	680 g (24 oz.)	0692 7	6	12
222011	910 g (32 oz.)	0693 4	4	8
222013	1200 g (40 oz.)	0694 1	4	8

BALL PEIN HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN	Inner	Outer
222103	225 g (8 oz.)	3369 5	6	24
222107	450 g (16 oz.)	3371 8	6	12
222111	910 g (32 oz.)	3373 2	4	8

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222551	0.9 kg (2 lbs.)	0696 5	4	8
222557	1.8 kg (4 lbs.)	0699 6	4	8

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222559	2.7 kg (6 lbs.)	0700 9	0	2
222561	3.6 kg (8 lbs.)	0701 6	0	2
222563	4.5 kg (10 lbs.)	0702 3	0	2
222565	5.4 kg (12 lbs.)	0703 0	0	2

CROSS PEIN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
222701	0.9 kg (2 lbs.)	2782 3	4	8
222703	1.36 kg (3 lbs.)	2783 0	4	8
222705	1.8 kg (4 lbs.)	2784 7	4	8

CROSS PEIN HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
222751	110 g (4 oz.)	8387 4	6	48

WARRINGTON HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
222753	225 g (8 oz.)	8388 1	6	24

RUBBER Mallet

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
223001	65 mm (24 oz.), black	0708 5	6	12
223003	65 mm (24 oz.), white	0709 2	6	12
223005	45 mm (8 oz.), black	2746 5	6	24
223007	58 mm (16 oz.), black	2747 2	6	24

DEAD BLOW HAMMER

- Soft face
- Prevents rebound



Item No.	Size	EAN	Inner	Outer
223037	1360 g (3 lbs.)	8385 0	6	12

2-WAY RUBBER Mallet

- Exchangeable PU heads
- Hickory handle



Item No.	Size	EAN	Inner	Outer
223101	35 mm	0710 8	6	24
223102	Spare head-black	4191 1	24	96
223103	Spare head-orange	4192 8	24	96

TACK HAMMER

- Hickory handle



Item No.	Size	EAN	Inner	Outer
223203	142 g (5 oz.)	3849 2	12	48

AXE

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN	Inner	Outer
224001	600 g	0711 5	6	12

MULTI-PURPOSE HATCHET

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224101	600 g	0713 9	6	12

ROOFING HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224103	600 g	0714 6	6	12

TYPE R MASON'S HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224105	600 g	0715 3	6	12

TYPE R MASON'S HAMMER

- Forged hammer head
- Wood handle



Item No.	Size	EAN	Inner	Outer
224106	600 g	5856 8	6	24

TYPE B MASON'S HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN	Inner	Outer
224107	600 g	0716 0	6	12

GO-THROUGH BLADE CHISEL

- Chrome vanadium blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness
- Professional go-through blade construction



Item No.	Size	EAN	Inner	Outer
225011	6 mm (1/4 in.)	0313 1	6	24
225015	10 mm (3/8 in.)	0314 8	6	24
225017	13 mm (1/2 in.)	0315 5	6	24
225019	16 mm (5/8 in.)	0316 2	6	24
225021	19 mm (3/4 in.)	0317 9	6	24
225023	22 mm (7/8 in.)	0318 6	6	24
225025	25 mm (1 in.)	0319 3	6	24
225029	32 mm (1-1/4 in.)	0320 9	6	24
225031	38 mm (1-1/2 in.)	0321 6	6	24
225053	3 pc (13, 19, 25 mm)	2769 4	6	12



WOOD CHISEL

- Chrome vanadium blade for superior performance and edge retention
- Ergonomic handle for precision and comfort
- Designed to be used with wooden mallet or hand for fine wood working

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
225061	6 mm (1/4 in.)	9381 1	6	24
225065	10 mm (3/8 in.)	9382 8	6	24
225067	13 mm (1/2 in.)	9383 5	6	24
225069	16 mm (5/8 in.)	9384 2	6	24
225071	19 mm (3/4 in.)	9385 9	6	24
225073	22 mm (7/8 in.)	9386 6	6	24
225075	25 mm (1 in.)	9387 3	6	24
225079	32 mm (1-1/4 in.)	9388 0	6	24
225081	38 mm (1-1/2 in.)	9389 7	6	24
225093	3 pc (13, 19, 25 mm)	9390 3	6	12


SIDE STRIKE CHISEL

- Side cutting edge, standard wood chisel, serrated cutting edge
- Cr-V blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness

CR-V



NEW



Item No.	Size	EAN 69426292+	Inner	Outer
225625	25 mm (1 in.)	3021 2	6	24

COLD CHISEL

Item No.	Size	EAN 69426292+	Inner	Outer
227001	200 x 12 mm (8 x 1/2 in.)	1470 0	12	24
227003	250 x 20 mm (10 x 13/16 in.)	1471 7	12	24
227005	250 x 24 mm (10 x 15/16 in.)	1472 4	12	24
227009	250 x 28 mm (10 x 1-1/8 in.)	1474 8	12	24
227011	250 x 30 mm (10 x 1-3/16 in.)	1475 5	12	24
227013	250 x 50 mm (10 x 2 in.)	1476 2	12	24

RUBBER HOLDER FOR COLD CHISEL

- Ergonomic design
- Soft handle to avoid injuries
- Fits TACTIX cold chisel



Item No.	Size	EAN 69426292+	Inner	Outer
227101		1478 6	0	12

POINT CHISEL

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
227015	250 x 16 mm (10 x 5/8 in.)	1477 9	12	24
227017	250 x 18 mm (10 x 11/16 in.)	2839 4	12	24
227027	300 x 18 mm (12 x 11/16 in.)	5027 2	12	24

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Brick bolster 216 x 102 x 22 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227303	216 x 102 x 22 mm	1479 3	6	18

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Floor chisel 225 x 56 x 19 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227323	225 x 56 x 19 mm	1480 9	6	18

6 PC PIN PUNCH SET

- Chrome vanadium steel
- 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230011	150 mm (6 in.)	1481 6	6	24

3 PC NAIL SET

- Chrome vanadium steel
- 0.8, 1.6, 2.4 mm (1/32, 1/16, 3/32 in.)
- Soft handle



Item No.	Size	EAN 69426292+	Inner	Outer
230033	3 pc	3475 3	10	60

CENTER PUNCH

- Chrome vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
230085	6 x 100 mm	9031 5	10	60

3 PC CHISEL SET

- Chrome vanadium steel
- 10, 12, 16 mm (3/8, 1/2, 5/8 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230103	3 pc	3476 0	10	40

12 PC CHISEL AND PUNCH SET

- Drop forged, hardened and tempered
- Center punch: 6, 8 mm (1/4, 5/16 in.)
- Taper punch: 2 mm (3/32 in.)
- Cold chisel: 10, 12, 16 mm (3/8, 1/2, 5/8 in.)
- Pin punch: 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230112	12 pc	3477 7	6	12

PRY BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233005	380 mm (15 in.)	1482 3	5	20

WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233181	450 mm (18 in.) x 16 mm	3440 1	6	12
233183	600 mm (24 in.) x 18 mm	3441 8	0	6
233185	900 mm (36 in.) x 18 mm	3442 5	0	6

HEAVY-DUTY WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233305	600 mm (24 in.) x 29 x 15 mm	1485 4	2	6
233307	750 mm (30 in.) x 29 x 15 mm	1486 1	2	6

TAPE MEASURE

- Impact resistant ABS case



Item No.	Size	EAN 69426292+	Inner	Outer
235083	3 m x 16 mm-MID	0179 3	20	60
235085	5 m x 19 mm-MID	0180 9	20	60
235088	8 m x 25 mm-MID	0181 6	10	30
235183	12 ft. x 5/8 in.	0343 8	20	60
235185	16 ft. x 3/4 in.	0344 5	20	60
235188	26 ft. x 1 in.	0345 2	10	30
235283	3.5 m (12 ft.) x 16 mm (5/8 in.)	0358 2	20	60
235285	5 m (16 ft.) x 19 mm (3/4 in.)	0359 9	20	60
235288	8 m (26 ft.) x 25 mm (1 in.)	0360 5	10	30

TAPE MEASURE

- Impact resistant ABS case
- 3 assorted colors



Item No.	Size	EAN 69426292+	Inner	Outer
235089	8 m x 25 mm	4743 2	15	30

TAPE MEASURE-NYSLIK BLADE™

- NYSLIK BLADE™ nylon coated for increased blade life
- Dual-end-large hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
235341	3 m x 16 mm-MID	4812 5	15	30
235343	5 m x 19 mm-MID	4813 2	15	30
235345	8 m x 25 mm-MID	4814 9	12	24
235347	10 m x 25 mm-MID	4815 6	12	24
235361	12 ft. x 5/8 in.	4819 4	15	30
235363	16 ft. x 3/4 in.	4820 0	15	30
235365	26 ft. x 1 in.	4821 7	12	24
235367	33 ft. x 1 in.	4822 4	12	24
235381	3.5 m (12 ft.) x 16 mm	4826 2	15	30
235383	5 m (16 ft.) x 19 mm	4827 9	15	30
235385	8 m (26 ft.) x 25 mm	4828 6	12	24
235387	10 m (33 ft.) x 25 mm	4829 3	12	24

AUTO-LOCK TAPE MEASURE

- Auto-locking blade with ergonomic retraction button
- Dual-end-hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
236401	3 m x 16 mm-MID	6067 7	6	36
236403	5 m x 19 mm-MID	6068 4	6	24
236405	8 m x 25 mm-MID	6070 7	6	24
236411	3.5 m (12 ft.) x 16 mm	6071 4	6	36
236413	5 m (16 ft.) x 19 mm	6073 8	6	24
236415	8 m (26 ft.) x 25 mm	6074 5	6	24

TAPE MEASURE

- Pocket size
- Great gift idea



Item No.	Size	EAN 69426292+	Inner	Outer
235292	2 m (6 ft.)	3863 8	12	120

TAPE MEASURE-ULTRA BLADE™


- ULTRA BLADE™ nylon sleeve technology for heavy duty use
- Dual-sided blade printing for maximum visibility
- High-impact bi-material non-slip case
- Extra-large dual sided magnetized hook



Item No.	Size	EAN 69426292+	Inner	Outer
235353	5 m x 27 mm-MID	4816 3	12	24
235355	8 m x 27 mm-MID	4817 0	12	24
235357	10 m x 27 mm-MID	4818 7	12	24
235373	16 ft. x 1-1/16 in.	4823 1	12	24
235375	26 ft. x 1-1/16 in.	4824 8	12	24
235377	33 ft. x 1-1/16 in.	4825 5	12	24
235393	5 m (16 ft.) x 27 mm	4830 9	12	24
235395	8 m (26 ft.) x 27 mm	4831 6	12	24
235397	10 m (33 ft.) x 27 mm	4832 3	12	24

BEVEL

- Stainless steel ruler
- Movable blade helps copy an angle and transfer it onto another surface



Item No.	Size	EAN 69426292+	Inner	Outer
239161	200 mm	1489 2	6	24


WOOD FOLDING RULER



Item No.	Size	EAN 69426292+	Inner	Outer
239241	1 m (39 in.)	6486 6	10	100
239243	2 m (78 in.)	6487 3	10	100
239245	2 m-MID	6488 0	10	100

HI-VIS RAFTER SQUARE


- Dual color for easy reading
- Common/jack, Hip-val, protractor scale, fixed base, inch scale, scribing notched, pivot point
- SAE scale



Item No.	Size	EAN 69426292+	Inner	Outer
239081	7 in. (177 mm)	7156 7	12	24
239083	12 in. (304 mm)	3124 0	12	24

HI-VIS RAFTER SQUARE ALUMINUM

- Metric scale
- Common/jack, Hip-val, protractor scale, fixed base, mm scale, scribing notched, pivot point



Item No.	Size	EAN 69426292+	Inner	Outer
239091	178 mm	9488 7	6	24
239093	300 mm	9491 7	6	24

CORNER RULER-ALUMINUM

- High quality aluminum for durability
- Lightweight



Item No.	Size	EAN 69426292+	Inner	Outer
239012	250 x 150 mm	2756 4	6	36
239013	300 x 165 mm	1487 8	6	24

CARPENTER SQUARE-STEEL

- Hardened steel for durability and long life



Item No.	Size	EAN 69426292+	Inner	Outer
239043	300 x 200 mm (12 x 8 in.)	3378 7	12	60
239055	610 X 406 mm (24 x 16 in.)	3379 4	6	24
239057	24 x 16 in.	3380 0	6	24

COMBINATION RULER

- Stainless steel ruler
- Die cast metal handle



Item No.	Size	EAN 69426292+	Inner	Outer
239111	300 mm	1488 5	6	24

RULER-STAINLESS STEEL

- Stainless steel
- Permanently etched graduation



Item No.	Size	EAN 69426292+	Inner	Outer
239211	300 mm	1490 8	10	100
239212	300 mm (12 in.)	2882 0	10	100
239215	600 mm	1491 5	10	60
239216	600 mm (24 in.)	2883 7	10	60
239219	1000 mm	1492 2	10	60
239220	1000 mm (39 in.)	2884 4	10	60

MULTI FUNCTION LEVEL

- 2 vials-0 & 90°
- Metric and SAE scale
- 2 line marker for alignment



Item No.	Size	EAN 69426292+	Inner	Outer
239263	600 mm (23-1/2 in.)	9035 3	0	24

MEASURING WHEEL 0-9999 m

- Dual wheels for stability
- Instant zero button
- Telescopic handle
- Storage bag included



Item No.	Size	EAN 69426292+	Inner	Outer
241001	0-9999 m	8099 6	0	6

MEASURING WHEEL 0-999 m

- Instant zero button
- Telescopic handle
- Compact design



Item No.	Size	EAN 69426292+	Inner	Outer
241005	0-999 m	1621 6	0	15

LONG TAPE MEASURE-STEEL BLADE

- Impact resistant bi-material non-slip case
- 0.15 mm thick steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
240020	20 m x 10 mm	0183 0	6	24
240510	10 m (33 ft.) x 10 mm	0361 2	6	24
240520	20 m (66 ft.) x 10 mm	0362 9	6	24

LONG TAPE MEASURE-STEEL BLADE

- 3x gear ratio offers a fast blade rewind speed
- Impact resistant bi-material non-slip case
- 0.15 mm thick steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
240030	30 m x 10 mm 3x gear	0184 7	6	24
240530	30 m (100 ft.) x 10 mm 3x gear	0363 6	6	24

VERNIER CALIPER

- Inside, outside, depth and step measurements
- Accuracy to 0.02 mm and 1/1000 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245011	150 mm (6 in.) x 0.02 mm (1/1000 in.)	1493 9	6	24

DIGITAL CALIPER

- Inside, outside, depth and step measurements
- Stainless steel construction
- Accuracy to 0.01 mm and 1/1000 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245111	150 mm (6 in.) x 0.01 mm (1/1000 in.)	1494 6	6	24

LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- Fiberglass blade



Item No.	Size	EAN 69426292+	Inner	Outer
240120	20 m x 15 mm	0186 1	6	24
240130	30 m x 15 mm	0187 8	6	24
240620	20 m (66 ft.) x 15 mm	0365 0	6	24
240630	30 m (100 ft.) x 15 mm	0366 7	6	24

LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- Fiberglass blade
- Soft handle for comfort



Item No.	Size	EAN 69426292+	Inner	Outer
240230	30 m x 13 mm	0188 5	6	12
240260	60 m x 13 mm	0189 2	6	12
240730	30 m (100 ft.) x 13 mm	0367 4	6	12
240760	60 m (200 ft.) x 13 mm	0368 1	6	12

EXTERNAL MICROMETER

- Accuracy to 0.01 mm
- Special wrench included for simple zero adjustments



Item No.	Size	EAN 69426292+	Inner	Outer
245311	0-25 mm x 0.01 mm	1495 3	6	24
245411	0-1 in. x 1/1000 in.	1496 0	6	24

LEVEL-I STYLE

- 1 horizontal and 2 vertical vials
- Rugged aluminum I-beam frame for durability
- Shockproof end caps
- Accuracy 1.0 mm/m
- 1.5 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
250051	400 mm (15-3/4 in.)	0288 2	0	24
250053	600 mm (23-1/2 in.)	0289 9	0	24
250056	900 mm (35-1/2 in.)	1398 7	0	24
250059	1200 mm (47-1/4 in.)	0292 9	0	12

LEVEL-I STYLE


- 3 vials-0, 45, 90°
- Aluminum I-beam frame



Item No.	Size	EAN 69426292+	Inner	Outer
250110	300 mm (11-3/4 in.)	3862 1	0	24
250112	450 mm (17-3/4 in.)	3858 4	0	24
250113	600 mm (23-1/2 in.)	3859 1	0	24
250116	900 mm (35-1/2 in.)	3860 7	0	24
250119	1200 mm (47-1/4 in.)	3861 4	0	12

LEVEL-BOX STYLE


- 1 horizontal and 2 vertical vials
- Dual side milled aluminum box style frame for durability
- V groove can be used on pipe
- Shockproof end caps
- Accuracy 0.5 mm/m
- 1.7 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
251011	400 mm (15-3/4 in.)	0293 6	0	24
251013	600 mm (23-1/2 in.)	0294 3	0	12
251016	900 mm (35-1/2 in.)	1399 4	0	12
251019	1200 mm (47-1/4 in.)	0297 4	0	10

HANDY LEVEL

- Solid acrylic vial
- Shockproof end caps
- With magnet base
- Accutacy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253007	100 mm (4 in.)	9493 1	6	36

LINE LEVEL


- Plastic construction
- Hooks for level sliding freely



Item No.	Size	EAN 69426292+	Inner	Outer
253011	75 mm (3 in.)	7158 1	20	60

LEVEL-BOX STYLE SIDE VIEW

- Side view function
- 1 horizontal and 2 vertical vials
- Dual side milled
- Shockproof end caps
- Accuracy 0.5 mm/m
- 1.6 mm thickness



side view function

Item No.	Size	EAN 69426292+	Inner	Outer
251033	600 mm (23-1/2 in.)	8682 0	0	12

LEVEL-TORPEDO STYLE

- 3 vials-0, 45, 90°
- With magnetic base
- Shockproof end caps
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253001	225 mm (9 in.)	0306 3	6	36

LEVEL-TORPEDO STYLE


- 3 vials-0, 45, 90°
- With magnetic base
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253005	225 mm (9 in.)	0307 0	6	36

FOLDING POST LEVEL

- 3 vials-0, 45, 90°
- With magnetic base



Item No.	Size	EAN 69426292+	Inner	Outer
253022		8794 0	6	36

2 PC CHALK LINE SET

- 30 m (100 ft.) Zinc alloy chalk box
- 113 g (4 oz.) blue chalk



Item No.	Size	EAN 69426292+	Inner	Outer
258051	2 pc	1497 7	6	24

3 PC CHALK LINE SET

- 30 m (100 ft.) plastic chalk box
- 113 g (4 oz.) blue chalk
- Oil & water-resistant black marker



Item No.	Size	EAN 69426292+	Inner	Outer
258055	3 pc	1498 4	6	24


CHALK POWDER



Item No.	Size	EAN 69426292+	Inner	Outer
258101	113 g (4 oz)-red	1499 1	10	60
258103	113 g (4 oz)-blue	1500 4	10	60
258105	113 g (4 oz)-yellow	1501 1	10	60

LASER DISTANCE MEASURER 20 m (65 ft.)


- Class 2 laser product
- EN60825-1 • Max output:<1 mw
- λ = 630-670 nm
- Laser Distance Measurements
- Measuring units: m/ft. + in.



Item No.	Size	EAN 69426292+	Inner	Outer
254000	20 m (65 ft.)	7059 1	6	24

LASER DISTANCE MEASURER 20 m (65 ft.)


- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-670 nm
- Distance/Area/Indirect measurements
- Backlit LCD
- Removable belt clip
- Measuring units: m/ft./in./ft. + in.
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
254002	20 m (65 ft.)	8314 0	5	30

COMBINATION POINT AND LINE LASER LEVEL

- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-650 nm
- Horizontal, vertical or diagonal laser lines, as well as point laser
- Working range up to 3 m (laser line) and 20 m (laser point)
- Convenient, flexible wall mount



Item No.	Size	EAN 69426292+	Inner	Outer
254101		8316 4	6	24

LASER DISTANCE MEASURER 50 m (165 ft.)

- Class 2 laser product
- EN60825-1
- Max output:<1 mw
- λ = 630-670 nm
- IP54 water/debris resistance
- Distance/Area/Volume Indirect measurements
- Backlit LCD
- End piece with scale
- Measuring units: m/ft./in./ft. + in.
- Nylon pouch included



SNAP-OFF KNIFE

- Zinc alloy and stainless steel construction with soft grip
- Quick change blade function
- Removable blade separator for fast and safe removal of dulled segments
- 3 pc SK2 blades included



Item No.	Size	EAN	Inner	Outer
260001	9 mm	69426292+	6	36
260011	18 mm	0275 2	6	36

SNAP-OFF KNIFE

- Zinc alloy body
- 1 pc SK5 blade included



Item No.	Size	EAN	Inner	Outer
260005	9 mm	69426292+	6	36

SNAP-OFF KNIFE

- Zinc alloy body with non-slip soft grip
- 3 pc SK5 blades included



Item No.	Size	EAN	Inner	Outer
260021	25 mm	0277 6	6	24

SNAP-OFF KNIFE

- Stainless steel
- 1 pc SK5 blade included



Item No.	Size	EAN	Inner	Outer
260031	9 mm	5809 4	12	72

SNAP-OFF KNIFE

- 1 pc SK5 blades included



Item No.	Size	EAN	Inner	Outer
260035	9 mm	5810 0	6	36
260036	18 mm	5811 7	6	36

SNAP-OFF KNIFE

- Non-slip soft grip
- 3 pc SK2 blades included



Item No.	Size	EAN	Inner	Outer
260038	9 mm	5963 3	6	36
260039	18 mm	5964 0	6	36

SNAP-OFF KNIFE BLADE

- SK2
- With dispenser



Item No.	Size	EAN	Inner	Outer
260511	10 pc 9 mm	0278 3	10	60
260513	10 pc 18 mm	0279 0	10	60

SNAP-OFF KNIFE BLADE

- SK5
- With dispenser



Item No.	Size	EAN	Inner	Outer
260515	10 pc 25 mm	0280 6	10	60

SNAP-OFF KNIFE W OPENER

- 1 pc SK2 blade included



Item No.	Size	EAN	Inner	Outer
260043	18 mm	5814 8	6	36

UTILITY KNIFE-RETRACTABLE


- Zinc alloy handle
- Retractable blade
- 3 pc SK2 blades included



Item No.	Size	EAN	Inner	Outer
261003	150 mm (6 in.)	0282 0	6	24

UTILITY KNIFE-HEAVY DUTY

- Heavy duty Zinc alloy handle with non-slip soft grip
- Retractable and quick-change blade



Item No.	Size	EAN	Inner	Outer
261007	165 mm (6-1/2 in.)	0952 2	6	24

UTILITY KNIFE

- Zinc alloy handle
- Self-retracting blade



Item No.	Size	EAN	Inner	Outer
261015		3381 7	6	36

SAFETY UTILITY KNIFE

- Unique auto retractable function allows blade to retract automatically when surface contact is lost for safety
- Large D-handle with non-slip soft grip for hand protection
- 5 pc SK5 blades included



Item No.	Size	EAN	Inner	Outer
261051		3015 1	6	24

DUAL-FUNCTION FOLDING/UTILITY KNIFE

- Dual-function: Retractable utility knife and folding knife
- 10 pc SK2 blades included
- Aluminum body
- With belt clip



Item No.	Size	EAN	Inner	Outer
261125		2621 5	12	24

FOLDING UTILITY KNIFE

- 10 pc SK2 blades included
- With belt clip




Item No.	Size	EAN	Inner	Outer
261201		3002 1	12	24

HEAVY-DUTY FOLDING UTILITY KNIFE

- Quick change blade
- 3 pc SK2 blades included
- Wire stripper function
- With belt clip



Quick and easy blade change



Item No.	Size	EAN	Inner	Outer
261215		5823 0	6	24

FOLDING KNIFE

- With belt clip



Item No.	Size	EAN	Inner	Outer
261203		3099 1	12	24

RETRACTABLE UTILITY KNIFE

- Patented retractable design
- Safety locking mechanism
- 5 pc SK5 blades included



Item No.	Size	EAN	Inner	Outer
261223		3004 5	6	24

5 PC UTILITY KNIFE BLADE

- SK5
- With dispenser



Item No.	Size	EAN	Inner	Outer
261501	5 pc	0955 3	10	100

10 PC UTILITY KNIFE BLADE

- SK2
- With dispenser



Item No.	Size	EAN	Inner	Outer
261503	10 pc	0956 0	10	60

35 PC HOBBY KNIFE SET



Item No.	Size	EAN	Inner	Outer
263015	35 pc	1701 5	0	10

16 PC HOBBY KNIFE SET



Item No.	Size	EAN	Inner	Outer
263017	16 pc	6842 0	6	24

PULL SAW

- Flexible SK5 blade, 24 tooth/25 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265001	165 mm (6-1/2 in.)	0192 2	6	24

PULL SAW

- Flexible SK5 blade, 10 tooth/11 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265003	380 mm (15 in.)	0193 9	6	24

RAZOR SAW

- SK5 blade, 45 tooth/46 points per inch, hardened double ground teeth for precision cuts
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265005	115 mm (4-1/2 in.)	0194 6	6	36

HAND SAW-PTFE

- SK5 blade, 8 tooth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle • PTFE coated



Item No.	Size	EAN 69426292+	Inner	Outer
265011	380 mm (15 in.)	0253 0	6	24
265013	500 mm (20 in.)	0254 7	6	24
265015	550 mm (22 in.)	0255 4	6	24

HAND SAW-POLISH

- SK5 blade, 8 tooth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265021	380 mm (15 in.)	0263 9	6	24
265022	450 mm (18 in.)	2745 8	6	24
265023	500 mm (20 in.)	0264 6	6	24
265025	550 mm (22 in.)	0265 3	6	24

HAND SAW-POLISH

- 65 Mn blade, 7 tooth/8 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265061	380 mm (15 in.)	5113 2	6	24
265063	450 mm (18 in.)	5114 9	6	24
265064	500 mm (20 in.)	5115 6	6	24
265065	550 mm (22 in.)	5116 3	6	24

HAND SAW-POLISH

- 65 Mn blade, 7 tooth/8 points per inch, hardened double ground teeth for fast cutting
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
265071	380 mm (15 in.)	0514 2	6	24
265073	450 mm (18 in.)	0515 9	6	24
265074	500 mm (20 in.)	0516 6	6	24
265075	550 mm (22 in.)	0518 0	6	24

4 PC SAW AND LEVEL SET


- 550 mm (22 in.) hand saw
- 225 mm (9 in.) torpedo level
- 2 pc 175 mm (7 in.) carpenter pencil



Item No.	Size	EAN 69426292+	Inner	Outer
265104	4 pc	3479 1	6	24

HAND SAW

- 7 tooth/8 points per inch, hardened double ground teeth for fast cutting
- Wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
265122	400 mm (16 in.)	3854 6	6	24
265123	450 mm (18 in.)	3855 3	6	24
265125	500 mm (20 in.)	3856 0	6	24
265127	550 mm (22 in.)	3857 7	6	24

BACK SAW-POLISH


- SK5 blade, 13 tooth/14 points per inch, hardened double ground teeth
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
266011	300 mm (12 in.)	0266 0	6	24

WALL BOARD SAW

- Hardened double ground teeth
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
266051	150 mm (6 in.)	1559 2	6	36

HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267007	300 mm (12 in.)	2648 2	6	12

MITER SAW

- For accurate cutting of various angles or miters on picture frames
- Max. cutting width clamped at 45°: 110 mm
- Max. cutting width clamped at 90°: 160 mm
- Max. cutting height: 120 mm
- Blade length: 550 mm
- Blade width: 45 mm
- Table length: 395 mm



Item No.	Size	EAN 69426292+	Inner	Outer
266255	550 mm (22 in.)	0256 1	0	4

HIGH TENSION HACKSAW FRAME

- Durable one-piece body for ultra-high tension
- Adjustable tension mechanism
- Non-slip ergonomic soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267005	300 mm (12 in.)	7215 1	6	12

ADJUSTABLE HACKSAW FRAME

- Adjustable to 250 mm (10 in.), 300 mm (12 in.)
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267031	300 mm (12 in.)	1561 5	6	24

HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267032	300 mm (12 in.)	8863 3	6	12

HACKSAW FRAME

- Non-slip bi-material handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267053	250 mm (10 in.)	2852 3	6	36

JUNIOR HACKSAW

- With SK4 saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267105	150 mm (6 in.)	8864 0	6	24

JUNIOR HACKSAW

- With SK4 saw blade



Item No.	Size	EAN	Inner	Outer
267111	150 mm (6 in.)	69426292+	1562 2	6 36

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN	Inner	Outer
267117VD	150 mm (6 in.)	69426292+	9356 9	6 24

COPING SAW

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
268001	165 mm (6-1/2 in.)	69426292+	1565 3	6 60
268004	4 pc spare blades -14 T, 18 T, 24 T and 24 T wide	5172 9	10	100

FRET SAW

- Non-slip bi-material handle
- Use for fine cutting work in thin materials such as wood, plastics, etc.



Item No.	Size	EAN	Inner	Outer
268011	125 mm (5 in.)	8791 9	6	24
268012	6 pc spare blades 18T	8792 6	10	100

HACKSAW BLADE-BI-METAL

- 300 mm (12 in.)



Item No.	Size	EAN	Inner	Outer
267311	2 pc 18 T	69426292+	1748 0	10 100
267313	2 pc 24 T	1749 7	10	100
267315	2 pc 32 T	1757 2	10	100
267317	6 pc 18 T, 24 T, 32 T	1758 9	10	60

HACKSAW BLADE-HSS

- 300 mm (12 in.)



Item No.	Size	EAN	Inner	Outer
267321	2 pc 18 T	69426292+	1750 3	10 100
267323	2 pc 24 T	1751 0	10	100

HACKSAW BLADE-BI-METAL

- 250 mm (10 in.)



Item No.	Size	EAN	Inner	Outer
267341	2 pc 24 T	2855 4	10	100

JUNIOR HACKSAW BLADE


- 150 mm (6 in.)
- SK4



Item No.	Size	EAN	Inner	Outer
267401	2 pc 24 T	69426292+	1752 7	10 100
267403	2 pc 32 T	1753 4	10	100

QUICK ACTION MITER BOX

- Patented quick clamp and release design
- Cuts miter on 45°, 90° and 22.5°



Item No.	Size	EAN	Inner	Outer
269001	370 mm (14-1/2 in.)	0859 4	6	12

MITRE BOX



Item No.	Size	EAN	Inner	Outer
269005	300 x 140 x 80 mm	5965 7	6	24

MITRE BOX



Item No.	Size	EAN	Inner	Outer
269006	310 x 170 x 110 mm	2299 6	6	24

BLOCK PLANE

- Die cast body
- Hardened and tempered 25 mm (1 in.) alloy steel blade



Item No.	Size	EAN	Inner	Outer
270003	90 mm (3-1/2 in.)	2773 1	6	36

ADJUSTABLE BLOCK PLANE

- Die cast body
- Hardened and tempered 41 mm (1-5/8 in.) alloy steel blade



Item No.	Size	EAN	Inner	Outer
270007	180 mm (7 in.)	2775 5	6	12

HEAVY-DUTY BLOCK PLANE

- Heavy-duty die cast body
- Hardened and tempered 51 mm (2 in.) alloy steel blade




Item No.	Size	EAN	Inner	Outer
270009	250 mm (10 in.)	2776 2	0	6

SPOKESHAVE-FLAT

- Hardened and tempered 51 mm (2 in.) alloy steel blade
- Die cast body
- Flat type



Item No.	Size	EAN	Inner	Outer
270015	250 mm (10 in.)	3098 4	6	24



AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273011	250 mm (10 in.)	0470 1	6	24

AVIATION TIN SNIP-LEFT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273013	250 mm (10 in.)	0471 8	6	24

AVIATION TIN SNIP-RIGHT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273015	250 mm (10 in.)	0472 5	6	24

HEAVY-DUTY AVIATION SNIP -RIGHT CUT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273023	250 mm (10 in.)	2298 9	6	24

AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273027	300 mm (12 in.)	1877 7	6	24

TIN SNIP

- Non-slip double dipped handle
- Large handle provide superior comfort



Item No.	Size	EAN	Inner	Outer
273111	200 mm (8 in.)	0473 2	6	36
273113	250 mm (10 in.)	0474 9	6	24
273115	300 mm (12 in.)	0475 6	6	12
273117	350 mm (14 in.)	3383 1	6	12

CABLE CUTTER

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
273203	200 mm (8 in.)	7161 1	6	36

CABLE CUTTER

- Crimping function
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273212	160 mm (6 in.)	7789 7	6	36

CABLE CUTTER

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273214	250 mm (10 in.)	7790 3	6	36

HEAVY-DUTY CABLE CUTTER

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273218	250 mm (10 in.)	2787 8	6	24

CABLE CUTTER

- Used for cutting copper and aluminum cable
- Cutting Area: 500 mm²
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273237	900 mm (36 in.)	7046 1	0	2

BOLT CUTTER

- 65 Mn cutting blade
- Non-slip bi-material handle

65MN



Item No.	Size	EAN 69426292+	Inner	Outer
275111	200 mm (8 in.)	0476 3	6	36

BOLT CUTTER

- Cr-Mo cutting blade
- Non-slip bi-material handle



CR-MO

Item No.	Size	EAN 69426292+	Inner	Outer
275113	300 mm (12 in.)	0477 0	6	12
275115	350 mm (14 in.)	0478 7	5	10
275117	450 mm (18 in.)	0479 4	0	6
275119	600 mm (24 in.)	0480 0	0	4
275121	750 mm (30 in.)	0481 7	0	3
275123	900 mm (36 in.)	0482 4	0	2

DRYWALL TAPING KNIFE

- Flexible blue steel blade for easy work
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
280208	203 mm (8 in.)	5083 8	10	60
280210	254 mm (10 in.)	5084 5	10	60
280212	305 mm (12 in.)	5085 2	10	60

FLOORING TROWEL

- Designed for laying concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281040	405 x 115 mm (16 x 4-1/2 in.)	5086 9	6	24

FINISHING TROWEL

- Used for finishing concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281111	280 x 115 mm (11 x 4-1/2 in.)	5087 6	6	24
281113	355 x 100 mm (14 x 4 in.)	6046 2	6	24

FINISHING TROWEL SQUARE NOTCHED

- Ideal for laying floor or wall tile
- Square tooth 6 x 6 mm (1/4 x 1/4 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281211	280 x 115 mm (11 x 4-1/2 in.)	5088 3	6	24

PLASTERERS HAWK

- Used for holding plaster or mortar during application
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281330	300 mm (12 in.)	5089 0	6	24

RUBBER FLOAT

- Used to smoothly apply grout to floor and wall tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281402	240 x 100 mm (9-1/2 x 4 in.)	5090 6	6	24

SPONGE FLOAT

- For applying grout on newly placed tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281408	240 x 100 mm (9-1/2 x 4 in.)	5091 3	6	24

POLYURETHANE FLOATS

- Lightweight general purpose float manufactured from rigid polyurethane foam



Item No.	Size	EAN 69426292+	Inner	Outer
281423	280 x 140 mm (11 x 5-1/2 in.)	5511 6	6	24

PLASTERING FLOAT

- Smooth face for plastering



Item No.	Size	EAN 69426292+	Inner	Outer
281432	280 x 130 mm (11 x 5-1/8 in.)	8395 9	6	24



GROOVER TROWEL

- Used to cut joints in concrete before they set
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282051	170 x 77 mm (6-5/8 x 3 in.)	5092 0	6	36

EDGER TROWEL

- Used to create a curved lip around the concrete surface
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282061	150 x 75 mm (6 x 3 in.)	5093 7	6	36

POINT TROWEL

- Philadelphia style
- For patching cracks and shaping joints in brick, stone and concrete walls
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283012	150 mm (6 in.)	5094 4	6	36
283014	178 mm (7 in.)	5095 1	6	36

BRICK TROWEL

- Philadelphia style
- For patching cracks and shaping joints
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283022	227 mm (9 in.)	5096 8	6	36
283024	254 mm (10 in.)	5097 5	6	36
283026	277 mm (11 in.)	5098 2	6	36

GAUGING TROWEL

- Used to mix or gauge small quantities of mortar or quick setting plaster
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283033	175 mm (7 in.)	5099 9	6	36

MARGIN TROWEL

- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283063	125 x 50 mm (5 x 2 in.)	5100 2	6	36
283065	200 x 50 mm (8 x 2 in.)	5101 9	6	36

BUCKET TROWEL

- Used to clean buckets
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283073	178 mm (7 in.)	5102 6	6	36

CAULKING TROWEL

- Used to repair mortar joints between rows of bricks and blocks
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283083	10 mm (3/8 in.)	5103 3	6	36
283085	13 mm (1/2 in.)	5104 0	6	36

INSIDE CORNER TROWEL

- Stainless steel
- Used to finish inside corners
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
283094	125 x 100 mm (5 x 4 in.)	69426292+	6	36

OUTSIDE CORNER TROWEL

- Stainless steel
- Used to finish outside corners
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
283096	125 x 100 mm (5 x 4 in.)	69426292+	6	36

BRICK JOINTER

- Used to finish the mortar joints between bricks



Item No.	Size	EAN	Inner	Outer
283111	13 x 16 mm (1/2 x 5/8 in.)	69426292+	10	100

PLUMB BOB

- Removable brass top for easy, centered string installation
- With cotton line



Item No.	Size	EAN	Inner	Outer
283903	200 g (7 oz.)	69426292+	6	24
283907	350 g (12 oz.)	69426292+	6	24
283909	500 g (18 oz.)	69426292+	6	24

STUD CRIMPER

- Secure or crimp metal stud up to 0.8 mm thickness
- Single hand operation
- Aluminum alloy die-casting head makes it compact and lightweight
- Spring loaded with non-slip handle.



Item No.	Size	EAN	Inner	Outer
283151	250 mm (10 in.)	69426292+	6	24

15 PC DRYWALL TOOL SET

- 1 pc 250 mm (10 in.) stud crimper
- 1 pc 250 mm (10 in.) aviation tin snip
- 1 pc bit adapter
- 12 pc #2 bits
- Nylon bag included



Item No.	Size	EAN	Inner	Outer
283153	15 pc	69426292+	0	6

TIN FOLDING PLIERS

- For bending, seaming and flattening sheet metal
- Jaw width 75 mm (3 in.)



Item No.	Size	EAN	Inner	Outer
283164	75 mm (3 in.)	69426292+	6	12



GROUT FINISHING TOOL

- For smooth and consistent joints



Item No.	Size	EAN	Inner	Outer
284001		69426292+	10	60

TILE CUTTING PLIERS

- For cutting ceramic wall and thin floor tile of small dimensions
- Tungsten-carbide cutting wheel



Item No.	Size	EAN	Inner	Outer
284013	200 mm (8 in.)	69426292+	6	24

HEAVY-DUTY TILE CUTTING PLIERS

- Drop-forged steel with carbide-tipped jaws
- Handle spring and return system
- Double dipped handle



Item No.	Size	EAN	Inner	Outer
284015	200 mm (8 in.)	69426292+	6	24

TILE SAW


- Tungsten carbide blade



Item No.	Size	EAN	Inner	Outer
284031	150 mm (6 in.)	69426292+	10	60

TILE SAW BLADE

- Tungsten carbide



Item No.	Size	EAN	Inner	Outer
284035	150 mm (6 in.)	69426292+	12	144

GROUT SPREADER

- Flexible grout spreader for applying grout to any tile surface



Item No.	Size	EAN	Inner	Outer
284051	200 mm (8 in.)	69426292+	10	60

TILE ADHESIVE TROWEL

- U and V style notched edges



Item No.	Size	EAN	Inner	Outer
284071	280 mm (11 in.) x 115 mm (4-1/2 in.)	69426292+	0	12

DRYWALL CARRYING HANDLE


- Panel carry helps transport building boards and other flat materials with ease
- Features a 14 in. handle for extra reach and visibility while carrying drywall
- Non-slip soft handle



Item No.	Size	EAN	Inner	Outer
284079		69426292+	6	24

TILE SPACERS

- Flexible PE material
- Precision manufactured for accuracy



Item No.	Size	EAN	Inner	Outer
284150	500 pc 1 mm	69426292+	6	24
284151	500 pc 1.5 mm	69426292+	6	24
284152	500 pc 2 mm	69426292+	6	24
284153	350 pc 3 mm	69426292+	6	24
284154	250 pc 4 mm	69426292+	6	24
284155	250 pc 5 mm	69426292+	6	24
284157	200 pc 7 mm	69426292+	6	24

TILE CUTTER

- High-leverage construction makes cutting easier and reduces fatigue
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness



Item No.	Size	EAN	Inner	Outer
284201	400 mm (16 in.)	69426292+	0	10
284202	3 pc spare wheels	69426292+	0	100

3-IN-1 TILE CUTTER


- Cuts straight, angles, and circles
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness



Item No.	Size	EAN	Inner	Outer
284203	500 mm (20 in.)	69426292+	0	4
284204	1 pc spare wheel	69426292+	50	100

TILE SCRIBER

- Tungsten carbide cutting tip



Item No.	Size	EAN	Inner	Outer
284091		69426292+	10	60

CARBIDE GROUT SAW



- For cleaning and removing grout joints
- Tungsten carbide cutting tip
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
284103		69426292+	6	36

HEAVY-DUTY TILE CUTTER


- Parallel cuts
- Max 12 mm cutting thickness
- Non-slip bi-material grip
- Gauge for straight cutting
- Tungsten carbide cutting wheel



Item No.	Size	EAN	Inner	Outer
284206	600 mm (24 in.)	69426292+	0	2

CIRCLE TILE BORER

- Tungsten carbide blade
- With safety guard



Item No.	Size	EAN	Inner	Outer
284215		69426292+ 2803 5	6	24

DIAMOND FILE-HALF ROUND

- Tungsten carbide surface
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
284223	160 mm (6 in.)	69426292+ 2804 2	6	36

SUCTION CUP LIFTER

- Max capacity 40 kg (88 lbs.)
- Safety working load 20 kg (44 lbs.)



Item No.	Size	EAN	Inner	Outer
284301	118 mm (4-3/4 in.)	69426292+ 2805 9	6	12

DUAL SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN	Inner	Outer
284302	118 mm (4-3/4 in.)	69426292+ 8662 2	6	24

TILE SHAPE TEMPLATE

- Accurately duplicates internal and external shapes prior to working
- For tiling, flooring, plumbing and carpet laying applications
- Magnet equipped on back



Item No.	Size	EAN	Inner	Outer
284313	125 mm (5 in.)	69426292+ 2806 6	6	24

DUAL ALUMINUM SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN	Inner	Outer
284306	118 mm (4-3/4 in.)	69426292+ 8432 1	0	10

TRIPLE ALUMINUM SUCTION CUP LIFTER

- Max capacity 100 kg (220 lbs.)
- Safety working load 50 kg (110 lbs.)



Item No.	Size	EAN	Inner	Outer
284307	118 mm (4-3/4 in.)	69426292+ 8433 8	0	10

GLASS CUTTER

- With 6 tungsten carbide wheels



Item No.	Size	EAN	Inner	Outer
284903	135 mm (5-1/2 in.)	69426292+ 2765 6	10	60

DELUXE GLASS CUTTER

- Diamond cutting tip
- Notched tooth for snapping scored glass



Item No.	Size	EAN	Inner	Outer
284907	180 mm (7 in.)	69426292+ 2766 3	10	60

100 mm (4 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293001	100 mm (4 in.)	69426292+ 2826 4	12	48

100 mm (4 in.) PAINTING ROLLER FRAME-TAPERED HANDLE

- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293021	100 mm (4 in.)	69426292+ 2929 2	12	48

100 mm (4 in.) ROLLER COVER ACRYLIC

- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293401	100 mm (4 in.) acrylic	69426292+ 2932 2	20	60

228 mm (9 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- 5-wire roller cage reduces cover slippage
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293005	228 x 38 mm (9 x 1-1/2 in.)	69426292+ 2828 8	6	24

180 mm (7 in.) PAINTING ROLLER FRAME-TAPERED HANDLE


- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293023	180 mm (7 in.)	69426292+ 2930 8	6	24

250 mm (10 in.) PAINTING ROLLER FRAME-TAPERED HANDLE

- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
293025	250 mm (10 in.)	69426292+ 2931 5	6	24

100 mm (4 in.) ROLLER COVER MICROFIBER

- Gives superior cover, smooth finish with max paint pick up
- Easy to clean
- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293402	100 mm (4 in.) microfiber	69426292+ 2933 9	20	60

228 mm (9 in.) ROLLER COVER ACRYLIC

- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293441	228 x 38 mm (9 x 1-1/2 in.) acrylic	69426292+ 2935 3	12	36

180 mm (7 in.) ROLLER COVER ACRYLIC

- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293701	180 mm (7 in.) x 44 mm acrylic	69426292+ 2937 7	12	36

250 mm (10 in.) ROLLER COVER ACRYLIC

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293751	250 mm (10 in.) x 44 mm acrylic	69426292+ 2939 1	12	36

100 mm (4 in.) ROLLER COVER FOAM POLYESTER

- Fits 293001, 293021
- Diameter 15 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293403	100 mm (4 in.) foam polyester	69426292+ 2934 6	20	60

228 mm (9 in.) ROLLER COVER MICROFIBER

- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293442	228 x 38 mm (9 x 1-1/2 in.) microfiber	69426292+ 2936 0	12	36

180 mm (7 in.) ROLLER COVER MICROFIBER

- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293702	180 mm (7 in.) x 44 mm microfiber	69426292+ 2938 4	12	36

250 mm (10 in.) ROLLER COVER MICROFIBER

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN	Inner	Outer
293752	250 mm (10 in.) x 44 mm microfiber	69426292+ 2940 7	12	36

PP CORD DISPENSER

- Polypropylene material
- Can be used as plumb bob



Item No.	Size	EAN	Inner	Outer
289015	152 m (500 ft.)	69426292+	6	48

PAINTING BRUSH

- Synthetic Bristle
- Stainless steel ferrule
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
290801	25 mm (1 in.)	0857 0	12	48
290802	38 mm (1-1/2 in.)	2811 0	12	48
290803	50 mm (2 in.)	2813 4	12	48
290804	63 mm (2-1/2 in.)	2817 2	12	48
290805	75 mm (3 in.)	2824 0	12	48
290806	100 mm (4 in.)	2825 7	12	48

PAINTING BRUSH

- Mixed bristle
- Maple wood handle



Item No.	Size	EAN	Inner	Outer
290901	25 mm (1 in.)	5514 7	36	144
290902	38 mm (1-1/2 in.)	5515 4	36	144
290903	50 mm (2 in.)	5516 1	36	144
290904	63 mm (2-1/2 in.)	5517 8	24	96
290905	75 mm (3 in.)	5518 5	24	96
290906	100 mm (4 in.)	5519 2	12	72

GALVANISED STEEL BUCKET

- General building using
- Φ 33 x Φ 22.5 x 29.8 (H) cm



Item No.	Size	EAN	Inner	Outer
294820	15 L	2305 4	0	10

1.5 L HANDY PAINT BOWL

- Strong magnetic block for holding brush
- 1 pc scraper included
- Adjustable handle
- Floor display pack



Item No.	Size	EAN	Inner	Outer
291301	1.5 L	5905 3	0	48

5 PC TRAY FOR HANDY PAINT BOWL



Item No.	Size	EAN	Inner	Outer
291302	5 pc	6020 2	0	24

HANDY PAINT BOWL ECO

- Strong magnetic block for holding brush



Item No.	Size	EAN	Inner	Outer
291303	0.9 L	4839 2	6	48

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Zn-plated



Item No.	Size	EAN	Inner	Outer
294801	400 x 290 mm	2941 4	0	12

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Can use with 294801
- PET



Item No.	Size	EAN	Inner	Outer
294802	400 x 290 mm	2942 1	0	60

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- PP



Item No.	Size	EAN	Inner	Outer
294803	400 x 290 mm	2943 8	0	12

CAULKING GUN

- Suitable for sausage packs and cartridges
- Replacement nozzle
- Aluminum construction



Item No.	Size	EAN	Inner	Outer
298101	225 mm (9 in.)	1653 7	6	24

HEAVY-DUTY CAULKING GUN

- Heavy-duty frame, aluminum alloy trigger
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN	Inner	Outer
298103	225 mm (9 in.)	8661 5	6	24

CAULKING GUN-SKELETON

- With hex piston rod and quick release lever
- Anti-Drip function



Item No.	Size	EAN	Inner	Outer
298113	225 mm (9 in.)	1687 2	6	24

CAULKING GUN

- Ratchet rotating construction
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN	Inner	Outer
298117	225 mm (9 in.)	3384 8	6	24

PAINT MIXER

- For stirring paint using a power tool



Item No.	Size	EAN	Inner	Outer
298201	400 x 60 mm	1702 2	6	24
298205	400 x 80 mm	8675 2	6	24
298213	600 x 100 mm	1703 9	6	24

PAINT MIXER

- Helical paddles for faster paint stirring using a power tool



Item No.	Size	EAN	Inner	Outer
298221	290 x 64 mm (1 gallon)	3171 4	12	72
298225	460 x 82 mm (5 gallon)	3172 1	6	48

175 mm (7 in.) CARPENTER PENCIL

- Round flat square side to prevent rolling



Item No.	Size	EAN	Inner	Outer
298401	1 pc	6207 7	50	400
298403	3 pc	2767 0	10	60

8 PC PENCILS WITH SHARPENER SET

- 175 mm (7 in.) carpenter pencil
- Round flat square side to prevent rolling
- With a sharpener



Item No.	Size	EAN	Inner	Outer
298409	8 pc	8663 9	6	36

240 mm PENCIL


- Suitable for different applications





Item No.	Size	EAN	Inner	Outer
298421	yellow for glass	2301 6	50	400
298422	white for woodworking	2302 3	50	400
298423	green for bricklaying	2303 0	50	400
298424	blue for wet surface	2304 7	50	400

EXTENSION SUPPORT ROD

- Very practical to set all materials in height, 1150-2900 mm in height, Max 30 kg
- Adjust the length by snap hook or trigger
- Quick release function (press the block below the trigger)
- Two plastic feet included, both top and bottom feet can be sloped Max 45°



Item No.	Size	EAN	Inner	Outer
298501	1150 to 2900 mm	8676 9	0	10



Item No.	Size	EAN	Inner	Outer
298503	750-1250 mm (30-49 in.)	7034 8	3	6
298505	1600-2900 mm (63-114 in.)	7035 5	3	6

STEEL FILE-FLAT

- Used for rapid removal of metal
- #2 second cut file
- Double cut on sides, single cut on edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300000	150 mm (6 in.)	2316 0	6	36
300001	200 mm (8 in.)	0483 1	6	36

STEEL FILE-ROUND

- Used to file circular openings or concave surfaces
- #2 second cut file
- Single cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300003	200 mm (8 in.)	0484 8	6	36

STEEL FILE-HALF ROUND

- Used on concave, convex and flat surfaces
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300005	200 mm (8 in.)	0485 5	6	36
300012	150 mm (6 in.)	2318 4	6	36

STEEL FILE-SQUARE

- Used on slots, keyways and general surface filing
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300007	200 mm (8 in.)	0486 2	6	36

STEEL FILE-TRIANGLE

- Used for filing internal angles, clearing out square corners and filing tapes and gutters
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300009	200 mm (8 in.)	0487 9	6	36
300010	150 mm (6 in.)	4988 7	6	36

STEEL FILE-MILL

- Used for sharpening mill or circular saws
- #2 second cut file
- Single cut on side and edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300021	200 mm (8 in.)	4989 4	6	36

STEEL FILE-CHAIN SAW

- Smooth, knurl cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300033	200 mm (8 in.) x 5 mm (3/16 in.)	4994 8	6	36

3 PC STEEL FILE SET

- Include flat, round, half round steel file
- #2 second cut file
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300103	200 mm (8 in.)	3385 5	6	12

WOOD RASP-FLAT

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301001	200 mm (8 in.)	0488 6	6	36

WOOD RASP-ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301003	200 mm (8 in.)	0489 3	6	36

WOOD RASP-HALF ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301005	200 mm (8 in.)	0490 9	6	36

3 PC WOOD RASP SET

- Include flat, round, half round wood rasp
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301103	200 mm (8 in.)	3386 2	6	12

6 PC NEEDLE FILE SET

- Include half round, round, equaling, square, flat, triangle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301256	140 mm (5-1/2 in.)	4917 7	6	36

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 60 x 40 mm blade (301631)



Item No.	Size	EAN 69426292+	Inner	Outer
301601	185 mm (7-1/4 in.)	7203 8	12	36

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301603	305 mm (12 in.)	7204 5	12	36

MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301607	150 mm (6 in.)	7205 2	12	36

MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301609	270 mm (10-1/2 in.)	7206 9	12	36

MULTI-RASP PLANE

- Aluminum construction
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301612	150 mm (6 in.)	7207 6	12	36


MULTI-RASP PLANE

- Heavy-duty Zn-alloy construction
- Ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301615	300 mm (12 in.)	7208 3	12	36

MULTI-RASP PLANE BLADE



Item No.	Size	EAN 69426292+	Inner	Outer
301631	60 x 40 mm	7209 0	0	60
301633	140 x 40 mm	7210 6	0	60
301635	250 x 40 mm	7211 3	0	60

JOINT KNIFE-FLEXIBLE (PUTTY KNIFE)

- Stainless steel blade
- Non-slip bi-material handle
- Steel hammer end



Item No.	Size	EAN 69426292+	Inner	Outer
305000	25 mm (1 in.)	0809 9	10	60
305001	38 mm (1-1/2 in.)	4518 6	10	60
305002	50 mm (2 in.)	4519 3	10	60
305003	75 mm (3 in.)	4520 9	10	60
305004	100 mm (4 in.)	4521 6	10	60
305005	125 mm (5 in.)	3020 5	10	60
305006	150 mm (6 in.)	4522 3	10	60

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Stainless steel blade
- Steel hammer end
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305031	38 mm (1-1/2 in.)	4523 0	10	60
305033	75 mm (3 in.)	4524 7	10	60

6-IN-1 PAINTER'S TOOL

- 6 functions: flat and corner scraper, steel hammer end, roller cleaner, paint can opener, putty knife
- Non-slip bi-material handle
- Stainless steel blade
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305056	6-in-1	4525 4	10	60

ECONOMIC JOINT KNIFE - FLEXIBLE (PUTTY KNIFE)

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305101	38 mm (1-1/2 in.)	5876 6	10	60
305102	50 mm (2 in.)	5877 3	10	60
305103	75 mm (3 in.)	5878 0	10	60
305104	100 mm (4 in.)	5879 7	10	60
305106	150 mm (6 in.)	5880 3	10	60

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305111	38 mm (1-1/2 in.)	5881 0	10	60
305113	75 mm (3 in.)	5882 7	10	60

5-IN-1 ECONOMIC PAINTER'S TOOL

- 5 functions: flat and corner scraper, roller cleaner, paint can opener, putty knife
- Carbon steel blade
- Non-slip bi-material handle
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305116	5-in-1	5883 4	10	60

WALL STRIPPER

- Aluminium alloy body
- Overall length 360 mm
- 5 pc blade set included



Item No.	Size	EAN 69426292+	Inner	Outer
305193	100 mm (4 in.)	3110 3	6	24

5 PC BLADE FOR WALL STRIPER

- 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
305195	5 pc	9335 4	10	60

5 WAY SMOOTHING TOOL

- 102 mm (4 in.), 152 mm (6 in.) & 254 mm (10 in.) edges
- Drywall, plaster patching, cement patching, painting shield, wall covering



Item No.	Size	EAN 69426292+	Inner	Outer
305401		3185 1	12	72

PAIL OPENER

- Easy-grip handle, saves time and effort



Item No.	Size	EAN 69426292+	Inner	Outer
305471		3187 5	12	72

SAFETY SCRAPER

- With safety blade guard
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308003		2808 0	10	60

RETRACTABLE SCRAPER

- Retractable blade
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308007		2809 7	10	60

10 PC SCRAPER BLADE

- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
308035	10 pc	2837 0	10	100

HAND SANDER

- Use with 1/2 sanding sheet (280 x 115 mm)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
310151	240 x 80 mm (9-1/2 x 3-1/4 in.)	5029 6	6	24

SANDING BLOCK


- Use with wet and dry sandpaper



Item No.	Size	EAN 69426292+	Inner	Outer
310173	125 x 68 mm (5 x 2-5/8 in.)	4764 7	12	60

3-IN-1 DIAMOND SHARPENER

- Diamond, tungsten steel and ceramic rod sharpening blade. Diamond blade repairs and straightens damaged blades. Tungsten blade restore V-shape. Ceramic rod for clean polish.



Item No.	Size	EAN 69426292+	Inner	Outer
310231	3-in-1	2949 0	10	20

SANDING BLOCK

- Sands flat, contoured, or irregular surfaces
- 60# and 100#



Item No.	Size	EAN 69426292+	Inner	Outer
310191	95 x 70 x 25 mm (3-3/4 x 2-3/4 x 1 in.)	3043 4	10	60

SHARPENING STONE


- Silicon carbide
- 120# and 240#



Item No.	Size	EAN 69426292+	Inner	Outer
310213	150 mm (6 in.)	2785 4	6	24

5-IN-1 DIAMOND SHARPENER


- Diamond slot, tungsten slot, ceramic rod, 400# & 600# sharpener



Item No.	Size	EAN 69426292+	Inner	Outer
310235	5-in-1	3443 2	0	10

FOLDING DIAMOND SHARPENER

- 400# & 600#
- Portable folding design



400# 600#



Item No.	Size	EAN 69426292+	Inner	Outer
310233	2-in-1	2950 6	10	20

3 PC MINI BRUSH SET

- 1 x Nylon bristle, 1 x Brass bristle, 1 x Stainless steel bristle
- Non-slip bi-material handle
- 3 x 13 rows



Item No.	Size	EAN 69426292+	Inner	Outer
315003	3 pc	2833 2	6	36

STRIPPER BRUSH-BRASS

- 175 mm (7 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315011	Brass	2834 9	6	36
315013	Stainless steel	2835 6	6	36

WIRE BRUSH WITH SCRAPER

- Stainless steel
- With scraper
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315021	340 mm (13-1/2 in.)	69426292+	3100 4	6 36

WIRE BRUSH

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315031	215 mm (8-1/2 in.)	3101 1	6 36	

WIRE BRUSH

- Threaded pole socket fits standard SAE extension poles
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315037	175 mm (7 in.)	3102 8	12 48	

D-HANDLE BRUSH

- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
315039	210 mm (8-1/4 in.)	3103 5	6 36	

FOLDABLE WORK BENCH

- Portable workbench with 24 holes for work clamping fixings
- 100 kg (220 lbs.) capacity
- Two-piece MDF worktop
- Tabletop printed with ruler and protractor for added convenience
- Maximum clamping width with fixings 240 mm
- Supplied with four plastic clamping fixings



Item No.	Size	EAN	Inner	Outer
330001	640 x 605 x 820 mm	2786 1	0 1	

ROLLING STAND

- Unit size: 495 x 440 x 695 mm (extended to 1100 mm)
- Roller size: 282 mm x Φ 48 mm (Zinc electronic plate)
- Easy lock grip, Rubber foot for anti-slip
- Load capacity: 60 kg



Item No.	Size	EAN	Inner	Outer
330031	695 to 1100 mm	8658 5	0 1	


TELESCOPIC SAW HORSE

- Working heights from 800 to 1300 mm
- Folding size 680 x 160 x 840mm
- Foldable for easy storage and transportation
- Max load capacity 200 kg



Item No.	Size	EAN	Inner	Outer
330043	680 x 580 x 810 -1300 mm	3376 3	0 1	

MULTI FUNCTION HEAVY-DUTY SAW HORSE



- Product size: W (1085) x D (520~690) x H (618~820) mm
- Fast-open mechanism for straightforward and simple setup
- 590 kg (1300 lb) capacity for single piece

NEW

Item No.	Size	EAN	Inner	Outer
330045	1085 x (520~690) x (618~820) mm	1797 8	0 1	

ANGLE GRINDER STAND

- Dimension: 300 x 300 x 345 mm
- For angle grinder with blade, Max outer diameter 230 mm



Item No.	Size	EAN	Inner	Outer
330081	230 mm	2314 6	0 6	

ANGLE GRINDER STAND

- Dimension: 240 x 190 x 280 mm
- For angle grinder 115-125mm
- Aluminum stand and clamp with iron base



Item No.	Size	EAN	Inner	Outer
330083	115-125 mm	3377 0	0 4	

PIPE WRENCH

- Non-slip dipped handle
- Cast iron body



Item No.	Size	EAN	Inner	Outer
335001	200 mm (8 in.)	0493 0	6 36	
335003	250 mm (10 in.)	0494 7	6 12	
335005	300 mm (12 in.)	0495 4	6 12	
335007	350 mm (14 in.)	0496 1	4 8	
335009	450 mm (18 in.)	0497 8	2 4	
335011	600 mm (24 in.)	0498 5	2 4	
335013	900 mm (36 in.)	0499 2	1 2	

PIPE WRENCH

- Heavy-duty construction
- Cr-Mo head



Item No.	Size	EAN	Inner	Outer
335021	200 mm (8 in.)	0500 5	6 36	
335025	300 mm (12 in.)	0502 9	6 12	
335027	350 mm (14 in.)	0503 6	4 8	
335029	450 mm (18 in.)	0504 3	2 4	
335031	600 mm (24 in.)	0505 0	2 4	

PIPE WRENCH

- High-strength, lightweight aluminum handle



Item No.	Size	EAN	Inner	Outer
335103	250 mm (10 in.)	0508 1	6 12	
335105	300 mm (12 in.)	0509 8	6 12	
335109	450 mm (18 in.)	0511 1	2 4	
335113	900 mm (36 in.)	0513 5	1 2	

PIPE WRENCH-90°

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN	Inner	Outer
335201	1 in.	40 mm	0851 8	6 12	
335202	1-1/2 in.	55 mm	4855 2	6 12	
335203	2 in.	67 mm	0852 5	2 6	

PIPE WRENCH-45°

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN	Inner	Outer
335210	1/2 in.	25 mm	4856 9	6 12	
335211	1 in.	40 mm	0854 9	6 12	
335212	1-1/2 in.	55 mm	4857 6	6 12	
335213	2 in.	67 mm	0855 6	2 6	

BASIN WRENCH

- Chrome-plated, with pivoting reversible jaw
- Up to 32 mm (1-1/4 in.) pipe capacity



Item No.	Size	EAN	Inner	Outer
336002	275 mm (11 in.)	2757 1	6 24	

ADJUSTABLE COMBINATION WRENCH

- Fits spud nuts, slip and lock nuts and basket strainer nuts for various under sink and toilet work
- Adjusts from 25 mm (1 in.) to 75 mm (3 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
336040		2812 7	6	24

FAUCET PULLER

- Removes large and small faucet handles with longer adjustable puller arms



Item No.	Size	EAN 69426292+	Inner	Outer
336070		2814 1	6	48

7 PC FLARING TOOL SET

- Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing
- Self-centering yoke makes 45° flare joints without splitting or cracking



Item No.	Size	EAN 69426292+	Inner	Outer
338015	5, 6, 8, 10, 12, 14, 16 mm	2758 8	6	12
338017	3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8 in.	2807 3	6	12

3-IN-1 TUBE BENDER


- For air conditioning and refrigeration tubing use
- 6.35 mm (1/4 in.), 7.94 mm (5/16 in.) and 9.52 mm (3/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339013	3-in-1	2818 9	6	24

4 PC TUBE BENDER


- Easily make bends of soft materials
- 6.35 mm (1/4 in.), 9.52 mm (3/8 in.), 12.7 mm (1/2 in.) and 15.87 mm (5/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339060	4 pc	2819 6	6	24

PVC NIPPLE EXTRACTOR

- Removes 12.7 mm (1/2 in.) and 19 mm (3/4 in.) broken risers from fittings



Item No.	Size	EAN 69426292+	Inner	Outer
338003		3168 4	6	60

INNER/OUTER REAMER


- For reaming on both the inside and outside edges of tube and pipe
- 5 mm (3/16 in.) to 38 mm (1-1/2 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
338082		8955 5	6	36

MINI TUBE CUTTER


- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340008	3-16 mm (1/8 in.-5/8 in.)	2820 2	6	60

TUBE CUTTER


- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340030	3-30 mm (1/8 in.-1-1/8 in.)	2759 5	6	36
340041	2 pc replace blade	5250 4	10	60

PVC PIPE CUTTER

- One hand ratchet action for quick, clean cuts
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340201	42 mm (1-5/8 in.)	2760 1	6	24

PVC PIPE CUTTER HEAVY DUTY

- One hand ratchet action for quick and clean cuts
- Aluminum casting body
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340206	64 mm (2-1/2 in.)	2802 8	6	24

INTERNAL PVC PIPE CUTTER

- Internal PVC pipe cutting
- 32 mm (1-1/4 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340225	32 mm (1-1/4 in.)	3169 1	6	60

PVC SAW

- Cuts PVC, CPVC, ABS, wood, dry wall and more
- Adjustable saw blade angle



Item No.	Size	EAN 69426292+	Inner	Outer
340513	325 mm (13 in.)	2821 9	6	24

6 PC FAUCET RESEATERS SET


- Long stem to fix faucet leaks in tubs and hard to reach areas
- 10, 12, 13, 14, 15 & 16 mm



Item No.	Size	EAN 69426292+	Inner	Outer
340601	6 pc	2822 6	6	48

GARBAGE DISPOSAL WRENCH

- Safely dislodges garbage disposal shredder plate jams
- Swivel head design provides easy position on the shredder plate



Item No.	Size	EAN 69426292+	Inner	Outer
340603		2823 3	6	24

FAUCET SEAT SPANNER

- Removes replaceable faucet seats
- 150 x 150 mm (6 x 6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340617	6-step head	2830 1	12	48

5 PC SHOWER WRENCH SET

- Removes and installs nuts on tub and shower faucet stems to allow washer replacement
- 17 x 22 mm (21/32 x 27/32 in.), 23 x 25 mm (29/32 x 31/32 in.), 26 x 28 mm (1-1/32 x 1-3/32 in.), 29 x 32 mm (1-5/32 x 1-9/32 in.), 34 x 36 mm (1-11/32 x 1-7/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340621	5 pc	2831 8	6	24

6-IN-1 SWAGING TOOL


- Join similar size copper tubing without couplings: just insert tool into copper, brass or aluminum tubing and strike with hammer
- 3/16, 1/4, 5/16, 3/8, 1/2 & 5/8 in. (4.76, 6.35, 7.93, 9.52, 12.7, 15.87 mm) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340626	6-in-1	3095 3	12	48

DRAIN UNBLOCKER

- Remove blockages fast
- Ideal for kitchen and bathroom sinks and shower traps



Item No.	Size	EAN 69426292+	Inner	Outer
340632	5 m x 6 mm	0753 5	0	10

4 WAY UTILITY KEY

- Suitable for use on gas/electric/water meter cabinets.



Item No.	Size	EAN 69426292+	Inner	Outer
340904		6047 9	10	100

HINGED PIPE VICE

- Foldable, with automatic closing hook, milled and hardened upper and lower support jaw.



Item No.	Size	EAN 69426292+	Inner	Outer
342002	60 mm (2 in.)	2977 3	2	4
342003	90 mm (3 in.)	2978 0	1	2
342004	110 mm (4 in.)	2979 7	1	2

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144

GAS PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

1/4 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360001	5/32 in.	0979 9	12	72
360002	3/16 in.	0980 5	12	72
360003	7/32 in.	0981 2	12	72
360004	1/4 in.	0982 9	12	72
360005	9/32 in.	0983 6	12	72
360006	5/16 in.	0984 3	12	72
360007	11/32 in.	0985 0	12	72
360008	3/8 in.	0986 7	12	72
360009	7/16 in.	0987 4	12	72
360010	1/2 in.	0988 1	12	72
360021	4 mm	0989 8	12	72
360022	4.5 mm	0990 4	12	72
360023	5 mm	0991 1	12	72
360024	5.5 mm	0992 8	12	72
360025	6 mm	0993 5	12	72
360026	7 mm	0994 2	12	72
360027	8 mm	0995 9	12	72
360028	9 mm	0996 6	12	72
360029	10 mm	0997 3	12	72
360030	11 mm	0998 0	12	72
360031	12 mm	0999 7	12	72
360032	13 mm	1000 9	12	72
360033	14 mm	1001 6	12	72

1/4 in. DR. SOCKET 12PT-SAE

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360041	3/16 in.	1002 3	12	72
360042	7/32 in.	1003 0	12	72
360043	1/4 in.	1004 7	12	72
360044	9/32 in.	1005 4	12	72
360045	5/16 in.	1006 1	12	72
360046	11/32 in.	1007 8	12	72
360047	3/8 in.	1008 5	12	72
360048	7/16 in.	1009 2	12	72
360049	1/2 in.	1010 8	12	72

1/4 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360051	3/16 in.	1011 5	12	72
360052	7/32 in.	1012 2	12	72
360053	1/4 in.	1013 9	12	72
360054	9/32 in.	1014 6	12	72
360055	5/16 in.	1015 3	12	72
360056	11/32 in.	1016 0	12	72
360057	3/8 in.	1017 7	12	72
360058	7/16 in.	1018 4	12	72
360059	1/2 in.	1019 1	12	72
360070	4 mm	2673 4	12	72
360071	4.5 mm	2674 1	12	72
360061	5 mm	1020 7	12	72
360072	5.5 mm	2675 8	12	72
360062	6 mm	1021 4	12	72
360063	7 mm	1022 1	12	72
360064	8 mm	1023 8	12	72
360065	9 mm	1024 5	12	72
360066	10 mm	1025 2	12	72
360067	11 mm	1026 9	12	72
360068	12 mm	1027 6	12	72
360069	13 mm	1028 3	12	72

1/4 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360101	Slotted 3 mm	1281 2	12	72
360102	Slotted 4 mm	1282 9	12	72
360103	Slotted 5.5 mm	1283 6	12	72
360104	Slotted 7 mm	1284 3	12	72
360105	Slotted 8 mm	1285 0	12	72

1/4 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360120	PH #0	1286 7	12	72
360121	PH #1	1287 4	12	72
360122	PH #2	1288 1	12	72
360123	PH #3	1289 8	12	72
360124	PH #4	1290 4	12	72

1/4 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360140	Hex 3 mm	1294 2	12	72
360141	Hex 4 mm	1295 9	12	72
360142	Hex 5 mm	1296 6	12	72
360143	Hex 6 mm	1297 3	12	72
360144	Hex 8 mm	1298 0	12	72
360150	Hex 1/8 in.	1299 7	12	72
360151	Hex 9/64 in.	1300 0	12	72
360152	Hex 5/32 in.	1301 7	12	72
360153	Hex 3/16 in.	1302 4	12	72

1/4 in. DR. BIT SOCKET-TORX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360160	Torx 8	1303 1	12	72
360161	Torx 10	1304 8	12	72
360162	Torx 15	1305 5	12	72
360163	Torx 20	1306 2	12	72
360164	Torx 25	1307 9	12	72
360165	Torx 27	1308 6	12	72
360166	Torx 30	1309 3	12	72
360167	Torx 40	1310 9	12	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/4 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360131	Pozi #1	1291 1	12	72
360132	Pozi #2	1292 8	12	72
360133	Pozi #3	1293 5	12	72

3/8 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360501	1/4 in.	1029 0	6	72
360502	5/16 in.	1030 6	6	72
360503	3/8 in.	1031 3	6	72
360504	7/16 in.	1032 0	6	72
360505	1/2 in.	1033 7	6	72
360506	9/16 in.	1034 4	6	72
360507	5/8 in.	1035 1	6	72
360508	11/16 in.	1036 8	6	72
360509	3/4 in.	1037 5	6	72
360510	13/16 in.	1038 2	6	72
360511	7/8 in.	1039 9	6	72
360521	6 mm	1040 5	6	72
360522	7 mm	1041 2	6	72
360523	8 mm	1042 9	6	72
360524	9 mm	1043 6	6	72
360525	10 mm	1044 3	6	72
360526	11 mm	1045 0	6	72
360527	12 mm	1046 7	6	72
360528	13 mm	1047 4	6	72
360529	14 mm	1048 1	6	72
360530	15 mm	1049 8	6	72
360531	16 mm	1050 4	6	72
360532	17 mm	1051 1	6	72
360533	18 mm	1052 8	6	72
360534	19 mm	1053 5	6	72
360535	20 mm	1054 2	6	72
360536	21 mm	1055 9	6	72
360537	22 mm	1056 6	6	72
360538	23 mm	1057 3	6	72
360539	24 mm	1058 0	6	72

3/8 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360540	1/4 in.	4167 6	6	72
360541	5/16 in.	1059 7	6	72
360542	3/8 in.	1060 3	6	72
360543	7/16 in.	1061 0	6	72
360544	1/2 in.	1062 7	6	72
360545	9/16 in.	1063 4	6	72
360546	5/8 in.	1064 1	6	72
360547	11/16 in.	1065 8	6	72
360548	3/4 in.	1066 5	6	72
360549	13/16 in.	1067 2	6	72
360550	7/8 in.	1068 9	6	72
360561	8 mm	1069 6	6	72
360562	9 mm	1070 2	6	72
360563	10 mm	1071 9	6	72
360564	11 mm	1072 6	6	72
360565	12 mm	1073 3	6	72
360566	13 mm	1074 0	6	72
360567	14 mm	1075 7	6	72
360568	15 mm	1076 4	6	72
360569	16 mm	1077 1	6	72
360570	17 mm	1078 8	6	72
360571	18 mm	1079 5	6	72
360572	19 mm	1080 1	6	72

3/8 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360580	5/16 in.	4165 2	6	72
360581	3/8 in.	1081 8	6	72
360582	7/16 in.	1082 5	6	72
360583	1/2 in.	1083 2	6	72
360584	9/16 in.	1084 9	6	72
360585	5/8 in.	1085 6	6	96
360586	11/16 in.	1086 3	6	96
360587	3/4 in.	1087 0	6	96
360588	13/16 in.	1088 7	6	72
360589	7/8 in.	4166 9	6	72
360605	8 mm	4626 8	6	72
360606	9 mm	4628 2	6	72
360591	10 mm	1089 4	6	72
360592	11 mm	1090 0	6	72
360593	12 mm	1091 7	6	72
360594	13 mm	1092 4	6	72
360595	14 mm	1093 1	6	72
360596	15 mm	1094 8	6	72
360597	16 mm	1095 5	6	96
360598	17 mm	1096 2	6	96
360599	18 mm	1097 9	6	72
360600	19 mm	1098 6	6	72
360601	20 mm	1099 3	6	72
360602	21 mm	1100 6	6	72
360603	22 mm	1101 3	6	48
360604	23 mm	1102 0	6	48

3/8 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360611	5/16 in.	1103 7	6	72
360612	3/8 in.	1104 4	6	72
360613	7/16 in.	1105 1	6	72
360614	1/2 in.	1106 8	6	72
360615	9/16 in.	1107 5	6	72
360616	5/8 in.	1108 2	6	96
360617	11/16 in.	1109 9	6	96
360618	3/4 in.	1110 5	6	96
360619	13/16 in.	1111 2	6	72
360620	7/8 in.	1112 9	6	72

3/8 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360631	5/8 in.	1113 6	6	72
360632	13/16 in.	1114 3	6	72
360633	16 mm	1115 0	6	72
360634	21 mm	1116 7	6	72

3/8 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws



Item No.	Size	S
----------	------	---

1/2 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361002	5/16 in.	1118 1	6	96
361003	3/8 in.	1119 8	6	96
361004	7/16 in.	1120 4	6	96
361005	1/2 in.	1121 1	6	96
361006	9/16 in.	1122 8	6	96
361007	19/32 in.	1123 5	6	96
361008	5/8 in.	1124 2	6	96
361009	11/16 in.	1125 9	6	96
361010	3/4 in.	1126 6	4	72
361011	25/32 in.	1127 3	4	72
361012	13/16 in.	1128 0	4	72
361013	7/8 in.	1129 7	4	72
361014	15/16 in.	1130 3	4	72
361015	31/32 in.	1131 0	4	72
361016	1 in.	1132 7	4	72
361017	1-1/16 in.	1133 4	4	72
361018	1-1/8 in.	1134 1	4	72
361019	1-3/16 in.	1135 8	4	48
361020	1-1/4 in.	1136 5	4	48
361031	8 mm	1137 2	6	96
361032	9 mm	1138 9	6	96
361033	10 mm	1139 6	6	96
361034	11 mm	1140 2	6	96
361035	12 mm	1141 9	6	96
361036	13 mm	1142 6	6	96
361037	14 mm	1143 3	6	96
361038	15 mm	1144 0	6	96
361039	16 mm	1145 7	6	96
361040	17 mm	1146 4	6	96
361041	18 mm	1147 1	6	96
361042	19 mm	1148 8	6	96
361043	20 mm	1149 5	4	72
361044	21 mm	1150 1	4	72
361045	22 mm	1151 8	4	72
361046	23 mm	1152 5	4	72
361047	24 mm	1153 2	4	72
361048	25 mm	1154 9	4	72
361049	26 mm	1155 6	4	72
361050	27 mm	1156 3	4	72
361051	28 mm	1157 0	4	72
361052	29 mm	1158 7	4	48
361053	30 mm	1159 4	4	48
361054	32 mm	1160 0	4	48

1/2 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361191	5/8 in.	1241 6	4	72
361192	13/16 in.	1242 3	4	72
361193	16 mm	1243 0	4	72
361194	21 mm	1244 7	4	72

1/2 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361072	5/16 in.	1164 8	6	96
361073	3/8 in.	1165 5	6	96
361074	7/16 in.	1166 2	6	96
361075	1/2 in.	1167 9	6	96
361076	9/16 in.	1168 6	6	96
361077	19/32 in.	1169 3	6	96
361078	5/8 in.	1170 9	6	96
361079	11/16 in.	1171 6	6	96
361080	3/4 in.	1172 3	6	96
361081	25/32 in.	1173 0	4	72
361082	13/16 in.	1174 7	4	72
361083	7/8 in.	1175 4	4	72
361084	15/16 in.	1176 1	4	72
361085	31/32 in.	1177 8	4	72
361086	1 in.	1178 5	4	72
361087	1-1/16 in.	1179 2	4	72
361088	1-1/8 in.	1180 8	4	72
361089	1-3/16 in.	1181 5	4	48
361090	1-1/4 in.	1182 2	4	48
361101	8 mm	1183 9	6	96
361102	9 mm	1184 6	6	96
361103	10 mm	1185 3	6	96
361104	11 mm	1186 0	6	96
361105	12 mm	1187 7	6	96
361106	13 mm	1188 4	6	96
361107	14 mm	1189 1	6	96
361108	15 mm	1190 7	6	96
361109	16 mm	1191 4	6	96
361110	17 mm	1192 1	6	96
361111	18 mm	1193 8	6	96
361112	19 mm	1194 5	6	96
361113	20 mm	1195 2	4	72
361114	21 mm	1196 9	4	72
361115	22 mm	1197 6	4	72
361116	23 mm	1198 3	4	72
361117	24 mm	1199 0	4	72
361118	25 mm	1200 3	4	72
361119	26 mm	1201 0	4	72
361120	27 mm	1202 7	4	72
361121	28 mm	1203 4	4	72
361122	29 mm	1204 1	4	48
361123	30 mm	1205 8	4	48
361124	32 mm	1206 5	4	48

1/2 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws



Item No.	Size	Screw Size	EAN 69426292+	Inner	Outer
361251	E10	M8	4690 9	6	96
361252	E11	-	4691 6	6	96
361253	E12	M10	4692 3	6	96
361255	E14	M12	4693 0	6	96
361257	E16	M12	4694 7	6	96
361259	E18	M14	4695 4	6	96
361261	E20	M16	4696 1	4	72
361263	E22	-	4697 8	4	72
361265	E24	M18-20	4698 5	4	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/2 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361141	1/2 in.	1209 6	6	96
361142	9/16 in.	1210 2	6	96
361143	5/8 in.	1211 9	6	96
361144	11/16 in.	1212 6	6	96
361145	3/4 in.	1213 3	6	72
361146	13/16 in.	1214 0	4	72
361147	7/8 in.	1215 7	4	48
361148	15/16 in.	1216 4	4	48
361149	1 in.	1217 1	4	48
361150	1-1/16 in.	1218 8	6	36
361151	1-1/8 in.	1219 5	6	36
361161	10 mm	1220 1	6	96
361162	11 mm	1221 8	6	96
361163	12 mm	1222 5	6	96
361164	13 mm	1223 2	6	96
361165	14 mm	1224 9	6	96
361166	15 mm	1225 6	6	96
361167	16 mm	1226 3	6	96
361168	17 mm	1227 0	6	96
361169	18 mm	1228 7	6	96
361170	19 mm	1229 4	4	72
361171	20 mm	1230 0	4	72
361172	21 mm	1231 7	4	72
361173	22 mm	1232 4	4	48
361174	23 mm	1233 1	4	48
361175	24 mm	1234 8	4	48
361176	25 mm	1235 5	4	48
361177	26 mm	1236 2	6	36
361178	27 mm	1237 9	6	36
361179	28 mm	1238 6	6	36
361180	30 mm	1239 3	6	24
361181	32 mm	1240 9	6	24

1/2 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361203	3/8 in.	4658 9	6	96
361204	7/16 in.	4659 6	6	96
361205	1/2 in.	4660 2	6	96
361206	9/16 in.	4661 9	6	96
361207	5/8 in.	4662 6	6	96
361208	11/16 in.	4663 3	6	96
361209	3/4 in.	4664 0	4	72
361210	13/16 in.	4665 7	4	72
361211	7/8 in.	4666 4	4	48
361212	15/16 in.	4667 1	4	48
361213	1 in.	4668 8	4	48
361214	1-1/16 in.	4669 5	6	36
361215	1-1/8 in.	4670 1	6	36
361221	8 mm	0251 6	6	96
361223	10 mm	4671 8	6	96
361224	11 mm	4672 5	6	96
361225	12 mm	4673 2	6	96
361226	13 mm	4674 9	6	96
361227	14 mm	4675 6	6	96
361228	15 mm	4676 3	6	96
361229	16 mm	4677 0	6	96
361230	17 mm	4678 7	6	96
361231	18 mm	4679 4	6	96
361232	19 mm	4680 0	4	72
361233	20 mm	4681 7	4	72
361234	21 mm	4682 4	4	72
361235	22 mm	4683 1	4	48
361236	23 mm	4684 8	4	48
361237	24 mm	4685 5	4	48
361242	26 mm	6077 6	6	36
361238	27 mm	4686 2	6	36
361239	28 mm	4687 9	6	36
361240	30 mm	4688 6	6	24
361241	32 mm	4689 3	6	24

1/2 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361301	Slotted 6.5 mm	1340 6	6	72
361302	Slotted 8 mm	1341 3	6	72
361303	Slotted 10 mm	1342 0	6	72
361304	Slotted 12 mm	1343 7	6	72

1/2 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361322	PH #2	1344 4	6	72
361323	PH #3	1345 1	6	72
361324	PH #4	1346 8	6	72

1/2 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361332	Pozi #2	1347 5	6	72
361333	Pozi #3	1348 2	6	72
361334	Pozi #4	1349 9	6	72

1/2 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
361341	Hex 6 mm	1350 5	6	72
361342	Hex 8 mm	1351 2	6	72
361343	Hex 10 mm	1352 9	6	72
361344	Hex 12 mm	1353 6	6	96
361345	Hex 14 mm	1354 3	6	96
361346	Hex 17 mm	1355 0	6	72
361347	Hex 19 mm	1356 7	6	72
361351	Hex 5/16 in.	1357 4	6	72
361352	Hex 3/8 in.	1358 1	6	72
361353	Hex 7/16 in.	1359 8	6	72
361354	Hex 1/2 in.	1360 4	6	72
361355	Hex 9/16 in.	1361 1	6	96
361356	Hex 5/8 in.	1362 8	6	96

3/4 in. DR. SOCKET 6PT-METRIC

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
361501	17 mm	3387 9	6	72
361503	19 mm	3388 6	6	72
361505	21 mm	3389 3	6	72
361506	22 mm	3391 6	6	72
361507	23 mm	3392 3	6	72
361508	24 mm	3393 0	6	72

1/4 in. DR. RATCHET HANDLE

- 43 tooth



43T

Item No.	Size	EAN 69426292+	Inner	Outer
362021	135 mm (5-1/4 in.)	0823 5	6	48

1/4 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362032	130 mm (5-1/8 in.)	1390 1	6	48

1/4 in. DR. SPINNER HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362002	152 mm (6 in.)	1246 1	6	48

1/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362022	150 mm (6 in.)	0824 2	6	48

1/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362003	116 mm (4-1/2 in.)	1247 8	6	72

1/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362004	50 mm (2 in.)	1248 5	6	72
362005	100 mm (4 in.)	1249 2	6	72
362006	150 mm (6 in.)	1250 8	6	72

1/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362007	1/4 in. Dr.	1251 5	6	72

1/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/4 in. (F) $\bigcirc \Rightarrow \bigcirc$ 3/8 in. (M)


CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362008	1/4 in. Dr.	1252 2	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Vanadium steel
- High quality 72 tooth ratchet
- Non-slip bi-material handle



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362131	195 mm (7-1/2 in.)	4871 2	6	36

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362101	202 mm (8 in.)	1254 6	6	36

1/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/4 in. $\bigcirc \Rightarrow \bigcirc$ 1/4 in.


CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362009	1/4 in. Dr.	1253 9	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362123	180 mm (7 in.)	4179 9	6	36

3/8 in. DR. RATCHET HANDLE

- 41 tooth



41T

Item No.	Size	EAN 69426292+	Inner	Outer
362132	190 mm (7-1/2 in.)	1391 8	6	36

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362102	226 mm (9 in.)	1255 3	6	48

3/8 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362103	165 mm (6-1/2 in.)	1256 0	6	48

3/8 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362104	75 mm (3 in.)	1257 7	6	96
362105	150 mm (6 in.)	1258 4	6	96
362106	250 mm (10 in.)	1259 1	6	72

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362112	200 mm (8 in.)	4169 0	6	48

3/8 in. DR. L HANDLE

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362113	200 mm (8 in.)	4973 3	6	36

3/8 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362107	3/8 in. Dr.	1260 7	6	72

3/8 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/8 in. (F) $\bigcirc \Rightarrow \bigcirc$ 1/4 in. (M)


CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362108	3/8 in. Dr.	1261 4	6	72

3/8 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/8 in. (F) $\bigcirc \Rightarrow \bigcirc$ 1/2 in. (M)


CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362109	3/8 in. Dr.	1262 1	6	72

3/8 in. DR. BIT ADAPTOR

- Chrome-Vanadium steel

3/8 in. $\bigcirc \Rightarrow \bigcirc$ 1/4 in.


CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
362111	3/8 in. Dr.	1264 5	6	72

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Vanadium steel
- High quality 72 tooth ratchet
- Non-slip bi-material handle



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362331	250 mm (10 in.)	4872 9	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362301	254 mm (10 in.)	1265 2	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362321	250 mm (10 in.)	4182 9	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362323	250 mm (10 in.)	4183 6	6	24

1/2 in. DR. RATCHET HANDLE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362332	240 mm (9-1/2 in.)	1392 5	6	24

1/2 in. DR. EXTENDING RATCHET HANDLE

- Extend from 290 mm to 430 mm
- Non-slip bi-material handle
- Chrome-Vanadium steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362335	290 - 430 mm	3097 7	6	18

1/2 in. DR. FLEX HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
362302	294 mm (11-1/2 in.)	1266 9	6	24
362316	460 mm (18 in.)	5831 5	4	16

1/2 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362311	384 mm (15 in.)	4130 0	4	16
362312	250 mm (10 in.)	9044 5	6	24
362313	460 mm (18 in.)	4131 7	4	16
362315	600 mm (24 in.)	6088 2	4	16

1/2 in. DR. L HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362314	250 mm (10 in.)	4974 0	6	24

1/2 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362303	252 mm (10 in.)	1267 6	6	36

1/2 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362309	75 mm (3 in.)	3425 8	6	48
362304	125 mm (5 in.)	1268 3	6	48
362305	250 mm (10 in.)	1269 0	6	36

1/2 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362306	1/2 in. Dr.	1270 6	6	72

1/2 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/2 in. (F) $\rightarrow$ 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362307	1/2 in. Dr.	1271 3	6	72

1/2 in. DR. ADAPTOR

- Chrome-Vanadium steel

1/2 in. (F) $\rightarrow$ 3/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362308	1/2 in. Dr.	2248 4	6	36

3/4 in. DR. RATCHET HANDLE

- Chrome-Vanadium steel
- 43 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362401	500 mm (19-3/4 in.)	3457 9	2	8

3/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362403	51 cm (20 in.)	3458 6	2	8

3/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362405	51 cm (20 in.)	3459 3	2	8

3/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362407	100 mm (4 in.)	3460 9	6	36
362409	200 mm (8 in.)	3461 6	6	24
362411	400 mm (16 in.)	3462 3	3	12

3/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362413	3/4 in. DR.	2246 0	6	36

3/4 in. DR. ADAPTOR

- Chrome-Vanadium steel

3/4 in. (F) $\rightarrow$ 1/2 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362415	3/4 in. DR.	2247 7	6	36

1/2 in. DR. INSULATED RATCHET HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

1/2 in. DR. INSULATED EXTENSION BAR

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

1/2 in. DR. INSULATED SOCKET 6PT

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

3/4 in. DR. IMPACT SOCKET 6PT

- Chrome-Molybdenum steel with black phosphate finish
- Dual hole design can be used with retaining ring and pin for security



Item No.	Size	EAN 69426292+	Inner	Outer
363001	17 mm	6849 9	8	48
363003	19 mm	6850 5	8	48
363005	21 mm	6851 2	8	48
363006	22 mm	6852 9	8	48
363007	23 mm	6853 6	8	48
363008	24 mm	6854 3	8	48
363009	25 mm	6855 0	8	48
363010	26 mm	6856 7	8	48
363011	27 mm	6857 4	8	48
363012	28 mm	6858 1	4	32
363013	29 mm	6859 8	4	32
363014	30 mm	6860 4	4	32
363016	32 mm	6862 8	4	32
363017	33 mm	6863 5	4	32
363018	34 mm	6864 2	4	32
363019	35 mm	6865 9	4	32
363020	36 mm	6866 6	4	32
363022	38 mm	6867 3	4	32
363024	40 mm	6868 0	2	16
363025	41 mm	6869 7	2	16
363026	42 mm	6870 3	2	16
363028	44 mm	6871 0	2	16
363029	45 mm	6872 7	2	16
363030	46 mm	6873 4	2	16
363032	48 mm	6874 1	2	16
363034	50 mm	6875 8	2	16

3/4 in. DR. IMPACT SOCKET 12PT

- Chrome-Molybdenum steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363051	3/4 in.	6876 5	8	48
363052	13/16 in.	6877 2	8	48
363053	7/8 in.	6878 9	8	48
363054	15/16 in.	6879 6	8	48
363055	1 in.	6880 2	8	48
363056	1-1/16 in.	6881 9	8	48
363057	1-1/8 in.	6882 6	4	32
363058	1-3/16 in.	6883 3	4	32
363059	1-1/4 in.	6884 0	4	32
363060	1-5/16 in.	6885 7	4	32
363061	1-3/8 in.	6886 4	4	32
363062	1-7/16 in.	6887 1	4	32
363063	1-1/2 in.	6888 8	4	32
363065	1-5/8 in.	6889 5	2	16
363066	1-11/16 in.	6890 1	2	16
363067	1-3/4 in.	6891 8	2	16
363068	1-13/16 in.	6892 5	2	16
363069	1-7/8 in.	6893 2	2	16
363071	2 in.	6894 9	2	16
363073	2-1/8 in.	6895 6	2	16
363074	2-3/16 in.	6896 3	2	16
363075	2-3/8 in.	6897 0	2	16
363077	2-3/4 in.	6898 7	2	16

3/4 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Molybdenum steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363080	17 mm	6922 9	6	24
363081	18 mm	6923 6	6	24
363082	19 mm	6924 3	6	24
363083	20 mm	6925 0	6	24
363084	21 mm	6926 7	6	24
363085	22 mm	6927 4	6	24
363086	23 mm	6928 1	6	24
363087	24 mm	6929 8	6	24
363088	25 mm	6930 4	6	24
363089	26 mm	6931 1	6	24
363090	27 mm	6932 8	6	24
363091	28 mm	6933 5	6	24
363092	29 mm	6934 2	6	24
363093	30 mm	6935 9	6	24
363095	32 mm	6936 6	6	24
363096	33 mm	6937 3	6	24
363097	34 mm	6938 0	6	24
363098	35 mm	6939 7	6	24
363099	36 mm	6940 3	6	24
363101	38 mm	6941 0	6	24
363103	40 mm	6942 7	6	24
363104	41 mm	6943 4	6	24
363105	42 mm	6944 1	4	16
363107	44 mm	6945 8	4	16
363108	45 mm	6946 5	4	16
363109	46 mm	6947 2	4	16
363111	48 mm	6948 9	4	16
363113	50 mm	6949 6	4	16
363133	1-1/16 in.	6950 2	6	24
363134	1-1/8 in.	6951 9	6	24
363135	1-3/16 in.	6952 6	6	24
363136	1-1/4 in.	6953 3	6	24
363137	1-5/16 in.	6954 0	6	24
363138	1-3/8 in.	6955 7	6	24
363139	1-7/16 in.	6956 4	6	24
363140	1-1/2 in.	6957 1	6	24
363141	1-9/16 in.	6958 8	6	24
363142	1-5/8 in.	6959 5	6	24
363143	1-11/16 in.	6960 1	6	24
363144	1-3/4 in.	6961 8	4	16
363145	1-13/16 in.	6962 5	4	16
363146	1-7/8 in.	6963 2	4	16
363147	1-15/16 in.	6964 9	4	16

1/2 in. DR. IMPACT EXTENSION BAR

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363703	75 mm (3 in.)	4343 4	12	36
363705	125 mm (5 in.)	4344 1	12	36
363707	250 mm (10 in.)	4345 8	12	24

1/2 in. DR. IMPACT UNIVERSAL JOINT

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363709	1/2 in. Dr.	4346 5	12	48

1/2 in. DR. IMPACT SOCKET 6PT

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363350	5/16 in.	4545 2	6	96
363351	3/8 in.	4289 5	6	96
363353	7/16 in.	4290 1	6	96
363355	1/2 in.	4291 8	6	96
363357	9/16 in.	4292 5	6	96
363359	5/8 in.	4293 2	6	96
363361	11/16 in.	4294 9	6	72
363363	3/4 in.	4295 6	6	72
363365	13/16 in.	4296 3	6	72
363367	7/8 in.	4297 0	6	72
363369	15/16 in.	4298 7	6	72
363371	1 in.	4299 4	6	72
363373	1-1/16 in.	4546 9	6	48
363375	1-1/8 in.	4547 6	6	48
363377	1-3/16 in.	4548 3	6	48
363379	1-1/4 in.	4549 0	6	48
363403	8 mm	4300 7	6	96
363405	9 mm	4301 4	6	96
363407	10 mm	4302 1	6	96
363409	11 mm	4303 8	6	96
363411	12 mm	4304 5	6	96
363413	13 mm	4305 2	6	96
363415	14 mm	4306 9	6	96
363417	15 mm	4307 6	6	96
363419	16 mm	4308 3	6	96
363421	17 mm	4309 0	6	96
363423	18 mm	4310 6	6	96
363425	19 mm	4311 3	6	96
363427	20 mm	4312 0	6	72
363429	21 mm	4313 7	6	72
363431	22 mm	4314 4	6	72
363433	23 mm	4315 1	6	72
363435	24 mm	4316 8	6	72
363437	25 mm	4317 5	6	72
363439	26 mm	4318 2	6	72
363441	27 mm	4319 9	6	72
363442	28 mm	4550 6	6	72
363443	29 mm	4320 5	6	48
363445	30 mm	4321 2	6	48
363447	32 mm	4322 9	6	48

1/2 in. DR. IMPACT ADAPTOR

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) $\Rightarrow$ 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
363711	1/2 in. Dr.	4347 2	12	72

1/2 in. DR. IMPACT ADAPTOR

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) $\Rightarrow$ 3/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
363715	1/2 in. Dr.	4348 9	12	72

1/2 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Vanadium steel with black phosphate finish



Item No.	Size	EAN 69426292+	Inner	Outer
363603	8 mm	4323 6	6	72
363604	9 mm	4551 3	6	72
363605	10 mm	4324 3	6	72
363607	11 mm	4325 0	6	72
363609	12 mm	4326 7	6	72
363611	13 mm	4327 4	6	72
363613	14 mm	4328 1	6	72
363615	15 mm	4329 8	6	72
363617	16 mm	4330 4	6	72
363619	17 mm	4331 1	6	72
363621	18 mm	4332 8	6	72
363623	19 mm	4333 5	4	72
363624	20 mm	4552 0	6	48
363625	21 mm	4334 2	6	48
363627	22 mm	4335 9	6	48
363629	23 mm	4336 6	6	48
363631	24 mm	4337 3	6	48
363632	25 mm	4553 7	6	36
363633	26 mm	4338 0	6	36
363635	27 mm	4339 7	6	36
363636	28 mm	4554 4	6	24
363637	29 mm	4340 3	6	24
363639	30 mm	4341 0	6	24
363641	32 mm	4342 7	6	24
363663	5/16 in.	4748 7	6	72
363664	3/8 in.	4749 4	6	72
363665	7/16 in.	4750 0	6	72
363666	1/2 in.	4751 7	6	72
363667	9/16 in.	4752 4	6	72
363668	5/8 in.	4753 1	6	72
363669	11/16 in.	4754 8	6	72
363670	3/4 in.	4755 5	6	72
363671	13/16 in.	4756 2	6	48
363672	7/8 in.	4757 9	6	48
363673	15/16 in.	4758 6	6	48
363674	1 in.	4759 3	6	36
363675	1-1/16 in.	4760 9	6	36
363676	1-1/8 in.	4761 6	6	24
363677	1-3/16 in.	4762 3	6	24
363678	1-1/4 in.	4763 0	6	24

7 PC 3/8 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363787	7 pc	7125 3	6	12

7 PC 1/2 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363807	7 pc	5354 9	6	12

10 PC 1/2 in. DR. IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363820	10 pc	9045 2	0	6

3 PC 1/2 in. DR. IMPACT WHEEL NUT SOCKET

- Inner/outer nylon sleeve to prevent damage to shells and nuts
- Chrome-Molybdenum steel
- 17, 19, 21 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363803	3 pc	7073 7	0	12

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET METRIC

- Chrome-Vanadium steel with black phosphate finish
- 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27 mm



Item No.	Size	EAN 69426292+	Inner	Outer
363901	12 pc Metric	0123 6	0	6

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET SAE

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16 in.



Item No.	Size	EAN 69426292+	Inner	Outer
363902	12 pc SAE	0237 0	0	6

34 PC 1/4 in. DR. SOCKET SET

- 10 pc 1 in. bits: #1 & #2; 3/16 & 1/4 in.; T-10, T-15, T-20, T-25, T-27 & T-30
- 9 pc 1/4 in. Dr. sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2 in.
- 9 pc 1/4 in. Dr. deep sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2 in.
- 2 pc 1/4 in. Dr. x 2 in. & 6 in. extension bar
- 1 pc 1/4 in. Dr. universal joint
- 1 pc 1/4 in. Dr. couple adaptor
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in.

33 PC 3/8 in. DR. SOCKET SET

- 18 pc 3/8 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 & 24 mm
- 9 pc 3/8 in. Dr. deep well sockets: 6, 8, 10, 11, 13, 14, 15, 17 & 19 mm
- 1 pc 3/8 in. Dr. x 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 6 in. (150 mm) extension bar
- 1 pc 3/8 in. Dr. x 16 mm spark plug socket
- 1 pc 3/8 in. Dr. x 21 mm spark plug socket
- 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365011	Metric	69426292+	0	5

18 PC 1/2 in. DR. SOCKET SET

- 14 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. x 125 mm extension bar
- 1 pc 1/2 in. Dr. flexible handle
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365015	Metric	69426292+	0	5

34 PC 1/4 in. DR. SOCKET SET

- 10 pc 1 in. bits: #1, #2 & #3; 4 mm & 5.5 mm; 3, 4 & 5 mm; #1 & #2
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 9 pc 1/4 in. Dr. deep well sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 2 pc 1/4 in. Dr. x 50 mm & 150 mm extension bar
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. Dr. bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365019	Metric	69426292+	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

39 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 7 pc 1/4 in. Dr. sockets: 3/16, 1/4, 9/32, 5/16, 3/8, 7/16 & 1/2 in.
- 9 pc 3/8 in. Dr. sockets: 9, 10, 11, 12, 13, 14, 15, 17 & 19 mm
- 7 pc 3/8 in. Dr. sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.
- 1 pc 3/8 in. Dr. 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 5/8 in. (16 mm) spark plug socket
- 1 pc 3/8 in.(F) x 1/4 in.(M) adapter
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365025	Metric & SAE	69426292+	0	5

41 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 12 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 & 22 mm
- 20 pc 1 in. S2 bits: #1, #2 & #3; 4, 5.5 & 6.5 mm; #1, #2 & #3; #1, #2 & #3; 3 & 6 mm; T-10, T-15, T-20, T-25 & T-30; bit/socket adapter
- 2 pc 3/8 in. Dr. x 3 in. (75 mm) & 6 in. (150 mm) extension bar • 1 pc 1/4 in. Dr. spinner handle
- 2 pc 3/8 in. Dr. x 16 & 21 mm spark plug socket
- 1 pc 3/8 in.(M) x 1/4 in.(F) bit holder • 1 pc 1/4 in.(M) x 1/4 in.(F) bit holder • 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365029	Metric	69426292+	0	5

77 PC TOOL SET

- 30 pc bit set: #1 x 2, #2 x 3 & #3; 4, 4.5, 5.5, 6, 6.5 & 8 mm; #1 x 2, #2 x 3, #3; 3 mm x 2, 4 mm x 2, 5 & 6 mm; T-10, T-15, T-20, T-25, T-30 & T-40
- 12 pc 1/2 in. Dr. sockets: 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24 mm
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 125 mm extension
- 9 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 1 pc 1/4 in. Dr. 100 mm extension
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 9 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17 & 19 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm
- 1 pc 250 mm water pump pliers
- 1 pc 200 mm adjustable wrench



Item No.	Size	EAN	Inner	Outer
365046	Metric	69426292+	0	3

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

23 PC 1/2 in. DR. SOCKET SET

- 19 pc 1/2 in. Dr. socket set: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. 125 mm extension
- 1 pc 1/2 in. Dr. 250 mm extension
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN	Inner	Outer
365042	Metric	69426292+	0	5

73 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 5 pc 1/4 in. Dr. deep sockets: 6, 7, 8, 9 & 10 mm
- 16 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 & 32 mm
- 4 pc 1/2 in. Dr. deep sockets: 10, 11, 14 & 17 mm
- 20 pc bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; #1, #2, #3; 3, 6 mm, T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 4 pc hex key set: 1.3, 1.5, 2 & 2.5 mm
- 2 pc 1/4 & 1/2 in. Dr. ratchet handle
- 2 pc 1/4 in. & 1/2 in. Dr. universal joint
- 2 pc 1/4 in. & 1/2 in. Dr. sliding T-bar
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. 50 mm extension bar
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/2 in. Dr. 125 mm extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm



Item No.	Size	EAN	Inner	Outer
365055	Metric	69426292+	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

37 PC 1/4 in. DR. SOCKET SET

- 21 pc 1 in. CR-V bits: #1, #2 & #3; 3, 4, 5 & 6 mm; #1, #2 & #3; 3, 4, 5 & 6 mm; T-10, T-15, T-20, T-25, T-27, T-30 & T-40
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 2 pc 1/4 in. Dr. 50 mm & 100 mm extension
- 1 pc 1/4 in. Dr. spinner handle • 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. socket bit holder



Item No.	Size	EAN	Inner	Outer
365052	Metric	69426292+	0	10

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

59 PC 1/4 & 3/8 in. DR. SOCKET SET

- 20 pc 1 in. bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; 3, 6 mm; T-10, T-15, T-20, T-25, T-30; bit/socket adapter
- 18 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 12, 13, 14, 15, 16, 17, 18, 19 mm; 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 3/8 in. Dr. x 5/8 in. spark plug socket
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc magnetic bit driver



Item No.	Size	EAN	Inner	Outer
365065	Metric & SAE	69426292+	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

37 PC 1/4 in. DR. SOCKET SET

- 21 pc 1 in. CR-V bits: #0, #1, #2 x 2 & #3; 5/32, 3/16 & 1/4 in.; T-10, T-15, T-20, T-25 & T-30; #1, #2 & #3; #1, #2 & #3; 1/8 & 1/4 in.
- 10 pc 1/4 in. Dr. sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 & 9/16 in.
- 2 pc 1/4 in. Dr. 2 in. & 4 in. extension
- 1 pc 1/4 in. Dr. spinner handle • 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. socket bit holder



Item No.	Size	EAN	Inner	Outer
365062	SAE	69426292+	0	10

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

85 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32 mm
- 2 pc 1/4 in. Dr. extension bars 50 & 100 mm
- 1/4 in. Dr. sliding T-bar • 1/4 in. Dr. universal joint
- 1/4 in. Dr. bit holder • 1/4 in. Dr. spinner handle
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 20 pc bits: #1, #2, #3; #1, #2, #3; 3, 6 mm, 4, 5.5, 6.5 mm, #1, #2, #3, T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 3 pc 5/16 in. bits T-45, T-50, T-55
- 2 pc 1/2 in. Dr. extension bars 125 & 250 mm
- 1/2 in. Dr. universal joint • 1/2 in. Dr. x 5/16 in. bit holder
- 1/2 in. Dr. spark plug socket 21 mm
- 3 pc hex keys 1.5, 2, 2.5 mm
- 2 pc ratchet handles 1/4 & 1/2 in. Dr.
- 4 pc double flexible socket wrenches: 8 x 9, 10 x 11, 12 x 13, 14 x 15 mm
- 6 pc combination wrenches: 8, 10, 12, 13, 14, 17 mm



Item No.	Size	EAN	Inner	Outer
365072	Metric	69426292+	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

43 PC 1/4 in. DR. SOCKET SET

- 28 pc bits:
 - ⊕ #1 x 2, #2 x 2 & #3 x 2;
 - ⊖ 3, 4, 5 & 6 mm; ⊕ #1, #2 & #3;
 - ⊖ 3, 4, 5 & 6 mm; ⊖ #0, #1 & #2;
 - ⊕ T-8, T-10, T-15, T-20, T-25, T-27 & T-30
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. ratchet handle
- 2 pc 1/4 in. Dr. extension bar 50 & 100 mm
- Bit/socket adaptor



CR-V

Item No.	Size	EAN	Inner	Outer
365060	Metric	69426292+	5185 9	6 12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

110 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc bits: ⊕ #1, #2, #3, ⊕ #1, #2, #3, ⊖ 3, 6 mm, ⊖ 4, 5.5, 6.5 mm, ⊖ #1, #2, #3, ⊕ T-10, T-15, T-20, T-25, T-30, Bit/socket adaptor
- 16 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm; 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- 4 pc double open wrenches: 10 x 11 mm; 12 x 14 mm; 3/8 x 7/16 in.; 1/2 x 9/16 in.
- 17 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 10 pc 1/4 in. Dr. 6PT deep sockets: 6, 7, 8, 9, 10 mm; 3/16, 7/32, 1/4, 5/16, 3/8 in.
- 19 pc 3/8 in. Dr. 12PT sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 12PT deep sockets: 11, 12, 13, 14, 15 mm; 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 8 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19 mm; 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 2 in. extension bar
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc 3/8 in. (F) x 1/2 in. (M) adapter
- 1 pc magnetic bit driver



CR-V

Item No.	Size	EAN	Inner	Outer
365067	Metric & SAE	69426292+	4219 2	0 4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

154 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 12 pc 3/8 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 11 pc 1/2 in. Dr. sockets: 14, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 9 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 10 pc 3/8 in. Dr. deep sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 9 pc 1/2 in. Dr. deep sockets: 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 4 pc 1/2 in. Dr. impact sockets: 17, 19, 21, 23 mm
- 3 pc ratchet handles 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 1/4 in. Dr. spinner handle
- 8 pc 3/8 in. Dr. E-sockets: E8, E10, E11, E12, E14, E16, E18, E20
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊕ #1, #2, #3, ⊖ 3, 6 mm, ⊖ 4, 5.5, 6.5 mm, ⊖ #1, #2, #3, ⊕ T-10, T-15, T-20, T-25, T-30, bit/socket adaptor
- 7 pc 3/8 in. Dr. TORX Tamper socket bits:
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 6 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.) & 100 mm (4 in.), 3/8 in. Dr. x 75 mm (3 in.) & 250 mm (10 in.), 1/2 in. Dr. x 125 mm (5 in.) & 250 mm (10 in.)
- 1 pc 1/4 in. Dr. bit holder
- 3 pc universal joints 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 2 pc 3/8 in. Dr. spark plug sockets 16 & 21 mm
- 1 pc 3/8 in. (F) X 1/4 in. (M) 3-way adapter
- 1 pc 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 1 pc 1/2 in. (F) x 3/8 in. (M) 3-way adapter
- 10 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm
- 3 pc ratchet wrenches: 12, 13, 14 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc screwdrivers:
 - ⊖ 6.5 x 38 mm, 6.5 x 100 mm, ⊕ #2 x 38 mm, #2 x 100 mm
- 6 pc 3/8 in. Dr. socket bits:
 - ⊖ 5.5, 6.5 mm, ⊕ #1, #2, ⊕ #1, #2
- 1 pc 200 mm (8 in.) slip joint pliers
- 1 pc 160 mm (6 in.) long nose pliers



CR-V

Item No.	Size	EAN	Inner	Outer
365075	Metric	69426292+	8463 5	0 2

143 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 9, 10, 12, 13, 14, 15, 17, 19 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 6PT deep socketst: 12, 13, 14, 15, 17 mm, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 2 pc 3/8 in. Dr. spark plug sockets 5/8 in. & 13/16 in.
- 10 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19, 21 mm, 1/2, 9/16, 5/8, 3/4, 7/8 in.
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 18 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.
- 40 pc bits:
 - ⊕ #0 x 2, #1 x 2, #2 x 2, #3 x 2;
 - ⊖ 3, 4, 5.5 x 2, 6.5 x 2, 8 mm;
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40;
 - ⊕ #1, #2, #3; ⊖ #1, #2, #3;
 - ⊖ 3, 4, 5, 6, 7 mm, 3/32, 1/8, 5/32, 3/16, 1/4 in., bit/socket adapter (2)
- 12 pc combination wrenches: 8, 10, 12, 13, 14, 15 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 3 pc ratchet handle 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 4 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.); 3/8 in. Dr. x 75 mm (3 in.) & 150 mm (6 in.)
- 1/2 in. Dr. x 75 mm (3 in.) • 1 pc magnetic bit driver
- 4 pc screwdrivers:
 - ⊖ 5.5 x 100 mm, 6.5 x 100 mm, ⊕ #1 x 75 mm, #2 x 100 mm
- 1 pc 200 mm (8 in.) long nose pliers
- 1 pc 160 mm (6 in.) diagonal piers



CR-V

Item No.	Size	EAN	Inner	Outer
365321	Metric & SAE	69426292+	8471 0	0 2

143 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET



CR-V

Item No.	Size	EAN	Inner	Outer
365321WB	Metric & SAE	69426292+	7054 6	0 2

24 PC 1/2 in. DR. SOCKET SET

- 12 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14 mm, 3/8, 5/8, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 8 pc combination wrenches: 10, 11, 12, 13, 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. spark plug socket 16 mm
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN	Inner	Outer
365241	Metric & SAE	69426292+	8465 9	0 6

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. sockets: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. ratchet handle • 1/2 in. Dr. universal joint
- 1/2 in. Dr. sliding T-bar



CR-V

Item No.	Size	EAN	Inner	Outer
365242	Metric	69426292+	8466 6	0 6

28 PC 1/2 in. DR. SOCKET SET

- 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. sliding T-bar • 1/2 in. Dr. universal joint
- 1/2 in. Dr. speeded • 1/2 in. Dr. flex handle
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN	Inner	Outer
365243	Metric	69426292+	8467 3	0 4



70 PC SOCKET & TOOL SET

- 16 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 16 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19 mm, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 12 pc combination wrenches: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in., 10, 12, 13, 14, 15, 17 mm
- 2 pc ratchet handle 1/4 in. & 3/8 in. Dr.
- 2 pc extension bar 3/8 in. Dr. x 75 mm, 1/4 in. Dr. x 50 mm
- 1 pc 3/8 in (F) to 1/4 in (M) adapter
- 1 pc magnetic bit driver
- 12 pc bits



CR-V

Item No.	Size	EAN	Inner	Outer
365261	Metric & SAE	69426292+	1629 2	0 4

70 PC SOCKET & TOOL SET



CR-V

Item No.	Size	EAN	Inner	Outer
365261WB	Metric & SAE	69426292+	7053 9	0 4

46 PC 1/4 in. DR. SOCKET SET

- 13 pc socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 21 pc bit socket:
 - ⊕ #1, #2, #3; ⊖ 4, 5.5, 7 mm;
 - ⊕ #1, #2, #3; ⊖ 3, 4, 5, 6, 7, 8 mm;
 - ⊕ T-10, T-15, T-20, T-25, T-30, T-40
- 4 pc hex key wrenches: 1.27, 1.5, 2, 2.5
- 1 pc universal joint • 1 pc sliding T-bar 115 mm
- 1 pc ratchet handle • 1 pc bit/socket adaptor
- 2 pc extension bar 50 mm & 100 mm
- 1 pc flexible extension bar 150 mm
- 1 pc spinner handle 150 mm



CR-V

Item No.	Size	EAN	Inner	Outer
365405	Metric	69426292+	8683 7	6 12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

94 PC 1/4 & 1/2 in. DR. SOCKET SET

- 18 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 4 pc 1/2 in. Dr. deep socket: 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 mm & 250 mm
- 2 pc 1/2 in. Dr. spark plug socket 16, 21 mm
- 1 pc 1/2 in. Dr. universal joint • 1 pc 5/16 in. bits holder
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 3-way adaptor
- 15 pc 5/16 in. bits:
 - ⊕ #3, #4; ⊖ 8, 10, 12 mm; ⊕ #3, #4;
 - ⊖ 8, 10, 12, 14 mm; ⊕ T-40, T-45, T-50, T-55
- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 8 pc 1/4 in. Dr. deep socket: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 pc 1/4 in. Dr. universal joint
- 2 pc 1/4 in. Dr. extension bar: 50, 100 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. sliding T-bar 115 mm
- 1 pc 1/4 in. Dr. flexible extension bar 150 mm
- 1 pc 1/4 in. Dr. spinner handle
- 3 pc hex key 1.5, 2, 2.5 mm
- 1 pc 1/4 in. hex bit/socket adaptor
- 17 pc bits socket:
 - ⊕ #1, #2; ⊖ 4, 5.5, 7 mm; ⊕ #1, #2;
 - ⊖ 3, 4, 5, 6 mm; ⊕ T-8, T-10, T-15, T-20, T-25, T-30



CR-V

Item No.	Size	EAN	Inner	Outer
365413	Metric	69426292+	8684 4	0 4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



254 PC 1/4 in., 3/8 in. & 1/2 in. SOCKET SET

- 23 pc 1/4 in. Dr. socket set:
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 10 pc 1/4 in. Dr. socket set:
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 21 pc 1/4 in. Dr. deep socket set:
4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 28 pc 3/8 in. Dr. socket set:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.
- 15 pc 3/8 in. Dr. socket set:
8, 9, 10, 11, 12, 13, 14 mm
1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in.
- 14 pc 3/8 in. Dr. deep socket set:
12, 13, 14, 15, 16, 17, 18 mm
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 5 pc 3/8 in. Dr. socket set: 1/4, 5/16, 3/8, 7/16, 1/2 in.
- 10 pc 1/2 in. Dr. socket set:
15, 16, 17, 18, 19 mm; 3/4, 13/16, 7/8, 15/16, 1 in.
- 4 pc extension bar:
1/4 in. Dr. x 75 mm (3 in.) ; 3/8 in. Dr. x 75 mm (3 in.)
3/8 in. Dr. x 150 mm (6 in.) ; 1/2 in. Dr. x 75 mm (3 in.)
- 1 pc 3/8 in. Dr. spark plug socket: 5/8 in.
- 12 pc nut sets: 5, 6, 8, 10, 11 mm
7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 3 pc 1/4 in. Dr. torx socket bits: T-15, T-20, T-25
- 4 pc 3/8 in. Dr. torx socket bits: T-30, T-40, T-45, T-50
- 1 pc magnetic tip handle



- 36 pc S2 bit set:
⊕ #0, #1 x 3, #2 x 3, #3 x 2
⊖ 3, 4, 5.5 x 2, 6.5 x 2, 8 mm
○ 3, 4, 5, 6, 7 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.
⊙ T-10, T-15, T-20, T-25, T-27, T-30, T-40
⊙ #1, #2, #3
- 2 pc adaptor
- 3 pc ratchet handle: 1/4, 3/8, 1/2 in. drive
- 40 pc hex key set:
SAE (S)-0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
(L)-5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
METRIC (S)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 mm
(L)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6 mm
- 12 pc ratchet wrench set: 10, 12, 13, 14, 15, 17 mm
5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 10 pc mini combination wrench:
5/32, 3/16, 13/64, 7/32, 15/64, 1/4, 9/32, 5/16, 3/8, 7/16 in.

Item No.	Size	EAN 69426292+	Inner	Outer
365354	Metric & SAE	9017 9	0	1

10 PC 3/8 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 8 pc sockets: 10, 11, 12, 13, 14, 16, 17, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365223	10 pc	8199 3	6	24

9 PC 3/8 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 7 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365224	9 pc	8200 6	6	24

12 PC 1/2 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 10 pc sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365225	12 pc	8201 3	6	12

12 PC 1/2 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 10 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365226	12 pc	8202 0	6	12

10 PC 1/4 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365101	SAE: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 & 9/16 in.	0530 2	6	24
365103	Metric: 5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm	0531 9	6	24

10 PC 3/8 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365105	SAE: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0532 6	6	24
365107	Metric: 10, 11, 12, 13, 14, 15, 16, 17, 19 & 22 mm	0533 3	6	24

10 PC 1/2 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365109	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 & 15/16 in.	0534 0	6	24
365111	Metric: 10, 11, 12, 13, 14, 15, 17, 19, 22 & 24 mm	0535 7	6	24

7 PC 3/8 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365113	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.	0536 4	6	24
365115	Metric: 10, 12, 13, 14, 15, 17 & 19 mm	0537 1	6	24

7 PC 1/2 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365117	SAE: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0538 8	6	12
365119	Metric: 13, 14, 15, 17, 18, 19 & 22 mm	0539 5	6	12

9 PC 1/4 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365123	Metric: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm	3454 8	6	24

9 PC 1/4 in. & 3/8 in. DR. TORX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365151	1/4 in. DR. T-10, 15, 20, 25, 27; 3/8 in. DR. T-30, 40, 45, 50	4160 7	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC 3/8 in. DR. HEX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365153	3, 4, 5, 6, 7, 8, 10 mm	4161 4	6	24

3 PC EXTENSION BAR SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365171	1/4 in. Dr. 50, 100, 150 mm (2, 4, 6 in.)	4170 6	6	60
365173	3/8 in. Dr. 75, 150, 250 mm (3, 6, 10 in.)	4171 3	6	36
365175	1/2 in. Dr. 75, 125, 250 mm (3, 5, 10 in.)	4172 0	6	24

3 PC UNIVERSAL JOINT SET

- 1/4, 3/8 & 1/2 in. DR.



Item No.	Size	EAN 69426292+	Inner	Outer
365177	3 pc	4173 7	6	36

4 PC ADAPTER SET

- 1/4 in. (F) x 3/8 in. (M), 3/8 in. (F) x 1/4 in. (M), 3/8 in. (F) x 1/2 in. (M), 1/2 in. (F) x 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
365179	4 pc	4174 4	6	36


SOCKET RAIL




Item No.	Size	EAN 69426292+	Inner	Outer
365181	1/4 in. DR. 14 clips-red	4175 1	6	60
365183	3/8 in. DR. 14 clips-yellow	4176 8	6	60
365185	1/2 in. DR. 12 clips-blue	4177 5	6	60

EVA TOOL SETS & INSERT TRAYS SYSTEM

- Protect & organize your tools
- Dual-color EVA foam
- Compatible with TACTIX chests and cabinets



Suitable for 326023, 326024



Suitable for 326432, 326434, 326436, 326438



4 PC PLIERS SET

- 200 mm (8 in.) long nose pliers;
- 160 mm (6 in.) diagonal pliers;
- 190 mm (7-1/2 in.) linesman pliers;
- 250 mm (10 in.) box joint pliers



#1

Item No.	Size	EAN	Inner	Outer
369201	#1-397 x 178 mm	69426292+ 0346 9	0	4

4 PC CIRCLIP PLIERS SET

- Straight exterior
- Straight interior
- Bent exterior
- Bent interior
- Tip Dia 1.8mm



#1

Item No.	Size	EAN	Inner	Outer
369202	#1-397 x 178 mm	69426292+ 6531 3	0	4

10 PC SCREWDRIVER SET

- 3 x 75, 5.5 x 100, 6.5 x 38, 6.5 x 100, 8 x 150 mm;
- #0 x 75, #1 x 100, #2 x 38, #2 x 100, #3 x 150 mm



#1

Item No.	Size	EAN	Inner	Outer
369203	#1-397 x 178 mm	69426292+ 6532 0	0	4

20 PC 1/4 in. DR. SOCKET SET

- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm;
- 2 pc 1/4 in. Dr. extension bar 75 & 150mm;
- 1/4 in. Dr. socket bit holder; • 1/4 in. Dr. universal joint;
- 1/4 in. Dr. sliding T-bar; • 1/4 in. Dr. ratchet handle;
- 1/4 in. Dr. spinner handle



#1

Item No.	Size	EAN	Inner	Outer
369204	#1-397 x 178 mm	69426292+ 6533 7	0	4

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm;
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm;
- 1/2 in. Dr. ratchet handle; • 1/2 in. Dr. universal joint;
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter




#1

Item No.	Size	EAN	Inner	Outer
369205	#1-397 x 178 mm	69426292+ 6534 4	0	4

16 PC COMBINATION WRENCH SET

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm



#1

Item No.	Size	EAN	Inner	Outer
369206	#1-397 x 178 mm	69426292+ 2770	0	4

2 PC HAMMER SET

- 300 g machinist hammer;
- 35 mm 2-way soft face mallet




#1

Item No.	Size	EAN	Inner	Outer
369207	#1-397 x 178 mm	69426292+ 2771 7	0	4

8 PC DOUBLE RING WRENCH SET

- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm



#1

Item No.	Size	EAN	Inner	Outer
369208	#1-397 x 178 mm	69426292+ 1633 9	0	4

EMPTY FOAM INSERTS



#1

#2

Item No.	Size	EAN	Inner	Outer
369380	#1-397 x 178 mm	69426292+ 1635 3	0	16
369381	#2-397 x 123 mm	69426292+ 1636 0	0	16

COMBINATION WRENCH SAE & METRIC

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
370003	6 mm	0540 1	6	72
370005	7 mm	0541 8	6	72
370007	8 mm	0542 5	6	72
370009	9 mm	0543 2	6	72
370011	10 mm	0544 9	6	72
370013	11 mm	0545 6	6	72
370015	12 mm	0546 3	6	72
370017	13 mm	0547 0	6	72
370019	14 mm	0548 7	6	72
370021	15 mm	0549 4	6	72
370023	16 mm	0550 0	6	72
370025	17 mm	0551 7	6	72
370027	18 mm	0552 4	6	72
370029	19 mm	0553 1	6	48
370031	20 mm	0554 8	6	48
370033	21 mm	0555 5	6	48
370035	22 mm	0556 2	6	48
370037	23 mm	0557 9	6	48
370039	24 mm	0558 6	6	36
370041	25 mm	0559 3	6	36
370043	26 mm	0560 9	6	36
370045	27 mm	0561 6	6	24
370047	28 mm	0562 3	6	24
370049	29 mm	0563 0	6	12
370051	30 mm	0564 7	6	12
370053	32 mm	0565 4	6	12
370103	1/4 in.	0566 1	6	72
370105	5/16 in.	0567 8	6	72
370107	3/8 in.	0568 5	6	72
370109	7/16 in.	0569 2	6	72
370111	1/2 in.	0570 8	6	72
370113	9/16 in.	0571 5	6	72
370115	5/8 in.	0572 2	6	72
370117	11/16 in.	0573 9	6	48
370119	3/4 in.	0574 6	6	48
370121	13/16 in.	0575 3	6	48
370123	7/8 in.	0576 0	6	48
370125	15/16 in.	0577 7	6	36
370127	1 in.	0578 4	6	36
370129	1-1/16 in.	0579 1	6	24
370131	1-1/8 in.	0580 7	6	24
370133	1-1/4 in.	0581 4	6	12

JUMBO COMBINATION WRENCH SAE & METRIC

- Carbon steel



Item No.	Size	EAN 69426292+	Inner	Outer
370054	33 mm	5391 4	6	12
370055	34 mm	5392 1	6	12
370056	35 mm	5393 8	6	12
370057	36 mm	5394 5	6	12
370058	37 mm	5395 2	6	12
370059	38 mm	5396 9	6	12
370062	41 mm	5397 6	3	6
370063	42 mm	5398 3	3	6
370064	43 mm	5399 0	3	6
370065	44 mm	5400 3	3	6
370066	45 mm	5401 0	3	6
370067	46 mm	5402 7	3	6
370068	48 mm	5403 4	3	6
370070	50 mm	5404 1	3	6
370075	55 mm	5405 8	2	4
370080	60 mm	5406 5	2	4
370085	65 mm	5407 2	2	4
370134	1-5/16 in.	5174 3	6	12
370135	1-3/8 in.	5175 0	6	12
370136	1-7/16 in.	5176 7	6	12
370137	1-1/2 in.	4357 1	6	12
370139	1-5/8 in.	5177 4	3	6
370143	1-3/4 in.	5178 1	3	6
370145	1-7/8 in.	5179 8	3	6
370147	2 in.	5180 4	3	6
370151	2-1/8 in.	5181 1	2	4
370155	2-1/4 in.	5182 8	2	4
370159	2-3/8 in.	5183 5	2	4
370163	2-1/2 in.	5184 2	2	4



9 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6, 8, 9, 10, 12, 13, 14, 17 & 19 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370501	9 pc	1279 9	6	18

9 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370503	9 pc	1280 5	6	18

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 8, 10, 12, 14 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370511	5 pc	1502 8	6	24

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 8, 10, 13, 15 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370512	5 pc	6126 1	6	24

5 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16 & 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370513	5 pc	1503 5	6	24

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370534	14 pc	4351 9	0	6

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 in.
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370535	14 pc	5063 0	0	6

23 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370536	23 pc	4352 6	0	4

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371003	8 mm	0582 1	6	48
371005	9 mm	0583 8	6	48
371007	10 mm	0584 5	6	48
371009	11 mm	0585 2	6	48
371011	12 mm	0586 9	6	48
371013	13 mm	0587 6	6	48
371015	14 mm	0588 3	6	48
371017	15 mm	0589 0	6	48
371019	16 mm	0590 6	6	48
371021	17 mm	0591 3	6	48
371023	18 mm	0592 0	6	48
371025	19 mm	0593 7	6	48
371103	5/16 in.	0594 4	6	48
371105	3/8 in.	0595 1	6	48
371107	7/16 in.	0596 8	6	48
371109	1/2 in.	0597 5	6	48
371111	9/16 in.	0598 2	6	48
371113	5/8 in.	0599 9	6	48
371115	11/16 in.	0600 2	6	48
371117	3/4 in.	0601 9	6	48

5 PC RATCHET WRENCH SET METRIC

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 13, 15 & 17 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371064	5 pc	9352 1	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 11, 12 & 14 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371065	5 pc	2696 3	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- SAE: 5/16, 3/8, 7/16, 1/2 & 9/16 in.
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371165	5 pc	2698 7	6	24

7 PC FLEX RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 13, 17, 19 mm
- Flex head
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371267	7 pc	4288 8	6	12



FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head • 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371208	8 mm	4707 4	6	48
371209	9 mm	4708 1	6	48
371210	10 mm	4709 8	6	48
371211	11 mm	4710 4	6	48
371212	12 mm	4711 1	6	48
371213	13 mm	4712 8	6	48
371214	14 mm	4713 5	6	48
371215	15 mm	4714 2	6	48
371216	16 mm	4715 9	6	48
371217	17 mm	4716 6	6	48
371218	18 mm	4717 3	6	48
371219	19 mm	4718 0	6	48
371222	22 mm	4719 7	6	48
371224	24 mm	4720 3	6	24

2 PC 4-IN-1 DUAL HEAD FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head • 72 tooth
- Small: 8, 10, 12, 13 mm ; Big: 16, 17, 18, 19 mm




Item No.	Size	EAN 69426292+	Inner	Outer
371301	2 pc	5282 5	6	24

DOUBLE FLEX SOCKET WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
371903	8 x 9 mm	3981 9	6	72
371905	10 x 11 mm	3982 6	6	72
371907	12 x 13 mm	3983 3	6	72
371909	14 x 15 mm	3984 0	6	72
371911	16 x 17 mm	3985 7	6	72
371913	18 x 19 mm	3986 4	6	48




L-TYPE SOCKET WRENCH

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
373101	6 mm	2904 9	10	60
373103	7 mm	2905 6	10	60
373105	8 mm	2906 3	10	60
373107	9 mm	2907 0	10	60
373109	10 mm	2908 7	10	60
373111	11 mm	2909 4	10	60
373113	12 mm	2910 0	10	60
373115	13 mm	2911 7	10	60
373117	14 mm	2912 4	10	60
373119	15 mm	2913 1	10	60
373121	16 mm	2914 8	10	60
373123	17 mm	2915 5	6	36
373125	18 mm	2916 2	6	36
373127	19 mm	2917 9	6	36
373129	20 mm	2918 6	6	24
373131	21 mm	2919 3	6	24
373133	22 mm	2920 9	6	24
373135	23 mm	2921 6	6	12
373137	24 mm	2922 3	6	12
373139	25 mm	2923 0	6	12
373141	26 mm	2924 7	6	12
373143	27 mm	2925 4	6	12
373145	28 mm	2926 1	6	12
373147	30 mm	2927 8	6	12
373149	32 mm	2928 5	0	6



DOUBLE OPEN WRENCH

- Chrome-Vanadium steel with satin finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
372003	6 x 7 mm	1504 2	6	72
372005	8 x 9 mm	1505 9	6	72
372007	10 x 11 mm	1506 6	6	72
372009	12 x 13 mm	1507 3	6	72
372011	14 x 15 mm	1508 0	6	72
372013	16 x 17 mm	1509 7	6	72
372015	18 x 19 mm	1510 3	6	48
372017	20 x 22 mm	1511 0	6	48
372018	21 x 23 mm	5042 5	6	48
372019	24 x 26 mm	1512 7	6	36
372020	25 x 28 mm	5043 2	6	24
372024	30 x 32 mm	5045 6	6	12

5 PC DOUBLE OPEN WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13 & 14 x 15 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372405	5 pc	2867 7	6	24

8 PC DOUBLE OPEN WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372408	8 pc	1552 3	0	10

5 PC L-TYPE SOCKET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head
- 8, 10, 12, 13 & 17 mm

CR-V




Item No.	Size	EAN 69426292+	Inner	Outer
373165	5 pc	3027 4	4	16

DOUBLE RING WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
372503	6 x 7 mm	1514 1	6	72
372505	8 x 9 mm	1515 8	6	72
372507	10 x 11 mm	1516 5	6	72
372509	12 x 13 mm	1517 2	6	72
372511	14 x 15 mm	1518 9	6	72
372513	16 x 17 mm	1519 6	6	72
372515	18 x 19 mm	1520 2	6	48
372517	20 x 22 mm	1521 9	6	48
372519	21 x 23 mm	1522 6	6	48
372521	24 x 27 mm	1523 3	6	36
372522	24 x 26 mm	5046 3	6	36
372524	25 x 28 mm	5047 0	6	24
372526	27 x 29 mm	5048 7	6	12
372528	30 x 32 mm	5049 4	6	12



7 PC DOUBLE RING WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 21 x 23 mm
- Nylon tool roll included

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372907	7 pc	4355 7	0	8

8 PC DOUBLE RING WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
372908	8 pc	1553 0	0	10

FLARE NUT WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
373005	9 x 11 mm	5807 0	6	72
373006	10 x 12 mm	7771 2	6	72
373007	13 x 14 mm	7773 6	6	72

6 PC TUBE WRENCH SET

- 8 x 9, 10 x 11, 12 x 13, 14 x 15, 17 x 19 mm



Item No.	Size	EAN 69426292+	Inner	Outer
373246	6 pc	8392 8	6	24

T-TYPE SOCKET WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373258	8 mm	8269 3	6	24
373259	9 mm	8270 9	6	24
373260	10 mm	8271 6	6	24
373261	11 mm	8272 3	6	24
373262	12 mm	8273 0	6	24
373263	13 mm	8274 7	6	24
373264	14 mm	8275 4	6	24
373265	15 mm	8276 1	6	24
373266	16 mm	8277 8	6	24
373267	17 mm	8278 5	6	24
373268	18 mm	8279 2	6	24
373269	19 mm	8280 8	6	24

LUG NUT WRENCH

- 17 x 19 x 21 x 22 mm (11/16 x 3/4 x 13/16 x 7/8 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
373307	500 mm (20 in.)	3426 5	0	10

8 PC 3/8 in. DR. CROWFOOT WRENCH SET

- Chrome-Vanadium steel with satin finish
- 10, 11, 13, 14, 15, 18, 19, 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
373318	8 pc	6086 8	6	24

SPARK PLUG WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373341	14 mm	8391 1	6	24

FILTER PLIERS

- Max open capacity: 60 to 120 mm (2-3/8 to 4-3/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
373482	300 mm (12 in.)	5136 1	6	24

STRAP FILTER WRENCH

- Use with 1/2 in. DR. ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
373503		3427 2	6	24



OIL FILTER WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373486	60 to 73 mm (2-3/8 to 2-7/8 in.)	7775 0	6	36
373487	85 to 95 mm (3-3/8 to 3-3/4 in.)	7779 8	6	36

11 PC BRAKE PISTON WIND BACK TOOL SET


- Allow easy return of the brake piston into the caliper providing clearance for replacement brake pads
- Fits most vehicles



Item No.	Size	EAN 69426292+	Inner	Outer
373601	11 pc	5806 3	0	6

RUBBER STRAP WRENCH

- Capacity 150 mm (6 in.) dia.



Item No.	Size	EAN	Inner	Outer
373507	150 mm (6 in.)	69426292+	7058 4	6 24

1/2 in. DR. TORQUE WRENCH METRIC & SAE

- 42 - 210 N.m (31 - 154.9 ft. lb)
- Rapid adjustment to required torque setting



Item No.	Size	EAN	Inner	Outer
375007	1/2 in. Dr.	69426292+	3429 6	0 8



TIE DOWN CAMBUCKLE

- Rubber covered cam buckle
- Working load limit 125 kg (275 lbs.)
- Breaking strength 250 kg (550 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376001	3 m x 25 mm (10 ft. x 1 in.)	69426292+	2395 5	10 20
376002	2 pc 3 m x 25 mm (10 ft. x 1 in.)	69426292+	2396 2	3 6
376004	4 pc 3 m x 25 mm (10 ft. x 1 in.)	69426292+	2397 9	3 6

RATCHET TIE DOWN

- Rubber covered cam buckle
- Working load limit 250 kg (550 lbs.)
- Breaking strength 500 kg (1100 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376021	3 m x 25 mm (10 ft. x 1 in.)	69426292+	2398 6	10 20
376022	2 pc 3 m x 25 mm (10 ft. x 1 in.)	69426292+	2399 3	3 6
376024	4 pc 3 m x 25 mm (10 ft. x 1 in.)	69426292+	2400 6	3 6

RATCHET TIE DOWN

- Rubber covered handle for comfort
- Working load limit 300 kg (660 lbs.)
- Breaking strength 600 kg (1320 lbs.)
- S-hook



Item No.	Size	EAN	Inner	Outer
376031	5 m x 25 mm (16 ft. x 1 in.)	69426292+	2401 3	6 12
376032	2 pc 5 m x 25 mm (16 ft. x 1 in.)	69426292+	2402 0	3 6
376034	4 pc 5 m x 25 mm (16 ft. x 1 in.)	69426292+	2403 7	3 6

RATCHET TIE DOWN

- Heavy duty handle for comfort
- Working load limit 1000 kg (2200 lbs.)
- Breaking strength 2000 kg (4400 lbs.)
- Double J-hook



Item No.	Size	EAN	Inner	Outer
376041	5 m x 38 mm (16 ft. x 1-1/2 in.)	69426292+	2404 4	6 12
376042	2 pc 5 m x 38 mm (16 ft. x 1-1/2 in.)	69426292+	2405 1	3 6

RATCHET TIE DOWN HEAVY DUTY

- Heavy duty handle for comfort
- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- Double J-hook



Item No.	Size	EAN	Inner	Outer
376061	10 m x 50 mm (33 ft. x 2 in.)	69426292+	2406 8	3 6

TOW STRAP

- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- EYE hook



Item No.	Size	EAN	Inner	Outer
376206	6 m x 50 mm (20 ft. x 2 in.)	69426292+	1631 5	4 8

2 PC BUNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN	Inner	Outer
376401	60 cm x 8 mm (2 ft. x 5/16 in.)	69426292+	2218 7	12 72
376402	80 cm x 8 mm (2-5/8 ft. x 5/16 in.)	69426292+	2355 9	12 72
376403	100 cm x 8 mm (3-9/32 ft. x 5/16 in.)	69426292+	7212 0	12 72

8 ARM BUNNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN	Inner	Outer
376418	60 cm x 8 mm (2 ft. x 5/16 in.)	69426292+	8303 4	12 72

20 PC BUNNGEE CORD


- 4 pc 25 cm x 4 mm
- 4 pc 45 cm x 8 mm
- 4 pc 50 cm x 8 mm
- 4 pc 60 cm x 8 mm
- 4 pc 75 cm x 8 mm



Item No.	Size	EAN	Inner	Outer
376420	20 pc	69426292+	8389 8	0 6

BOOSTER CABLE

- Heavy-duty copper coated aluminum (CCA) cables
- With fully insulated clamps



Item No.	Size	Max capacity	EAN	Inner	Outer
380016	3 m x 16 mm ²	220 A	69426292+	5022 7	0 8
380025	3.5 m x 25 mm ²	350 A	69426292+	5023 4	0 6
380035	4.5 m x 35 mm ²	480 A	69426292+	5024 1	0 4

LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381002	500 cc (14 oz.)	69426292+	2799 1	0 12

HIGH-GRADE LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381006	500 cc (14 oz.)	69426292+	1524 0	0 12

ALUMINIUM GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 9000 PSI
- Lightweight



Item No.	Size	EAN	Inner	Outer
381010	500 cc (14 oz.)	69426292+	6185 8	0 12

PISTOL-TYPE GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN	Inner	Outer
381014	500 cc (14 oz.)	69426292+	6280 0	0 12

MINI GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 2 pc straight pipe included
- Working pressure 2000 PSI
- Max pressure 4000 PSI



Item No.	Size	EAN	Inner	Outer
381018	120 cc (3 oz.)	69426292+	6360 9	4 12

OIL CAN RIGID HOSE



Item No.	Size	EAN	Inner	Outer
382503	250 ml	69426292+	2791 5	10 60
382505	400 ml	69426292+	2796 0	10 60

OIL CAN FLEX HOSE



Item No.	Size	EAN	Inner	Outer
382513	250 ml	69426292+	2797 7	10 60
382515	400 ml	69426292+	2798 4	10 60



FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382601	14 cm	1566 0	0	24

FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382602	22 cm	7048 5	0	13

4 PC FUNNEL SET

- 50, 75, 95, 115 mm



Item No.	Size	EAN 69426292+	Inner	Outer
382604	4 pc	6974 8	0	25

2-IN-1 FUNNEL



Includes
mesh filter

Item No.	Size	EAN 69426292+	Inner	Outer
382605	2-in-1	7051 5	0	18

PULLER 2-ARM

- Chrome-Vanadium steel
- For external and internal pulling



CR-V

Item No.	A	B	EAN 69426292+	Outer
383001	75 mm (3 in.)	60 mm (2-3/8 in.)	7011 9	10
383002	100 mm (4 in.)	100 mm (4 in.)	7012 6	10
383003	150 mm (6 in.)	160 mm (6-5/16 in.)	7013 3	6
383004	200 mm (8 in.)	260 mm (10-1/4 in.)	7014 0	4

PULLER 3-ARM

- Chrome-Vanadium steel
- For external and internal pulling



CR-V

Item No.	A	B	EAN 69426292+	Outer
383011	75 mm (3 in.)	60 mm (2-3/8 in.)	7015 7	10
383012	100 mm (4 in.)	100 mm (4 in.)	7016 4	10
383013	150 mm (6 in.)	160 mm (6-5/16 in.)	7017 1	6
383014	200 mm (8 in.)	260 mm (10-1/4 in.)	7018 8	3

4 CASTER CREEPER

- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385004	910 x 425 x 120 mm (36 x 16-3/4 x 4-3/4 in.)	5355 6	0	1

6 CASTER CREEPER

- Lever action headrest adjusts to 3 positions
- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385006	1010 x 425 x 125 mm (40 x 16-3/4 x 5 in.)	5356 3	0	1

5 CASTER WORK SEAT

- Pneumatic adjust height
- Loading capacity max 115 kg (250 lbs.)
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385030		7774 3	0	4

CHAIN BLOCK

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385301	0.5T x 3 M	5357 0	0	1
385302	1T x 3 M	5358 7	0	1
385304	2T x 3 M	5359 4	0	1
385306	3T x 3 M	5360 0	0	1
385308	5T x 3 M	5361 7	0	1

BLOCK LEVER

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385351	0.75T x 1.5 M	5362 4	0	1
385353	1.5T x 1.5 M	5363 1	0	1
385355	3T x 1.5 M	5364 8	0	1
385358	6T x 1.5 M	5365 5	0	1

WIRE ROPE WINCH

- 1 pc handle
- 1 pc winch
- 1 pc wire



Item No.	Size	EAN 69426292+	Inner	Outer
385384	1.6T x 20 M	5366 2	0	5
385386	3.2T x 20 M	5367 9	0	5

FEELER GAUGE 15 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.
- 75 mm (3 in.) ruler.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.05	0.002	0.33	0.013
0.08	0.003	0.35	0.014
0.10	0.004	0.40	0.016
0.13	0.005	0.45	0.018
0.15	0.006	0.50	0.020
0.20	0.008	0.55	0.022
0.28	0.011	0.63	0.025
0.30	0.012		



Item No.	Size	EAN 69426292+	Inner	Outer
386115	15 blade	2788 5	10	60

FEELER GAUGE 26 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.04	0.0015	0.33	0.013
0.05	0.002	0.35	0.014
0.06	0.0025	0.38	0.015
0.08	0.003	0.40	0.016
0.10	0.004	0.43	0.017
0.13	0.005	0.45	0.018
0.15	0.006	0.48	0.019
0.18	0.007	0.50	0.020
0.20	0.008	0.53	0.021
0.23	0.009	0.55	0.022
0.25	0.010	0.58	0.023
0.28	0.011	0.60	0.024
0.30	0.012	0.63	0.025



Item No.	Size	EAN 69426292+	Inner	Outer
386126	26 blade	3028 1	10	60

HIGH PRESSURE TIRE GAUGE

- Angled chuck for easy use
- With pocket clip



Item No.	Size	EAN 69426292+	Inner	Outer
386135	10-120 PSI (1.0-8.0 kg/cm²)	3430 2	12	120

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386201	240 mm (9-3/8 in.) x140 mm (5-1/2 in.)	2789 2	6	24

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386203	150 mm (6 in.)	2838 7	6	24

MAGNETIC BAR



Item No.	Size	EAN 69426292+	Inner	Outer
386225	50 cm (20 in.)	5168 2	0	24

5 PC SCREW EXTRACTOR


- #1 (3.1-6.3 mm),
#2 (6.3-7.9 mm),
#3 (7.9-11.1 mm),
#4 (11.1-14.2 mm),
#5 (14.2-19.0 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
386405	5 pc	7145 1	10	60

NUT SPLITTER

- For splitting worn or jammed nuts



Item No.	Size	EAN 69426292+	Inner	Outer
386501	11 - 22 mm (7/16 - 7/8 in.)	0873 0	6	24

19 PC CAR TRIM REMOVAL TOOL SET


- For removal & manipulation of interior trims, door panels, and other applications



Item No.	Size	EAN 69426292+	Inner	Outer
389019	19 pc	1626 1	0	12

WIRE STRIPPER

- Single stranded cable: strips 0.5-2.0 mm diameter (#12-#24 AWG), cuts 0.32-1.6 mm diameter (#14-#28 AWG)
- Also strips and cuts wide cable and ribbon cable




	(DIA.) mm	0.5-2.0	0.32-1.6
	(SECTION) mm² AWG NO.	0.2-3.3 #12-#24	0.08-2.0 #14-#28
	(SECTION) mm² AWG NO.	0.2-5.5 #10-#24	0.08-3.5 #12-#28
	(SECTION) mm² AWG NO.	0.2-0.5 #20-#24	0.08-8 #8-#28

Item No.	Size	EAN 69426292+	Inner	Outer
400001		1525 7	6	24

WIRE STRIPPER AUTOMATIC

- Strips 1.0, 1.6, 2.0, 2.6, 3.2 mm diameter cable
- Automatic clamping action and length gauge ensures stripped ends are uniform.



Item No.	Size	EAN 69426292+	Inner	Outer
400011		1526 4	6	24

AUTOMATIC WIRE STRIPPER

- Wire stripping: 0.2-6.0 mm² (#10-#24 AWG)
- Wire crimping: insulated & non-insulated terminals 0.5-6.0 mm² (#10-#22 AWG)
- Wire cutter



Cutting



Crimping

Item No.	Size	EAN 69426292+	Inner	Outer
400015		4199 7	6	24

CABLE STRIPPER

- Self locking adjustable cutting depth
- Suitable for 8-28 mm dia cables



Item No.	Size	EAN 69426292+	Inner	Outer
400030	8-28 mm	9037 7	6	24

WIRE STRIPPER

- Stripping cable range: 0.8-2.6 mm (#10-#20 AWG)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
401001	165 mm (6-1/2 in.)	1527 1	6	24

CRIMPING PLIER

- Crimping insulated terminals 26-14, 12-10, 22-10
- Cut bolts size: 6-32, 8-32, 10-32, 10-24, 4-40
- Wire stripping AWG #8-#26
- Wire cutting function



Item No.	Size	EAN 69426292+	Inner	Outer
401009	215 mm (8-1/2 in.)	1530 1	6	24

3-IN-1 CRIMPING TOOL

- Ratchet function
- Crimps modular connectors in 8P-RJ45 and 6P-RJ11/12 formats
- Cuts and strips formal network and telephone cable.



Item No.	Size	EAN 69426292+	Inner	Outer
401013	3-in-1	9353 8	6	24

TERMINAL CRIMPING TOOL

- Ratchet function
- Crimping insulated terminals: red 0.5-1 mm² (#18-#20 AWG), blue 1.5-2.5 mm² (#14-#16 AWG), yellow 4-6 mm² (#10-#12 AWG).



Item No.	Size	EAN 69426292+	Inner	Outer
401035		9354 5	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE


- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

DIGITAL MULTIMETER

- AC Voltage: 200 V/600 V $\pm$ (1.2% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V $\pm$ (0.5% + 2), 600 V $\pm$ (0.8% + 3)
- DC Current: 20 μ A/200 μ A/2 mA/20 mA $\pm$ (1.0% + 2), 200 mA $\pm$ (1.5% + 2), 10 A $\pm$ (3% + 2)
- Resistance: 200 Ω $\pm$ (0.8% + 3), 2 k Ω /20 k Ω /200 k Ω $\pm$ (0.8% + 2), 2 M Ω $\pm$ (1.0% + 2)
- Diode test
- Data hold



Item No.	Size	EAN 69426292+	Inner	Outer
403001		2857 8	6	24

DIGITAL MULTIMETER

- AC Voltage: 2 V/20 V/200 V $\pm$ (0.8% + 4), 600 V $\pm$ (1.2% + 3)
- AC Current: 2 mA/20 mA $\pm$ (1.2% + 3), 200 mA $\pm$ (2.0% + 3), 10 A $\pm$ (3.0% + 7)
- DC Voltage: 200 mV $\pm$ (0.5% + 2), 2 V/20 V/200 V $\pm$ (0.5% + 3), 600 V $\pm$ (0.8% + 2)
- DC Current: 200 μ A/2 mA/20 mA $\pm$ (0.8% + 2), 200 mA $\pm$ (1.2% + 2), 10 A $\pm$ (2.0% + 5)
- Resistance: 200 Ω $\pm$ (0.8% + 3), 2 k Ω /20 k Ω /200 k Ω /2 M Ω $\pm$ (0.8% + 2), 20 M Ω $\pm$ (1.0% + 2)
- Continuity test with buzzer
- Low battery Indication
- Polarity indication
- Diode test
- Data hold



Item No.	Size	EAN 69426292+	Inner	Outer
403005		2858 5	6	24

2-IN-1 DIGITAL MULTIMETER

- AC Voltage: 200 mV/2 V/20 V/200 V $\pm$ (0.8% + 3), 600 V $\pm$ (1.0% + 3)
- AC Current: 200 μ A/2 mA/20 mA/200 mA $\pm$ (1.5% + 5), 2 A/10 A $\pm$ (3.0% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V/600 V $\pm$ (0.7% + 2)
- DC Current: 200 μ A/2 mA/20 mA/200 mA $\pm$ (1.2% + 3), 2 A/10 A $\pm$ (2.0% + 10)
- Resistance: 200 Ω $\pm$ (1.0% + 3), 2 k Ω /20 k Ω /200 k Ω /2 M Ω $\pm$ (1.0% + 1), 20 M Ω $\pm$ (1.0% + 5)
- No Contact AC Voltage Detector
- Continuity test with buzzer
- Auto Range
- Auto Power Off
- Diode Test
- Data Hold
- Battery test
- Low Power Indication



Item No.	Size	EAN 69426292+	Inner	Outer
403021		2859 2	6	24

DIGITAL MULTIMETER

- AC Voltage: 0.1 mV-600 V $\pm$ (1.0% + 3)
- AC Current: 0.1 μ A-10 A $\pm$ (1.8% + 5)
- DC Voltage: 0.1 mV-600 V $\pm$ (0.5% + 3)
- DC Current: 0.1 μ A-10 A $\pm$ (1.5% + 3)
- Resistance: 0.1 Ω -40 M Ω $\pm$ (0.5% + 2)
- Capacitance: 0.01 nF-100 μ F $\pm$ (3.0% + 5)
- Frequency: 0.01 Hz-100 KHz $\pm$ (0.1% + 3)
- Temperature: -55 $^{\circ}$ C-1000 $^{\circ}$ C $\pm$ (2.0% + 3)
- Data hold
- Manual ranging and auto range mode
- Battery saver
- Relative measurement mode
- Diode test
- Continuity check with buzzer
- Frequency and duty cycle measurement



Item No.	Size	EAN 69426292+	Inner	Outer
403035		2860 8	6	24

AC CLAMP METER

- AC Voltage: 1000 V $\pm$ (1.2% + 5)
- AC Current: 20 A/200 A $\pm$ (2.0% + 5), 1000 A $\pm$ (2.5% + 7)
- DC Voltage: 1000 V $\pm$ (1.0% + 2)
- Resistance :200 Ω /2 k Ω $\pm$ (1.0% + 3)
- Continuity test with buzzer
- Diode test
- Date hold
- Back light



Item No.	Size	EAN 69426292+	Inner	Outer
403057		2862 2	6	24

INFRARED THERMOMETER

- Temperature range: -35-380 °C (-31-716 °F)
- Accuracy + / -2%
- Resolution 0.1 °C (0.1 °F)
- Response time: 800 ms
- Distance to spot ratio 10:1
- Backlit LCD display



Item No.	Size	EAN	Inner	Outer
405503		69426292+	0	10

STUD DETECTOR

- Three detecting mode: AC wire, studs and metal
- Auto-calibration
- Sound alarm and LED indicator
- Detecting depth: metal 38 mm, AC wire 50 mm, stud 19 mm



Item No.	Size	EAN	Inner	Outer
405602		69426292+	5	20

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN	Inner	Outer
405001	140 mm (5-1/2 in.)	1531 8	10	60

INSPECTION CAMERA

- 2.4 in. color LCD monitor
- 4 position image rotation
- Camera resolution 640 x 480
- 1 m cable
- IP67 (camera probe only)



Item No.	Size	EAN	Inner	Outer
405552		69426292+	0	10

3-IN-1 STUD DETECTOR

- Backlit LCD display
- Three detection modes: AC wire 50 mm (2 in.), metal 38 mm (1-1/2 in.), wood joists 19 mm (3/4 in.)



Item No.	Size	EAN	Inner	Outer
405603	3-in-1	69426292+	5	20

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN	Inner	Outer
405005	190 mm (7-1/2 in.)	1532 5	10	60

HEAT GUN 2000 W EU PLUG

- EU plug, 220-240 V, 50 Hz
- Power 2000 W
- 2 temperature set: 440 & 600 °C
- 2 air flow ranges: 250 & 550 l/min.



Item No.	Size	EAN	Inner	Outer
406301EU	2000 W EU plug	8073 6	0	10

VOLTAGE DETECTOR

- CE certified
- 6-12-24 V



Item No.	Size	EAN	Inner	Outer
405021	140 mm (5-1/2 in.)	1535 6	10	60

GLUE GUN 10 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406001EU	10 W EU PLUG	7080 5	12	48

GLUE GUN 40 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406004EU	40 W EU PLUG	7081 2	12	48

GLUE GUN 80 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406008EU	80 W EU PLUG	7082 9	12	48

GLUE GUN 10 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406001US	10 W US PLUG	7077 5	12	48

GLUE GUN 40 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406004US	40 W US PLUG	7078 2	12	48

GLUE GUN 60 W US PLUG

- 120 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN	Inner	Outer
406008US	60 W US PLUG	7079 9	12	48



GLUE STICK



Item No.	Size	EAN	Inner	Outer
406101	12 pc 11.2 x 100 mm	7083 6	12	72
406113	12 pc 7.2 x 100 mm	7084 3	12	72

NYLON CABLE TIE -BLACK



Item No.	Size	EAN	Inner	Outer
408011	100 pc 100 mm (4 in.) x 2.5 mm	1536 3	10	100
408015	100 pc 150 mm (6 in.) x 3.6 mm	1538 7	10	100
408019	100 pc 200 mm (8 in.) x 3.6 mm	1540 0	10	100
408023	100 pc 250 mm (10 in.) x 3.6 mm	1542 4	10	100
408027	100 pc 300 mm (12 in.) x 4.7 mm	1544 8	10	60
408031	100 pc 350 mm (14 in.) x 4.7 mm	1546 2	10	60

NYLON CABLE TIE -WHITE



Item No.	Size	EAN	Inner	Outer
408013	100 pc 100 mm (4 in.) x 2.5 mm	1537 0	10	100
408017	100 pc 150 mm (6 in.) x 3.6 mm	1539 4	10	100
408021	100 pc 200 mm (8 in.) x 3.6 mm	1541 7	10	100
408025	100 pc 250 mm (10 in.) x 3.6 mm	1543 1	10	100
408029	100 pc 300 mm (12 in.) x 4.7 mm	1545 5	10	60
408033	100 pc 350 mm (14 in.) x 4.7 mm	1547 9	10	60

SOLDERING IRON BS PLUG

• 230~240 V BS PLUG • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502BS	25 W	69426292+ 8417 8	10	60

SOLDERING IRON EU PLUG

• 230~240 V EU plug • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502EU	25 W	69426292+ 7092 8	10	60
406503EU	30 W	7093 5	10	60
406504EU	40 W	7094 2	10	60
406506EU	60 W	7095 9	10	60
406508EU	80 W	7096 6	10	60
406510EU	100 W	7097 3	10	60

SOLDERING IRON US PLUG

• 120 V US plug • Cord length 1.2 m



Item No.	Size	EAN	Inner	Outer
406502US	25 W	7085 0	10	60
406503US	30 W	7086 7	10	60
406504US	40 W	7087 4	10	60
406506US	60 W	7088 1	10	60
406508US	80 W	7089 8	10	60
406510US	100 W	7090 4	10	60

SOLDERING GUN 100 W EU PLUG

• 230 V EU plug • Cord length 1.5 m



Item No.	Size	EAN	Inner	Outer
406710EU	100 W EU PLUG	69426292+ 7098 0	6	36

SOLDERING GUN 100 W US PLUG

• 120 V US plug • Cord length 1.5 m



Item No.	Size	EAN	Inner	Outer
406710US	100 W US PLUG	69426292+ 7091 1	6	36

SOLDER IRON STAND



Item No.	Size	EAN	Inner	Outer
406905		69426292+ 7101 7	6	36

SOLDER WICK 20 g (0.7 oz.)



• Lead-Free



Item No.	Size	EAN	Inner	Outer
406901	20 g (0.7 oz.)	69426292+ 7099 7	10	60

SOLDER WICK 100 g (3.5 oz.)

• Lead-Free



Item No.	Size	EAN	Inner	Outer
406903	100 g (3.5 oz.)	69426292+ 7100 0	10	60

SOLDER SUCKER

• Removes surplus molten solder



Item No.	Size	EAN	Inner	Outer
406907		69426292+ 7102 4	10	60

SOLDER PASTE 20 g (0.7 oz.)



Item No.	Size	EAN	Inner	Outer
406909	20 g (0.7 oz.)	69426292+ 7103 1	10	60



- VDE-rated insulated handle
- Non-slip bi-material handle
- Chrome-Vanadium steel for longer life

Only tools bearing this test mark can be called insulated tools approved by the German VDE Center.

VDE insulation:
insulated up to 1000 V acc. to
EN /IEC 60900

INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle




Item No.	Size	EAN	Inner	Outer
201003	200 mm (8 in.)	69426292+	6	24

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201005	160 mm (6 in.)	69426292+	6	24



INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201011	200 mm (8 in.)	69426292+	6	24

INSULATED BENT NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201017	160 mm (6 in.)	69426292+	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201025	160 mm (6 in.)	69426292+	6	24

3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 160 mm (6 in.) long nose pliers
- 200 mm (8 in.) combination pliers
- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN	Inner	Outer
201083	3 pc	69426292+	6	12

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
201063	230 mm (9 in.)	69426292+	6	24

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle




Item No.	Size	EAN	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24

- Magnetic tip for maximum control
- Oil resistant TPE grip
- VDE-rated insulated blade

INSULATED SCREWDRIVER SLOTTED

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205500	2.5 x 75 mm	69426292+	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

INSULATED SCREWDRIVER PHILLIPS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

INSULATED SCREWDRIVER POZI

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN	Inner	Outer
205523	#1 x 80 mm	1457 1	6	60

12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle, 10 pc S2 steel interchangeable VDE shank
- 2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
- #0, #1, #2
- 1 pc VDE tester 125-250 V
- Nylon pouch included



Item No.	Size	EAN	Inner	Outer
205605VD	12 pc	9322 4	6	24

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- #0 x 60 mm, #1 x 80 mm & #2 x 100 mm



Item No.	Size	EAN	Inner	Outer
205601	6 pc	1459 5	6	24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include 1.5, 1.8, 2.0, 2.5, 3.0 mm
- #00, #0
- Plastic storage case included



Item No.	Size	EAN	Inner	Outer
205793VD	7 pc	9323 1	6	24

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
267117VD	150 mm (6 in.)	9356 9	6	24

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

1/2 in. DR. INSULATED SOCKET 6PT

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

1/2 in. DR. INSULATED RATCHET HANDLE


- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

1/2 in. DR. INSULATED EXTENSION BAR

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

INSULATED ELECTRICIAN SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405001	140 mm (5-1/2 in.)	1531 8	10	60

VOLTAGE DETECTOR


- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405005	190 mm (7-1/2 in.)	1532 5	10	60

MULTI-TOOL 15-IN-1


- Long nose pliers, regular pliers, wire cutter, knife, small slot screwdriver, reamer, can opener, bottle opener, mini slot screwdriver, wire stripper, wood saw, medium slot screwdriver, PH screwdriver, nail file, big slot screwdriver
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
471005	15-in-1	2615 4	6	24

MINI MULTI-TOOL 17-IN-1

- Long nose pliers, regular pliers, wire cutter, knife, saw knife, key ring, PH screwdriver, bottle opener, medium slot screwdriver, wire stripper, can opener, mini slot screwdriver, reamer, metal file, nail file, nail cleaner, small slot screwdriver
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
471015	17-in-1	2616 1	6	36

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473001	175 mm (7 in.)	1567 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473005	275 mm (10-3/4 in.)	1568 4	6	24

SCISSORS

- Stainless steel
- Serrated blade for gripping materials
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473021	145 mm (5-11/16 in.)	1569 1	6	24

INSULATED ELECTRICIAN SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473031	180 mm (7 in.)	1570 7	6	24

2 PC SCISSORS SET

- Stainless steel
- Non-slip bi-material handle
- 140 mm (5-1/2 in.) & 275 mm (10-3/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
473039	2 pc	1571 4	6	24

MULTI FUNCTION SCISSORS

- Scissors, small knife, nut cracker, cable cutter, wire cutter, fish scale remover, bottle opener, jar opener, peeler, slotted screwdriver
- 3.5 mm thickness stainless steel blade
- Ergonomic large non-slip handle



Item No.	Size	EAN 69426292+	Inner	Outer
473055	220 mm (8-3/4 in.)	4940 5	6	24

HUNTING KNIFE

- Stainless steel blade
- Nylon pouch included
- Blade length 127 mm (5 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475051	240 mm (9-1/2 in.)	1574 5	6	24

FOLDING KNIFE

- Stainless steel blade
- Safety locking function
- One hand operation with ball bearing system
- Aluminum handle with belt clip
- Blade length 85 mm (3-1/2 in.)
- Seat belt cutter & glass breaker



FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Color wood handle with belt clip
- Blade length 76 mm (3 in.)



Item No.	Size	EAN	Inner	Outer
475201	178 mm (7 in.)	69426292+ 1581 3	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Nylon pouch included
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN	Inner	Outer
475227	200 mm (8 in.)	69426292+ 4881 1	6	48



FOLDING KNIFE

- Stainless steel
- Blade length 50 mm (2 in.)
- Safety locking function
- Color wood handle



Item No.	Size	EAN	Inner	Outer
475210	115 mm (4-1/2 in.)	69426292+ 9038 4	6	24

DOUBLE EDGE SERRATED KNIFE

- Mirror polishing stainless steel blade
- Non-slip bi-material handle
- Nylon pouch included
- Blade length 285 mm (11-1/4 in.)
- For cutting mineral wool insulation



Item No.	Size	EAN	Inner	Outer
475501	415 mm (16-3/8 in.)	69426292+ 4918 4	6	36

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Aluminum handle with belt clip
- Blade length 95 mm (3-3/4 in.)



Item No.	Size	EAN	Inner	Outer
475115	230 mm (9 in.)	69426292+ 1577 6	6	24

FOLDING KNIFE

- Stainless steel
- Blade length 80 mm (3-1/8 in.)
- Safety locking function
- Color wood handle



Item No.	Size	EAN	Inner	Outer
475211	185 mm (7-1/4 in.)	69426292+ 9041 4	6	24

SQUARE PADLOCK

- Brass body with stainless steel shell
- Hardened shackle
- With 3 keys



Item No.	Size	EAN	Inner	Outer
500307	70 mm (2-3/4 in.)	69426292+ 1714 5	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Aluminum handle with belt clip
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN	Inner	Outer
475119	203 mm (8 in.)	69426292+ 1580 6	6	24

DUAL FUNCTION FOLDING KNIFE

- Regular knife and utility knife
- Stainless steel blade
- 5 pc utility knife blades included
- One hand operation
- Safety locking function



Item No.	Size	EAN	Inner	Outer
475226	240 mm (9-1/2 in.)	69426292+ 4880 4	6	48

LUGGAGE COMBINATION PADLOCK



- Solid brass body
- 3 number combination



Item No.	Size	EAN	Inner	Outer
506104	21 mm (13/16 in.)	69426292+ 3937 6	12	144
506105	40 mm (1-5/8 in.)	69426292+ 1717 6	6	36

PADLOCK

- Solid brass body
- Hardened shackle



Size	A	B	C	D	Pin
25mm	24	13.9	12.7	4.3	4
30mm	27	16.1	15	5	4
40mm	33	21.8	20.7	6.3	5
50mm	39	25	26	8	6
60mm	45	32	31	10	6
70mm	51	37.1	39	11	6
40mm Long	33	51.8	40	6.3	5
50mm Long	39	56	50	8	6



Item No.	Size	QTY	EAN	Inner	Outer
500003	25 mm (1 in.)	1 pc	69426292+ 1705 3	10	60
500005	30 mm (1-3/16 in.)	1 pc	69426292+ 1706 0	10	60
500005.2	30 mm (1-3/16 in.)	2 pc key alike	69426292+ 7024 9	10	60
500007	40 mm (1-5/8 in.)	1 pc	69426292+ 1707 7	10	60
500007.2	40 mm (1-5/8 in.)	2 pc key alike	69426292+ 7025 6	6	36
500007.3	40 mm (1-5/8 in.)	3 pc key alike	69426292+ 7026 3	6	36
500009	50 mm (2 in.)	1 pc	69426292+ 1708 4	6	36
500009.2	50 mm (2 in.)	2 pc key alike	69426292+ 7027 0	6	24
500009.3	50 mm (2 in.)	3 pc key alike	69426292+ 7028 7	6	12
500011	60 mm (2-3/8 in.)	1 pc	69426292+ 7029 4	6	36
500011.2	60 mm (2-3/8 in.)	2 pc key alike	69426292+ 7030 0	6	12
500013	70 mm (2-3/4 in.)	1 pc	69426292+ 7031 7	6	24
500021	40 mm (1-5/8 in.) long shackle	1 pc	69426292+ 1709 1	6	36
500023	50 mm (2 in.) long shackle	1 pc	69426292+ 1710 7	6	36



LED ALUMINUM TORCH

- High quality aluminum body
- Batteries not included



Item No.	Size	EAN	Inner	Outer
510012	2 x C, 7 LEDs	69426292+ 1690 2	6	24

ALUMINIUM LED TORCH 2 X D

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included




CABLE LOCK

- With 2 keys




Item No.	Size	EAN	Inner	Outer
508008	800 mm (32 in.) x 15 mm	69426292+ 1720 6	6	24



Item No.	Size	EAN	Inner	Outer
510041	2 x D	69426292+ 5947 3	6	24

ALUMINIUM LED TORCH 2 X AA

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included



Item No.	Size	EAN	Inner	Outer
510047	2 x AA	69426292+ 5948 0	6	24

PACKING TAPE WITH DISPENSER

- 48 mm x 20 m (1.88 in. x 21.8 yds)
- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530002	super clear	2705 2	24	144

PACKING TAPE

- 48 mm x 50 m (1.88 in. x 54.6 yds)
- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530004	clear	2706 9	0	96
530005	super clear	4979 5	0	96

2 PC PACKING TAPE
WITH DISPENSER

- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530006	2 pc 48 mm x 50 m (1.88 in. x 54.6 yds)	2707 6	0	48

PACKING TAPE WITH DISPENSER

- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530008	48 mm x 50 m (1.88 in. x 54.6 yds)	2708 3	0	24

ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530050	19 mm x 18 m (3/4 in. x 60 ft.)	2710 6	20	120

5 PC ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530052	5 pc 19 mm x 18 m (3/4 in. x 60 ft.)	2711 3	6	24

DUCT TAPE-BLACK

- Aggressive rubber-based adhesive
- Easily tear by hand
- Made of fabric laminated with polyethylene film



Item No.	Size	EAN 69426292+	Inner	Outer
530154	48 mm x 55 m (1.88 in. x 60.1 yds)	2725 0	0	24

MASKING TAPE 14 DAYS

- Removes easily without leaving residue up to 14 days
- Ideal for indoor and outdoor paint jobs
- UV-resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530112	24 mm x 55 m (0.94 in. x 60.1 yds)	2720 5	0	72
530114	36 mm x 55 m (1.42 in. x 60.1 yds)	2721 2	0	48
530116	48 mm x 55 m (1.88 in. x 60.1 yds)	2722 9	0	36

MASKING TAPE

- Removes easily without leaving residue for short time
- Ideal for home use



Item No.	Size	EAN 69426292+	Inner	Outer
530098	18 mm x 55 m (0.70 in. x 60.1 yds)	4983 2	0	96
530100	24 mm x 55 m (0.94 in. x 60.1 yds)	2714 4	0	72
530102	36 mm x 55 m (1.42 in. x 60.1 yds)	2715 1	0	48
530104	48 mm x 55 m (1.88 in. x 60.1 yds)	2716 8	0	36

MASKING TAPE 3 DAYS

- Removes easily without leaving residue up to 3 days
- Ideal for indoor paint jobs



Item No.	Size	EAN 69426292+	Inner	Outer
530106	24 mm x 55 m (0.94 in. x 60.1 yds)	2717 5	0	72
530108	36 mm x 55 m (1.42 in. x 60.1 yds)	2718 2	0	48
530110	48 mm x 55 m (1.88 in. x 60.1 yds)	2719 9	0	36

DUCT TAPE-GREY

- Easily tear by hand
- Made of fabric laminated with polyethylene film
- Aggressive rubber-based adhesive



Item No.	Size	EAN 69426292+	Inner	Outer
530186	48 mm x 9 m (1.88 in. x 10 yds)	2726 7	0	96
530188	48 mm x 27.4 m (1.88 in. x 30 yds)	2727 4	0	36
530190	48 mm x 55 m (1.88 in. x 60.1 yds)	2728 1	0	24

MOUNTING TAPE

- High-density foam with permanent adhesive on both sides
- Holds up to 900 g (2 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
530300	12 mm x 1.9 m (1/2 x 75 in.)	2730 4	24	96

DOUBLE SIDED TAPE

- Adhesive on both sides
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
530314	12 mm x 10.1 m (1/2 x 400 in)	2733 5	24	144

INDOOR MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530316	18 mm x 5 m (11/16 in. x 5.46 yds)	0122 9	12	48

OUTDOOR MOUNTING TAPE

- Grey mounting tape
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530318	21 mm x 1 m (13/16 in. x 39-3/8 in.)	4240 6	12	72

CLEAR MOUNTING TAPE

- Clear mounting tape with performance of good bond
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530320	25.4 mm x 1.52 m (1 in. x 5 ft.)	4241 3	12	72

EXTREME STRONG MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530322	25.4 mm x 1.52 m (1 in. x 5 ft.)	8268 6	12	72

INDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530332	12 pc 19 mm x 23 cm (3/4 in. x 9 in.)	5873 5	6	60

OUTDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530334	6 pc 50 mm x 23 cm (2 in. x 9 in.)	5874 2	6	60

OUTDOOR ANTI-SLIP TAPE BLACK

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530335	50.8 mm x 5 m (2 in. x 5.46 yds)	9012 1	12	48

INDOOR ANTI-SLIP TAPE GREY

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530336	50.8 mm x 5 m (2 in. x 5.46 yds)	9013 1	12	48

INDOOR ANTI-SLIP TAPE CLEAR

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530337	50.8 mm x 5 m (2 in. x 5.46 yds)	9014 8	12	48

ALUMINUM TAPE


- Designed to protect, seal, cover and repair HVAC ducts
- Can be applied to many metallic and plastic surfaces



Item No.	Size	EAN 69426292+	Inner	Outer
530350	48 mm x 9.14 m (1.88 in. x 10 yds)	2735 9	0	36

CARPET TAPE

- Quick bonding
- No iron needed
- For indoor or outdoor use



Item No.	Size	EAN 69426292+	Inner	Outer
530380	36 mm x 12.8 m (1.42 in. x 14 yds)	2737 3	6	36

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144

GAS PTFE TAPE


- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

ANTI-SLIP TAPE


- Prevents slips and falls
- Durable construction for long lasting traction
- Water and oil resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530456	48 mm x 5 m (1.88 in. x 5.47 yds)	2743 4	12	36

STRAPPING TAPE

- Fiberglass reinforced
- Moisture and tear resistant
- Backing resists splitting and cracking



Item No.	Size	EAN 69426292+	Inner	Outer
530471	48 mm x 27.4 m (1.88 in. x 30 yds)	2736 6	0	36

STRONG RUBBERIZED WATERPROOF TAPE CLEAR

- Super strong adhesive
- Seals and instantly stops leaks
- Works underwater



Item No.	Size	EAN 69426292+	Inner	Outer
530480	101.6 mm x 1.5 m (4 in. x 5 ft.)	9015 5	12	48

NANO TAPE

- Clear nano tape
- Water and oil resistant
- Washable and reusable



Item No.	Size	EAN 69426292+	Inner	Outer
530491	30 mm x 1 m (1-3/16 in. x 39-3/8 in.)	9016 2	12	48

UNIVERSAL MERCHANDISING BOARD



Item No.	Size	EAN 69426292+	Inner	Outer
549901	61 x 77 cm (24 x 30 in.)	3439 5	0	3
549902	20 pc 125mm hooks	1628 5	0	6

SINGLE STAND 2.2 m

- Overall size: 2.2 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549931	2.2 m	8215 0	0	1

SINGLE STAND 1.5 m

- Overall size: 1.5 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549922	1.5 m	6613 6	0	1



60 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 250 mm (10 in.) locking pliers
- 160 mm (6 in.) long nose pliers
- 5 m x 19 mm MID tape measure
- heavy duty utility knife
- 250 mm (10 in.) adjustable wrench
- 17 pc combination wrenches: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm
- 6 pc screwdrivers:
 - 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.);
 - #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- 14 pc 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24 mm
- 8 pc hex keys: 2, 2.5, 3, 4, 5, 6, 7 & 8 mm
- 1/2 in. Dr. x 16 mm & 21 mm spark plug socket
- 1/2 in. Dr. x 125 & 250 mm (5 & 10 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/2 in. Dr. sliding T-bar
- 1/2 in. Dr. universal joint
- Metal tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555001	60 pc	1786 2	0	1

64 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 200 mm (8 in.) adjustable wrench
- 160 mm (6 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) wire stripper
- 6 pc combination wrenches: 10, 11, 12, 13, 17, 19 mm
- 4 pc screwdrivers:
 - 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.);
 - PH #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer
- 3 m x 16 mm MID tape measure
- 225 mm (9 in.) torpedo level
- 18 mm snap off knife
- 12 pc 1/2 in. Dr. sockets: 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32 mm
- 20 pc 1 in. bits:
 - 4, 5, 6 mm; #1, #2, #3;
 - #1, #2, #3; 3, 4, 5, 6 mm;
 - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. spinner handle



Item No.	Size	EAN 69426292+	Inner	Outer
555065	64 pc	4222 2	0	2

26 PC TOOL BOX SET

- 6 pc screwdrivers:
 - 5 x 75 mm (3/16 x 3 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.);
 - #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 pc combination wrenches: 8, 10, 12, 14, 17 mm
- 20 mm joiner hammer
- 18 mm snap off knife
- 160 mm diagonal pliers
- 190 mm linesman pliers
- 250 mm box joint pliers
- 50 cm plastic tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555026	26 pc	4894 1	0	4

53 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 160 mm (6 in.) diagonal pliers
- 250 mm (10 in.) box joint pliers
- 200 mm (8 in.) adjustable wrench
- 4 pc combination wrenches: 10, 11, 12, 13 mm
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer
- 18 mm snap off knife
- 8 pc 1/4 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 20 pc 1 in. bits:
 - 4, 5, 6 mm; #1, #2, #3;
 - #1, #2, #3; 3, 4, 5, 6 mm;
 - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. Dr. x 150 mm (6 in.) extension bar
- 1/4 in. Dr. ratchet handle
- 1/4 in. Dr. Sliding T-bar
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. universal joint
- 1/4 in. Dr. Socket bit holder



Item No.	Size	EAN 69426292+	Inner	Outer
555053	53 pc	4221 5	0	4

137 PC TOOL CASE SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) long nose pliers
- 215 mm (8-1/2 in.) crimping pliers
- 4 pc circlip pliers • 200 mm (8 in.) carpenter pincer
- 250 mm (10 in.) adjustable wrench
- 9 pc combination wrenches:
 - 6, 8, 9, 10, 12, 13, 14, 17, 19 mm
- 6 pc screwdrivers:
 - 6.5 x 38 mm (1/4 x 1-1/2 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 125 mm (1/4 x 5 in.);
 - ⊕ #2 x 38 mm (1-1/2 in.), #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 6 pc precision screwdrivers:
 - ⊖ 1.4, 2.0, 2.4, 3.0 mm; ⊕ #00, #0
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 m MID tape measure • 300 g machinist hammer
- 200 mm (8 in.) half round file • 18 mm snap off knife
- 300 mm (12 in.) box level • LED aluminum torch 2 x AA
- 10 pc 18 mm snap off knife blades
- 180 mm (7 in.) scissors • Terminal set
- Digital multimeter • 250 mm (10 in.) hacksaw frame
- 140 mm (5-1/2 in.) VDE voltage detector
- 6 pc chisel & punch:
 - cold chisel 15 x 150 mm, 11 x 130 mm; center punch 3 x 120 mm; taper punch 3 x 120 mm, 4 x 150 mm; cape chisel 4 x 130 mm
- Vernier caliper 150 mm (6 in.) x 0.02 mm (1/1000 in.)
- 12 pc 1/2 in. Dr. sockets:
 - 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 13 pc 1/4 in. Dr. sockets:
 - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 31 pc bits set:
 - ⊖ 4, 4.5, 5.5, 6, 6.5, 8 mm
 - ⊕ #1 x 2, #2 x 3, #3
 - ⊗ #1 x 2, #2 x 3, #3 ⊖ 3 x 2, 4 x 2, 5, 6 mm
 - ⊗ T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 1/4 in. Dr. extension bars:
 - 50 mm (2 in.) & 100 mm (4 in.)
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm
- 2 pc ratchet handle: 1/2 in. Dr. & 1/4 in. Dr.
- 1/2 in. Dr. universal joint • Quick change chuck
- 1/4 in. Dr. socket bit holder • 1/4 in. Dr. sliding T-bar
- 1/4 in. Dr. spinner handle • 1/4 in. Dr. universal joint
- Aluminum case



Item No.	Size	EAN 69426292+	Inner	Outer
556137	137 pc	5138 5	0	1

40 PC TOOL SET

- Magnetic bit driver
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm, ⊕ #2 x 100 mm
- 18 mm snap off knife
- 200 mm adjustable wrench
- 210 mm scissors
- 225 mm torpedo level
- 300 g machinist hammer
- 5 m x 19 mm MID tape measure
- 160 mm CR-V linesman pliers
- 160 mm CR-V diagonal pliers
- 9 pc CR-V ball end hex keys:
 - 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm, ⊖ 3, 6 mm
 - ⊗ #1, #2, #3, ⊗ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-30
- bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557024	40 pc	0106 9	0	6

60 PC TOOL SET

- 9 pc 1/4 in. Dr. CR-V sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. 72 tooth ratchet handle
- 150 mm junior hacksaw
- 18 mm snap off knife • Magnetic bit driver
- 8 pc CR-V combination wrenches: 8, 10, 11, 12, 13, 15, 17, 19 mm
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm, ⊕ #2 x 100 mm;
- 140 mm VDE voltage detector • 300 g machinist hammer
- 160 mm CR-V diagonal pliers
- 175 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers
- 5 m x 19 mm MID tape measure
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 200 mm adjustable wrench
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm, ⊖ 3, 6 mm,
 - ⊗ #1, #2, #3, ⊗ #1, #2, #3,
 - ⊗ T-10, T-15, T-20, T-25, T-30,
- bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557046	60 pc	0107 6	0	4

115 PC TOOL SET

- 11 pc 1/4 in. Dr. CR-V sockets:
 - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 9 pc 3/8 in. Dr. CR-V sockets:
 - 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
- 3/8 in. Dr. 72 tooth ratchet handle
- 3/8 in. Dr. x 75 mm extension bar
- 3/8 in. Dr. x 21 mm spark plug socket
- 1/4 in. (M) x 3/8 in. (F) adapter
- 6 pc CR-V combination wrenches: 8, 9, 10, 11, 12, 13 mm
- 4 pc screwdrivers:
 - ⊖ 6.5 x 38 mm, 5 x 75 mm,
 - ⊕ #2 x 38 mm, #1 x 75 mm;
- Ratchet screwdriver • 60 mm extension bar
- 5 pc precision screwdrivers:
 - ⊕ #0, #1 ⊖ 1.0, 1.6, 2.0 mm
- 215 mm crimping pliers • 160 mm CR-V diagonal pliers
- 5 m x 19 mm MID tape measure • 300 mm I style level
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc nylon clamps • 160 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers • 300 g machinist hammer
- 150 mm junior hacksaw • 200 mm adjustable wrench
- 140 mm VDE voltage detector • 18 mm snap off knife
- 10 pc 18mm SK2 snap off knife blades
- 40 pc bits



Item No.	Size	EAN 69426292+	Inner	Outer
557075	115 pc	0108 3	0	2

29 PC TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V Diagonal pliers
- Magnetic bit driver
- 2 pc screwdrivers:
 - ⊖ 6 x 100 mm (1/4 x 4 in.), ⊕ #2 x 100 mm (4 in.)
- 3.5 m (12 ft.) tape measure • 18 mm snap off knife
- 200 mm (8 in.) adjustable wrench
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm,
 - ⊗ S1, S2, S3, ⊗ 3, 6 mm, 1/8, 5/32, 3/16 in.
 - ⊗ T-10, T-15, T-20, T-25, T-30
- bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557501	29 pc	0109 0	0	8

67 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V diagonal pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Magnetic bits holder • Utility knife
- 5 m (16 ft.) tape measure
- 200 mm (8 in.) adjustable wrench
- 215 mm (8-1/2 in.) scissors
- 225 mm (9 in.) torpedo Level
- 1/4 in. Dr. 72 tooth ratchet handle
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 20 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 20 pc bits:
 - ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm,
 - ⊗ S1, S2, S3, ⊗ 3, 6 mm, 1/8, 5/32, 3/16 in.
 - ⊗ T-10, T-15, T-20, T-25, T-30,
- bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557522	67 pc	0110 6	0	6

98 PC TOOL SET

- 450 g (16 oz.) claw hammer • 175 mm (7 in.) locking pliers
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V linesman pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Ratchet screwdriver • 225 mm (9 in.) torpedo level
- 60 mm (2-1/4 in.) bits extension bar
- 5 pc screwdrivers:
 - ⊖ 6 x 100 mm (1/4 x 4 in.)
 - ⊕ #1 x 75 mm (3 in.) 5 x 100 mm (3/16 x 4 in.)
 - ⊕ #2 x 100 mm (4 in.) 3 x 75 mm (1/8 x 3 in.)
- 200 mm (8 in.) adjustable wrench • 40 pc bits
- 3/8 in. Dr. 72 tooth ratchet handle
- 10 pc CR-V combination wrenches: 10, 11, 12, 14, 15 mm, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 16 pc 3/8 in. Dr. CR-V sockets: 8, 9, 10, 12, 13, 14, 17, 18 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 180 mm (7 in.) scissors



Item No.	Size	EAN 69426292+	Inner	Outer
557553	98 pc	0111 3	0	4

125 PC TAP RESEATER WASHER ASSORTMENT

- Fiber, rubber, aluminum, nylon, and foam materials for specific applications
- 16 pc fiber washers • 14 pc faucet washers
- 12 pc rubber washers • 6 pc foam gaskets
- 12 pc rubber flat washers
- 4 pc aluminum washers
- 4 pc c-clips
- 6 pc nylon o-rings
- 51 pc rubber o-rings



Item No.	Size	EAN 69426292+	Inner	Outer
565001	125 pc	4589 6	6	24

200 PC FIBER AND NYLON WASHER ASSORTMENT

- Ideal for automotive and machine applications
- Fiber washers:
 - 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)
- Nylon washers: 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565003	200 pc	4590 2	6	24

125 PC RUBBER GROMMET ASSORTMENT

- Ideal for mechanical and electrical applications
- Rubber grommets:
 - 15 pc 1/8 x 1/4 in., 10 pc 7/32 x 5/16 in., 7 pc 9/32 x 1/2 in., 3 pc 5/16 x 9/16 in., 6 pc 3/8 x 15/32 in., 5 pc 3/8 x 1/2 in., 3 pc 3/8 x 13/16 in., 4 pc 7/16 x 3/4 in., 3 pc 1/2 x 19/32 in., 3 pc 5/8 x 31/32 in., 2 pc 3/4 x 15/16 in.
- Rubber plugs: 20 pc 9/32 in., 20 pc 3/8 in., 10 pc 1/2 in., 5 pc 5/8 in., 4 pc 3/4 in., 3 pc 7/8 in., 2 pc 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565051	125 pc	4591 9	6	24

300 PC SAE O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 140 pc 1/16 in. body:
 - 20 pc 3/32 x 7/32 in., 20 pc 1/8 x 1/4 in., 20 pc 5/32 x 9/32 in., 20 pc 3/16 x 5/16 in., 15 pc 7/32 x 11/32 in., 15 pc 1/4 x 3/8 in., 15 pc 5/16 x 7/16 in., 15 pc 3/8 x 1/2 in.
- 80 pc 3/32 in. body:
 - 15 pc 3/8 x 9/16 in., 15 pc 7/16 x 5/8 in., 15 pc 1/2 x 11/16 in., 15 pc 9/16 x 3/4 in., 10 pc 5/8 x 13/16 in., 10 pc 11/16 x 7/8 in.
- 80 pc 1/8 in. body:
 - 10 pc 3/4 x 1 in., 10 pc 13/16 x 1-1/16 in., 10 pc 7/8 x 1-1/8 in., 10 pc 15/16 x 1-3/16 in., 10 pc 1 x 1-1/4 in., 10 pc 1-1/16 x 1-5/16 in., 5 pc 1-1/8 x 1-3/8 in., 5 pc 1-1/4 x 1-1/2 in., 5 pc 1-3/8 x 1-5/8 in., 5 pc 1-1/2 x 1-3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565061	300 pc	4592 6	4	12

350 PC METRIC O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 2 mm Body:
 - 15 pc 3 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 15 pc 8 mm, 15 pc 10 mm, 15 pc 12 mm, 10 pc 14 mm, 10 pc 20 mm
- 2.5 mm Body: 15 pc 10 mm, 15 pc 12 mm, 15 pc 14 mm, 15 pc 15 mm, 15 pc 16 mm, 10 pc 17 mm, 10 pc 19 mm
- 3 mm Body:
 - 15 pc 19 mm, 15 pc 20 mm, 15 pc 22 mm, 15 pc 24 mm, 10 pc 25 mm, 10 pc 27 mm, 10 pc 28 mm, 10 pc 30 mm, 10 pc 32 mm, 5 pc 33 mm, 5 pc 35 mm, 5 pc 36 mm, 5 pc 38 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565063	350 pc	4593 3	4	12

270 PC HNBR O-RING ASSORTMENT

- HNBR O-rings resists various temperature changes and resists more chemicals than standard o-rings
- 20 pc 7/32 x 1/16 in., 20 pc 1/4 x 1/16 in., 20 pc 6.8 x 1.9 mm, 20 pc 5/16 x 1/16 in., 20 pc 7.8 x 1.9 mm, 20 pc 8 x 2 mm, 20 pc 8.8 x 1.9 mm, 15 pc 7/16 x 1/16 in., 15 pc 7/16 x 3/32 in., 15 pc 11 x 2 mm, 15 pc 12 x 2 mm, 10 pc 13.9 x 1.8 mm, 10 pc 9/16 x 3/32 in., 10 pc 14 x 2 mm, 10 pc 15 x 2 mm, 10 pc 17 x 2 mm, 10 pc 11/16 x 1/16 in., 10 pc 11/16 x 1/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565065	270 pc	4594 0	6	24

200 PC SELF-TAPPING HEX SCREW ASSORTMENT

- Super-sharp tips seat faster than standard screws-no need to drill pilot holes
- Self-drilling and self-tapping
- 30 pc #8 x 1/2 in., 30 pc #8 x 5/8 in., 30 pc #8 x 3/4 in., 30 pc #8 x 1 in., 20 pc #10 x 1/2 in., 20 pc #10 x 5/8 in., 20 pc #10 x 3/4 in., 20 pc #10 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565101	200 pc	4597 1	6	24

300 PC METAL AND WOOD SCREW ASSORTMENT

- For wood and light gauge metal
- Wood screws: 40 pc #4 x 1/2 in., 35 pc #6 x 1/2 in., 30 pc #6 x 5/8 in., 20 pc #6 x 3/4 in., 15 pc #8 x 5/8 in., 10 pc #8 x 1 in.
- Metal screws: 40 pc #6 x 1/2 in., 35 pc #6 x 3/4 in., 30 pc #8 x 1/2 in., 20 pc #8 x 5/8 in., 15 pc #8 x 3/4 in., 10 pc #8 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565113	300 pc	4598 8	6	24

106 PC SAE HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc #8 x 32 x 1/2 in., 25 pc #10 x 24 x 1/2 in., 20 pc #10 x 24 x 1 in., 10 pc 1/4 in. x 20 x 1/2 in., 10 pc 1/4 in. x 20 x 1 in., 5 pc 5/16 in. x 18 x 1 in., 5 pc 5/16 in. x 18 x 1-1/2 in., 3 pc 3/8 in. x 16 x 1 in., 3 pc 3/8 in. x 16 x 1-1/2 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565117	106 pc	4647 3	6	24

106 PC METRIC HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc M4 x 12 mm, 25 pc M5 x 12 mm, 20 pc M5 x 25 mm, 10 pc M6 x 12 mm, 10 pc M6 x 25 mm, 5 pc M8 x 25 mm, 5 pc M8 x 40 mm, 3 pc M10 x 25 mm, 3 pc M10 x 40 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565119	106 pc	4648 0	6	24

175 PC SAE HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 20 pc #10-32 x 1/4 in., 10 pc #10-32 x 3/8 in., 20 pc 1/4 in.-20 x 1/4 in., 20 pc 1/4 in.-20 x 3/8 in., 15 pc 1/4 in.-20 x 1/2 in., 20 pc 5/16 in.-18 x 1/4 in., 10 pc 5/16 in.-18 x 3/8 in., 10 pc 5/16 in.-18 x 1/2 in., 20 pc 3/8 in.-16 x 3/8 in., 10 pc 3/8 in.-16 x 1/2 in., 10 pc 3/8 in.-16 x 3/4 in., 10 pc 1/2 in.-13 x 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565121	175 pc	4649 7	6	24

150 PC METRIC HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 10 pc M4 x 5 mm, 15 pc M5 x 5 mm, 15 pc M5 x 6 mm, 10 pc M5 x 8 mm, 15 pc M6 x 6 mm, 15 pc M6 x 8 mm, 10 pc M6 x 10 mm, 15 pc M8 x 6 mm, 20 pc M8 x 8 mm, 10 pc M8 x 10 mm, 5 pc M8 x 16 mm, 10 pc M10 x 10 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565123	150 pc	4650 3	6	24

360 PC SAE BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc #6-40 x 3/4 in., 20 pc #8-32 x 3/4 in., 20 pc #8-32 x 1 in., 20 pc #10-24 x 3/4 in., 20 pc #10-24 x 1 in., 15 pc 1/4 in.-20 x 3/4 in.
- Nuts: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.
- Flat washers: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565125	360 pc	4599 5	6	24

360 PC METRIC BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc M3 x 16 mm, 20 pc M4 x 20 mm, 20 pc M4 x 25 mm, 20 pc M5 x 20 mm, 20 pc M5 x 25 mm, 15 pc M6 x 20 mm
- Nuts: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6
- Flat washers: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6



Item No.	Size	EAN 69426292+	Inner	Outer
565127	360 pc	4600 8	6	24

40 PC MOLLY BOLT ASSORTMENT

- Secures drywall, sheetrock, and some types of paneling
- 10 pc 1/8 in. short, 10 pc 1/8 in. long, 6 pc 3/16 in. short, 6 pc 3/16 in. long, 4 pc 1/4 in. short, 4 pc 1/4 in. long



Item No.	Size	EAN 69426292+	Inner	Outer
565131	40 pc	4636 7	6	24

150 PC SAE NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc #10 x 24, 35 pc 1/4 in. x 20, 25 pc 1/4 in. x 28, 30 pc 5/16 in. x 18, 25 pc 3/8 in. x 16, 10 pc 1/2 in. x 13



Item No.	Size	EAN 69426292+	Inner	Outer
565141	150 pc	4601 5	6	24

100 PC METRIC NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc M4, 25 pc M5, 20 pc M6, 15 pc M8, 10 pc M10, 5 pc M12



Item No.	Size	EAN 69426292+	Inner	Outer
565143	100 pc	4602 2	6	24

150 PC WING NUT ASSORTMENT

- Suitable for applications where frequent adjustments are needed or for quick part removal
- 30 pc 3/16 in.-24, 30 pc 3/16 in.-32, 25 pc 1/4 in.-20, 25 pc 1/4 in.-28, 20 pc 5/16 in.-18, 20 pc 5/16 in.-24



Item No.	Size	EAN 69426292+	Inner	Outer
565145	150 pc	4637 8	6	24

720 PC WASHER ASSORTMENT

- #6: 50 pc C-type, 50 pc star type, 50 pc circle star type
- #8: 50 pc C-type, 50 pc star type, 50 pc #8 circle star type
- #10: 50 pc C-type, 50 pc star type, 50 pc #10 circle star type
- 6.4 mm: 40 pc C-type, 40 pc star type, 40 pc circle star type
- 8.0 mm: 30 pc C-type, 30 pc star type, 30 pc circle star type
- 9.5 mm: 20 pc C-Type, 20 pc star type, 20 pc circle star type



Item No.	Size	EAN 69426292+	Inner	Outer
565155	720 pc	4603 9	6	24

350 PC FLAT & LOCK WASHER ASSORTMENT

- Lock washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.
- Flat washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565161	350 pc	4604 6	6	24

110 PC COPPER WASHER ASSORTMENT

- Corrosion-resistant
- Provides maximum conductivity
- 30 pc 1/4 in. (6.4 mm), 25 pc 5/16 in. (7.9 mm), 20 pc 3/8 in. (9.5 mm), 15 pc 7/16 in. (11.1 mm), 10 pc 1/2 in. (12.7 mm), 10 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565167	110 pc	4606 0	6	24

90 PC SAE GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 30 pc 1/4 in. 28 straight
- 10 pc 1/4 in. 28-45°
- 10 pc 1/4 in. 28-90°
- 30 pc 1/8 in. NPT straight
- 5 pc 1/8 in. NPT-45°
- 5 pc 1/8 in. NPT-90°



Item No.	Size	EAN 69426292+	Inner	Outer
565201	90 pc	4607 7	6	24

95 PC METRIC GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 20 pc 6 mm x 1 straight
- 10 pc 6 mm x 1 90°
- 10 pc 6 mm x 1 90°
- 10 pc 8 mm x 1 straight
- 10 pc 8 mm x 1 90°
- 5 pc 10 mm x 1 straight
- 5 pc 10 mm x 1 90°



Item No.	Size	EAN 69426292+	Inner	Outer
565203	95 pc	4608 4	6	24

600 PC COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 130 pc 1/16 x 1 in. (1.6 x 25 mm), 100 pc 1/8 x 1-1/4 in. (3.2 x 32 mm), 80 pc 1/8 x 2 in. (3.2 x 50 mm), 150 pc 3/32 x 1 in. (2.4 x 25 mm), 100 pc 3/32 x 1-3/4 in. (2.4 x 44 mm), 40 pc 5/32 x 2-1/2 in. (4 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565251	600 pc	4610 7	6	24

144 PC LARGE COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 50 pc 1/8 x 2 in. (3.2 x 50 mm), 30 pc 5/32 x 2-1/2 in. (4 x 64 mm), 20 pc 3/16 x 3 in. (4.8 x 76 mm), 20 pc 1/4 x 2 in. (6.4 x 50 mm), 16 pc 1/4 x 3 in. (6.4 x 76 mm), 8 pc 5/16 x 2-1/2 in. (7.9 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565255	144 pc	4611 4	6	12

150 PC HITCH PIN ASSORTMENT

- For fast assembly and disassembly
- 42 pc 3/32 x 1-3/16 in. (2.4 x 30 mm), 30 pc 5/64 x 1-5/16 in. (2 x 33 mm), 25 pc 5/64 x 1-9/16 in. (2 x 39 mm), 25 pc 7/64 x 1-5/8 in. (2.8 x 41 mm), 20 pc 9/64 x 1-3/4 in. (3.6 x 44 mm), 8 pc 5/32 x 2-15/16 in. (4 x 75 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565261	150 pc	4612 1	6	24

16 PC LYNCH PIN ASSORTMENT

- Spring steel rings snap into lock position
- 4 pc 3/16 x 1-7/16 in. (4.8 x 37 mm), 6 pc 1/4 x 1-3/4 in. (6.4 x 44 mm), 4 pc 5/16 x 1-3/4 in. (7.9 x 44 mm), 2 pc 7/16 x 1-3/4 in. (11.1 x 44 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565267	16 pc	4646 6	6	24

265 PC SAE E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 30 pc 1/8 in., 20 pc 5/32 in., 30 pc 3/16 in., 20 pc 7/32 in., 30 pc 1/4 in., 30 pc 5/16 in., 30 pc 3/8 in., 25 pc 7/16 in., 20 pc 1/2 in., 15 pc 5/8 in., 10 pc 3/4 in., 5 pc 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565301	265 pc	4613 8	6	24

255 PC METRIC E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 35 pc 1.2 mm, 30 pc 1.5 mm, 30 pc 1.9 mm, 25 pc 2.3 mm, 20 pc 3.2 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 10 pc 7 mm, 10 pc 8 mm, 10 pc 9 mm, 5 pc 10 mm, 10 pc 12 mm, 15 pc 15 mm, 5 pc 19 mm, 5 pc 24 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565303	255 pc	4614 5	6	24

300 PC SAE SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 30 pc 1/4 in., 20 pc 5/16 in., 50 pc 3/8 in., 20 pc 7/16 in., 50 pc 1/2 in., 20 pc 9/16 in., 30 pc 5/8 in., 35 pc 3/4 in., 10 pc 13/16 in., 20 pc 7/8 in., 10 pc 1 in., 5 pc 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565311	300 pc	4615 2	6	24

295 PC METRIC SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 25 pc 6 mm, 20 pc 8 mm, 15 pc 9 mm, 20 pc 10 mm, 20 pc 11 mm, 20 pc 12 mm, 10 pc 13 mm, 20 pc 14 mm, 15 pc 15 mm, 20 pc 16 mm, 10 pc 17 mm, 15 pc 18 mm, 10 pc 19 mm, 15 pc 20 mm, 10 pc 21 mm, 10 pc 22 mm, 10 pc 24 mm, 10 pc 25 mm, 5 pc 28 mm, 5 pc 30 mm, 5 pc 32 mm, 5 pc 35 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565313	295 pc	4616 9	4	12

170 PC U-CLIP AND SCREW ASSORTMENT

- Use for securing wires and cables
- Screws: 40 pc #6 x 5/16 in., 20 pc #8 x 5/8 in., 15 pc #10 x 1/2 in., 10 pc 1/4 x 3/4 in.
- Panel Clips: 20 pc #6 small, 20 pc #6 large, 20 pc #8, 15 pc #10, 10 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565351	170 pc	4617 6	6	24

200 PC SPRING ASSORTMENT

- Extension springs: 8 pc 3/16 x 1-3/4 in. (4.8 x 44.5 mm), 12 pc 5/32 x 3-1/8 in. (4 x 79.5 mm), 10 pc 13/64 x 13/16 in. (5 x 20.5 mm), 10 pc 7/32 x 1 in. (5.5 x 25.5 mm), 10 pc 9/32 x 1-1/2 in. (7 x 38 mm), 12 pc 9/32 x 2-13/16 in. (7 x 71 mm), 12 pc 11/32 x 1-27/32 in. (8.5 x 47 mm), 10 pc 11/32 x 1-7/16 in. (8.5 x 36.5 mm), 10 pc 1/4 x 7/8 in. (6.5 x 22 mm), 8 pc 5/16 x 1-1/8 in. (8 x 28.5 mm), 10 pc 5/16 x 1-1/4 in. (8 x 31.5 mm), 12 pc 5/16 x 1-3/4 in. (8 x 44.5 mm)
- Compression springs: 10 pc 7/32 x 11/16 in. (5.5 x 17 mm), 10 pc 7/32 x 1-1/2 in. (5.5 x 38 mm), 10 pc 9/32 x 1/2 in. (7 x 12.5 mm), 10 pc 9/32 x 3/4 in. (7 x 19 mm), 10 pc 1/4 x 13/32 in. (6.5 x 10 mm), 8 pc 23/64 x 1-3/8 in. (9.1 x 35 mm), 6 pc 3/8 x 5/8 in. (9.5 x 16 mm), 12 pc 3/8 x 3/4 in. (9.5 x 19 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565225	200 pc	4609 1	6	24

120 PC SAE ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 5/32 x 5/8 in., 4 pc 5/32 x 1 in., 4 pc 5/32 x 1-1/2 in., 4 pc 1/4 x 5/8 in., 4 pc 1/4 x 1-1/4 in., 4 pc 1/4 x 1-3/4 in., 4 pc 5/16 x 3/4 in., 4 pc 5/16 x 1-1/2 in., 4 pc 5/16 x 2 in., 4 pc 5/64 x 1/4 in., 4 pc 5/64 x 1/2 in., 4 pc 5/64 x 1 in., 4 pc 1/16 x 3/16 in., 4 pc 1/16 x 3/4 in., 4 pc 1/16 x 5/16 in., 4 pc 3/32 x 5/8 in., 4 pc 3/32 x 1-1/4 in., 4 pc 3/32 x 1-3/4 in., 5 pc 1/8 x 5/8 in., 5 pc 1/8 x 1 in., 5 pc 1/8 x 1-1/4 in., 2 pc 3/8 x 3/4 in., 2 pc 3/8 x 1-1/2 in., 2 pc 3/8 x 2 in., 4 pc 7/32 x 5/8 in., 4 pc 7/32 x 1-1/4 in., 4 pc 7/32 x 1-3/4 in., 5 pc 3/16 x 5/8 in., 5 pc 3/16 x 1 in., 5 pc 3/16 x 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565391	120 pc	4618 3	6	24

134 PC METRIC ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 1.5 x 6 mm, 4 pc 1.5 x 10 mm, 4 pc 1.5 x 12 mm, 4 pc 1.5 x 20 mm, 4 pc 2 x 6 mm, 4 pc 2 x 10 mm, 4 pc 2 x 12 mm, 4 pc 2 x 20 mm, 4 pc 3 x 10 mm, 4 pc 3 x 18 mm, 4 pc 3 x 24 mm, 4 pc 3 x 30 mm, 4 pc 3 x 40 mm, 3 pc 4 x 10 mm, 3 pc 4 x 18 mm, 3 pc 4 x 22 mm, 3 pc 4 x 26 mm, 3 pc 4 x 30 mm, 3 pc 4 x 40 mm, 4 pc 5 x 14 mm, 4 pc 5 x 18 mm, 4 pc 5 x 26 mm, 4 pc 5 x 30 mm, 4 pc 5 x 40 mm, 4 pc 5 x 50 mm, 3 pc 6 x 20 mm, 3 pc 6 x 24 mm, 3 pc 6 x 30 mm, 3 pc 6 x 40 mm, 3 pc 6 x 50 mm, 3 pc 8 x 20 mm, 3 pc 8 x 30 mm, 3 pc 8 x 40 mm, 3 pc 8 x 50 mm, 3 pc 8 x 65 mm, 2 pc 10 x 40 mm, 2 pc 10 x 45 mm, 2 pc 10 x 50 mm, 2 pc 10 x 65 mm, 2 pc 10 x 80 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565393	134 pc	4619 0	6	24

250 PC WOODRUFF KEY ASSORTMENT

- Precise steel keys for pulleys and drive shaft applications
- 10 pc 1/16 x 3/8 in., 10 pc 1/16 x 1/2 in., 20 pc 3/32 x 3/8 in., 20 pc 3/32 x 1/2 in., 10 pc 3/32 x 5/8 in., 10 pc 1/8 x 3/8 in., 20 pc 1/8 x 1/2 in., 30 pc 1/8 x 5/8 in., 20 pc 1/8 x 3/4 in., 40 pc 5/32 x 5/8 in., 10 pc 5/32 x 3/4 in., 5 pc 5/32 x 7/8 in., 5 pc 3/16 x 5/8 in., 20 pc 3/16 x 3/4 in., 5 pc 3/16 x 7/8 in., 5 pc 7/32 x 7/8 in., 5 pc 1/4 x 3/4 in., 5 pc 1/4 x 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565437	250 pc	4651 0	6	24

34 PC HOSE CLAMP ASSORTMENT

- Ideal for repairs for washers, garbage disposals, dishwasher hoses and more
- 8 pc 5/8 in. (15.9 mm), 8 pc 3/4 in. (19 mm), 6 pc 7/8 in. (22.2 mm), 4 pc 1 in. (25.4 mm), 4 pc 1-1/16 in. (26.9 mm), 4 pc 1-1/4 in. (31.8 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565421	34 pc	4620 6	6	24

26 PC KEY-TYPE HOSE CLAMP ASSORTMENT

- No tools needed to tighten or loosen
- 10 pc 1/2 in. (12.7 mm), 6 pc 5/8 in. (15.9 mm), 6 pc 3/4 in. (19 mm), 2 pc 7/8 in. (22.2 mm), 2 pc 1 in. (25.4 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565427	26 pc	4638 1	6	24

18 PC RUBBER INSULATED CLAMP ASSORTMENT

- Used to securely suspend hoses, cables, pipes and more
- 8 pc 1/4 in. (6.4 mm), 4 pc 5/16 in. (7.9 mm), 2 pc 3/8 in. (9.5 mm), 2 pc 1/2 in. (12.7 mm), 2 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565431	18 pc	4639 8	6	24

600 PC HOME HARDWARE ASSORTMENT

- For a wide variety of household jobs
- 4 pc cup hooks 1-1/2 in.
- 4 pc cup hooks 1-1/4 in.
- 12 pc picture hangers
- 15 pc sheet metal screws 1 in.
- 10 pc push pins
- 15 pc plastic anchors 4 through 6
- 153 pc wire nails 17 ga
- 16 pc sheet metal screws 1-1/4 in.
- 152 pc wire brads 17 ga
- 16 pc plastic anchors 4 through 8
- 153 pc wire nails 18 ga
- 50 pc thumb tacks



Item No.	Size	EAN	Inner	Outer
565441	600 pc	69426292+	6	24

160 PC WIRE TERMINAL ASSORTMENT

- Terminals and connectors for industrial and automotive applications
- 4 pc 12-10 ga ring terminal 55-5
- 4 pc 12-10 ga ring terminal 55-8
- 4 pc 12-10 ga ring terminal 55-10
- 5 pc 12-10 ga male connector
- 5 pc 12-10 ga female disconnect
- 12 pc 12-10 ga butt connect
- 10 pc 16-14 ga ring terminal 2-5L
- 10 pc 16-14 ga male connector
- 10 pc 16-14 ga ring terminal 2-4L
- 10 pc 16-14 ga ring terminal 2-6
- 10 pc 16-14 ga female disconnect
- 18 pc 18-14 ga butt connect
- 10 pc 16-14 ga bullet male connect
- 12 pc 22-18 ga butt connect
- 10 pc 16-14 ga spade terminal 2-4M
- 4 pc 18-14 ga quick splice
- 8 pc 22-18 ga ring terminal 1.25-4
- 4 pc 22-18 ga quick splice
- 10 pc 16-14 ga bullet female disconnect



Item No.	Size	EAN	Inner	Outer
565451	160 pc	69426292+	6	24

60 PC MACHINERY KEY ASSORTMENT

- Square keys have chamfered ends for easy insertion into keyways
- 4 pc 1/8 x 1/8 x 3/4 in., 4 pc 1/8 x 1/8 x 1 in., 5 pc 3/16 x 3/16 x 3/4 in., 5 pc 3/16 x 3/16 x 1 in., 5 pc 3/16 x 3/16 x 1-1/4 in., 5 pc 1/4 x 1/4 x 3/4 in., 5 pc 1/4 x 1/4 x 1-1/4 in., 5 pc 1/4 x 1/4 x 1-1/2 in., 5 pc 5/16 x 5/16 x 1-1/4 in., 5 pc 5/16 x 5/16 x 1-1/2 in., 5 pc 3/8 x 3/8 x 1-1/4 in., 5 pc 3/8 x 3/8 x 1-1/2 in., 2 pc 1/2 x 1/2 x 1-1/2 in.



Item No.	Size	EAN	Inner	Outer
565433	60 pc	69426292+	6	24

151 PC EYE BOLT ASSORTMENT

- Eye screws: 60 pc 1-1/8 in., 12 pc 1-13/16 in., 12 pc 1-15/16 in.
- Hook screws: 50 pc 1-5/8 in., 12 pc 2-1/2 in., 5 pc 3-3/8 in.



Item No.	Size	EAN	Inner	Outer
565445	151 pc	69426292+	6	24

28 PC ELECTRICAL CLIP ASSORTMENT

- Repair broken leads on test equipment and chargers
- Make your own low-voltage jumper leads
- 6 pc 50 mm (2 in.) Alligator clips
- 10 pc mini alligator clips,
- 6 pc 38 mm (1-1/2 in.) alligator clips
- 2 pc 30 AMP charging clips,
- 2 pc 25 AMP charging clips
- 2 pc 10 AMP charging clips



Item No.	Size	EAN	Inner	Outer
565447	28 pc	69426292+	6	24

96 PC ATO FUSE ASSORTMENT

- Ideal for protecting the wiring and electronics of your vehicle
- 12 pc 3 A (Violet)
- 12 pc 7.5 A (Brown)
- 12 pc 15 A (Blue)
- 12 pc 25 A (Clear)
- 12 pc 5 A (Orange)
- 12 pc 10 A (Red)
- 12 pc 20 A (Yellow)
- 12 pc 30 A (Green)



Item No.	Size	EAN	Inner	Outer
565463	96 pc	69426292+	6	24

96 PC MINI FUSE ASSORTMENT

- Designed to fit fuse panels in many later-model vehicles
- 12 pc 3 A (Violet)
- 12 pc 7.5 A (Brown)
- 12 pc 15 A (Blue)
- 12 pc 25 A (Clear)
- 12 pc 5 A (Orange)
- 12 pc 10 A (Red)
- 12 pc 20 A (Yellow)
- 12 pc 30 A (Green)



Item No.	Size	EAN	Inner	Outer
565467	96 pc	69426292+	6	24

24 PC MAXI FUSE ASSORTMENT

- Great for use with truck and car stereo systems or power inverters that use high amperage
- 3 pc 20 A (Yellow)
- 3 pc 40 A (Orange)
- 3 pc 60 A (Blue)
- 3 pc 80 A (Clear)
- 3 pc 30 A (Green)
- 3 pc 50 A (Red)
- 3 pc 70 A (Tan)
- 3 pc 100 A (Purple)



Item No.	Size	EAN	Inner	Outer
565469	24 pc	69426292+	6	24

16 PC DRIVER BIT SET

- 12 pc 25 mm (1 in.) CR-V bits
- #1, #2
- 4.5, 5.5 mm
- #1, #2
- T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 50 mm (2 in.) CR-V bits
- #2 x 2
- 1 pc quick change chuck
- 1 pc stubby bit handle

Item No.	Size	EAN	Inner	Outer
900016	16 pc	69426292+	0017 8	6 48

32 PC DRIVER BIT SET

- 30 pc CR-V bits
- #1 x 3, #2 x 3, #3 x 3
- 4.5, 5.5, 6.5 mm
- #1 x 3, #2 x 3, #3 x 3
- T-10, T-15, T-20, T-25, T-30, T-40
- 1 pc quick change chuck
- 1 pc stubby bit handle

Item No.	Size	EAN	Inner	Outer
900017	32 pc	69426292+	0018 5	6 36

29 PC STUBBY TOOL SET (METRIC)

- 10 pc CR-V bits
- #1, #2, #3
- 4, 5, 6 mm
- T-15, T-20
- 3, 6 mm
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc stubby pipe & adjustable wrench
- 1 pc 280 g (10 oz.) stubby claw hammer
- 1 pc ratchet screwdriver
- 1 pc 1/4 in.-3/8 in. Dr. stubby ratchet handle
- 1 pc 115 mm (4-1/2 in.) mini linesman pliers
- 4 pc 3/8 in. Dr. sockets: 13, 14, 15, 17 mm



Item No.	Size	EAN	Inner	Outer
900053	29 pc	69426292+	0230 1	0 6

STUBBY RATCHET HANDLE



Item No.	Size	EAN	Inner	Outer
900060	1/4 in. & 3/8 in. Dr.	69426292+	0240 0	12 24

2-IN-1 STUBBY WRENCH



Item No.	Size	EAN	Inner	Outer
900061	2-in-1	69426292+	0241 7	12 24

7-IN-1 STUBBY PIVOTING RATCHET SCREWDRIVER

- 6 pc CR-V bits: #1, #2, #3
- 4, 5, 6 mm (Metric)
- 5/32, 3/16, 1/4 in. (SAE)
- 1 pc pivoting ratchet screwdriver



Item No.	Size	EAN	Inner	Outer
900168	Metric	69426292+	2618 5	12 48

DUAL FUNCTION ADJUSTABLE WRENCH



Item No.	Size	EAN	Inner	Outer
900064		69426292+	0244 8	12 48

STUBBY RATCHET HANDLE



Item No.	Size	EAN	Inner	Outer
900065	3/8 in. & 1/2 in. Dr.	69426292+	9029 2	12 24

STUBBY HAMMER



Item No.	Size	EAN	Inner	Outer
900062		69426292+	0242 4	12 24

6-IN-1 STUBBY RATCHET SCREWDRIVER

- 5 pc CR-V bits
- #0, #1, #2
- 3/16, 1/4 in. (5, 6 mm)



Item No.	Size	EAN	Inner	Outer
900063	6-in-1	69426292+	0243 1	16 48

2 PC STUBBY TOOL SET

- 1 pc dual head 1/4 in. & 3/8 in. Dr. stubby ratchet handle
- 1 pc adjustable wrench/pipe wrench



Item No.	Size	EAN	Inner	Outer
900107	2 pc	69426292+	3094 6	6 24

2 PC MULTI PLIERS & TORCH SET

- 12-in-1 multi pliers
- 210 Lumens LED torch



Item No.	Size	EAN 69426292+	Inner	Outer
900056	2 pc	0233 2	6	24

3 PC TOOL SET


- 1 pc multi-function pliers
- 1 pc folding knife
- 1 pc 6-in-1 screwdriver



Item No.	Size	EAN 69426292+	Inner	Outer
900111	3 pc	3997 0	6	24

2 PC CHISEL TIP MARKER

- Non-slip bi-material handle
- Durable chisel tip
- Permanent ink writes on wet/oily surfaces



Item No.	Size	EAN 69426292+	Inner	Outer
900092	2 pc	0623 1	10	100

38 PC RATCHET DRIVER SET

- 27 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - 1.5, 2, 2.5, 3, 4, 5, 6 mm
 - ⊗ #0, #1, #2, #3
 - ⊙ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc ratchet driver



Item No.	Size	EAN 69426292+	Inner	Outer
900079	38 pc	0725 2	6	24

27 PC FINGER RATCHET SET

- 19 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 6 mm
 - 2.5, 3, 4, 5, 6 mm
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 5 pc 1/4 in. Dr. sockets: 5.5, 7, 8, 10, 12 mm
- Ratchet driver
- Driver handle
- 1 pc 1/4 in. Dr. adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900207	27 pc	1422 9	6	24

8-IN-1 PALM DRIVER

- 6 pc CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 5/32, 3/16, 1/4 in. (SAE)
- 1 pc 70 mm (2-3/4 in.) extension bar
- 1 pc palm driver



Item No.	Size	EAN 69426292+	Inner	Outer
900241	8-in-1	2851 6	9	18

3 PC TORQ DRIVER SET

- 1 pc Torq driver
- 1 pc 75 mm (3 in.) extension bar
- 1 pc 150 mm (6 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900209	3 pc	1423 6	6	24

25 PC STUBBY TORQ DRIVER SET (METRIC)

- 16 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2 x 2, #3
 - ⊖ 4, 5, 6 mm
 - 3, 6 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-10, T-15, T-20
- 6 pc 1/4 in. Dr. socket sets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 90 mm (3-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. adaptor
- 1 pc stubby Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900225	25 pc	1742 8	6	24

46 PC TORQ DRIVER SET

- 24 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 5, #3
 - ⊖ 5/32, 3/16, 1/4 in.
 - ⊗ #1, #2, #3
 - ⊙ #1, #2, #3
 - 1/8, 1/4 in.
 - ⊙ T-10, T-15, T-20, T-25, T-30
- 20 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900226	46 pc	1743 5	6	12

55 PC STUBBY TOOL SET

- 32 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 5, #3
 - ⊖ 4, 5, 6, 7 mm
 - 2, 2.5, 3, 4, 5, 5.5, 6 x 2 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- Stubby ratchet screwdriver
- Stubby adjustable wrench
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19 mm
- 3/8 in. (F) x 1/4 in. (M) adaptor
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. socket/bit adaptor
- 60 mm (2-3/8 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900154	55 pc	0850 1	6	12

46 PC STUBBY TOOL SET


- 20 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - 3, 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
 - ⊗ #1, #2, #3
 - ⊙ T-10, T-20, T-30
- Stubby adjustable wrench
- Stubby ratchet screwdriver
- 18 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 4 pc 3/8 in. Dr. sockets: 13, 14 mm; 1/2, 9/16 in.
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- 3/8 in. (F) x 1/4 in. (M) adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900155	46 pc	5017 3	6	12

40 PC STUBBY TOOL SET

- 31 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊖ 3, 4, 5, 6, 7 mm
 - 2, 2.5, 3, 4, 5, 6 mm
 - ⊗ #1, #2 x 2, #3
 - ⊙ T-10, T-15, T-20, T-25, T-27
 - ⊙ #0, #1, #2, #3
- 1/4 in. Dr. bit/socket adaptor
- Stubby ratchet screwdriver
- 5 pc 1/4 in. Dr. sockets: 4, 5, 6, 8, 10 mm
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. Ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
900161	40 pc	1403 8	6	18

60 PC STUBBY TOOL SET

- 39 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - ⊗ #0, #1, #2 x 2, #3
 - ⊙ #0, #1, #2, #3
 - 2, 3, 4, 5, 6 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.
 - ⊙ T-8, T-10 x 2, T-15 x 2, T-20 x 2, T-25, T-27, T30
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 4 pc 3/8 in. Dr. sockets: 13, 14, 15, 16 mm
- 1 pc 3/8 in. (F) x 1/4 in. (M) adaptor
- 1 pc bit/socket adaptor
- 1 pc 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 1 pc stubby adjustable wrench
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc stubby ratchet screwdriver
- 1 pc 1/4 & 3/8 in. Dr. dual head stubby ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
900191	60 pc	6050 9	6	12

14 PC DRAWER TOOL SET

- 1 pc multi opener
- 1 pc 9 mm snap off knife
- 3 pc 9 mm knife blades
- 1 pc 215 mm (8-1/2 in.) scissors
- 1 pc 160 mm (6 in.) linesman plier
- 1 pc 150 mm (6 in.) torpedo level
- 1 pc 3.5 m (12 ft.) tape measure
- 2 pc screwdrivers:
 - ⊕ #2, ⊖ 6 mm
- 2 pc precision screwdrivers:
 - ⊕ #0, ⊖ 2.4 mm
- 1 pc 225 g (8 oz.) claw hammer



Item No.	Size	EAN 69426292+	Inner	Outer
900163	14 pc	1648 3	0	6

103 PC RATCHET DRIVER & BIT SET

- 62 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0 x 3, #1 x 3, #2 x 3, #3 x 3
 - ⊖ 3 mm x 3, 4 mm x 3, 5 mm x 3, 6 mm x 3, 7 mm x 3
 - 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm
 - ⊗ #0 x 3, #1 x 3, #2 x 3, #3 x 3
 - ⊙ T-10 x 3, T-15 x 2, T-20 x 3, T-25 x 2, T-27 x 2, T-30 x 2, T-40 x 2
- 40 pc 50 mm (2 in.) CR-V bits:
 - ⊕ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊖ 3 mm x 2, 4 mm x 2, 5 mm x 2, 6 mm x 2, 7 mm
 - 2.5 mm, 3 mm, 4 mm x 2, 5 mm x 2, 6 mm x 2
 - ⊗ #0, #1 x 2, #2 x 2, #3 x 2
 - ⊙ T-10 x 2, T-15, T-20 x 2, T-25, T-27, T-30, T-40
- 1 pc ratchet driver



Item No.	Size	EAN 69426292+	Inner	Outer
900165	103 pc	1775 6	0	8



22 PC PRECISION TOOL SET

- 1 pc precision screwdriver
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 20 pc 4 x 28 mm precision bits (ni-plated):
 - ⊖ 1.5, 2, 2.5, 3 mm ⊕ #000, #00, #0, #1
 - ⊖ 1.5, 2, 2.5, 3, 4 mm
 - ⊕ T-6, T-7, T-8, T-9, T-10, T-15, T-20



Item No.	Size	EAN	Inner	Outer
900122	22 pc	69426292+	6	24
8429 1				

23 PC STUBBY TOOL SET

- 1 pc mini ratchet driver
- 1 pc bit adaptor
- 15 pc 25 mm (1 in.) bits:
 - ⊖ 3, 4, 5, 6 mm ⊕ #0, #1, #2, #3
 - ⊕ #1, #2 ⊕ T-15, T-20 ⊖ 4, 5, 6 mm
- 6 pc sockets: 5, 6, 7, 8, 9, 10 mm



Item No.	Size	EAN	Inner	Outer
900123	23 pc	69426292+	6	24
8430 7				

71 PC BIT SET

- 1 pc ratchet driver
- 60 pc 25 mm (1 in.) CR-V bits:
 - ⊖ 3, 4, 5, 6, 7 mm ⊕ #0, #1, #2 x 3, #3
 - ⊕ T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ #0, #1, #2, #3
 - ⊖ 1/16, 3/32, 7/64, 1/8, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in., 2, 2.5, 3 x 2, 4, 5 x 2, 5.5, 6 x 2 mm
 - ⊕ T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
- 1 pc bit/socket adaptor
- 8 pc 50 mm (2 in.) CR-V bits:
 - ⊕ #0, #1, #2, #3 ⊖ 3, 4, 5, 6 mm
- 1 pc 50 mm (2 in.) extension bar



Item No.	Size	EAN	Inner	Outer
900179	71 pc	69426292+	6	12
6246 6				

57 PC DRIVER BIT SET

- 1 pc precision bit handle
- 1 pc ratchet screwdriver handle
- 1 pc 50 mm (2 in.) extension bar
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 20 pc CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.5 mm ⊕ #000, #00, #0, #1
 - ⊕ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10
 - ⊖ 0.9, 1.3, 1.5, 2.0, 2.5 mm
- 23 pc 25 mm (1 in.) CR-V bits:
 - ⊖ 4, 5, 6, 7 mm ⊕ #0, #1, #2, #3
 - ⊕ T-10, T-15, T-20, T-25, T-30, T-40
 - ⊕ #0, #1, #2, #3 ⊖ 2, 3, 4, 5, 6 mm
- 1 pc bit/socket adaptor



Item No.	Size	EAN	Inner	Outer
900180	57 pc	69426292+	6	12
6526 9				

48 PC RATCHET T-HANDLE SET

- 36 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1 x 2, #2 x 3, #3 x 2
 - ⊖ 3 mm x 2, 4 mm x 2, 5 mm x 3, 6 mm x 2
 - ⊕ #1 x 2, #2 x 3, #3 x 2
 - ⊖ 2.5, 3, 4, 5, 6 mm
 - ⊕ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900181	48 pc	69426292+	6	12
5249 8				

43 PC RATCHET T-HANDLE SET

- 22 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1 x 2, #2 x 2, #3 x 2;
 - ⊖ 4, 5, 6 mm; ⊖ 2.5, 3, 4, 5, 5.5, 6 mm;
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 18 pc 1/4 in. Dr. sockets:
 - 4, 5, 6, 7, 8, 9, 10, 11, 12 mm;
 - 5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900182	43 pc	69426292+	6	12
5251 1				

32 PC MINI RATCHET T-HANDLE SET

- 11 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3; ⊖ 4, 6 mm; ⊕ #1, #2;
 - ⊖ 3, 6 mm ⊕ T-15, T-20
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc mini ratchet T-driver
- 1 pc precision bit adaptor
- 10 pc CR-V precision bits:
 - ⊕ #00, #0; ⊖ 2, 3 mm; ⊕ #0, #1;
 - ⊖ 2, 2.5 mm; ⊕ T-7, T-10



Item No.	Size	EAN	Inner	Outer
900183	32 pc	69426292+	6	24
0285 1				

24 PC MINI RATCHET T-HANDLE SET

- 15 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2, #3;
 - ⊖ 4, 5, 6 mm;
 - ⊕ #1, #2, #3;
 - ⊖ T-10, T-15, T-20;
 - ⊖ 3, 6 mm
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc mini ratchet T-driver



Item No.	Size	EAN	Inner	Outer
900184	24 pc	69426292+	6	24
0286 8				

32 PC MINI RATCHET T-HANDLE SET

- 12 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 5/32, 3/16, 1/4 in.
 - ⊕ #1, #2
 - ⊖ 1/8, 1/4 in.
 - ⊕ T-15, T-20
- 6 pc 1/4 in. Dr. sockets:
 - 3/8, 5/16, 9/32, 1/4, 3/16, 5/32 in.
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc 100 mm (4 in.) extension bar
- 1 pc mini ratchet T-handle
- 1 pc precision bit adaptor



Item No.	Size	EAN	Inner	Outer
900238	32 pc	69426292+	6	24
2845 5				

31 PC RATCHET T-HANDLE SET

- 8 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 12 mm
- 1 pc socket/bit adaptor
- 20 pc 25 mm (1 in.) CR-V bits:
 - ⊕ #0, #1, #2, #2, #3
 - ⊖ 3, 4, 5, 6, 6 mm
 - ⊕ T-10, T-15, T-20, T-25, T-30, T-40
 - ⊖ 3, 4, 5, 6 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-handle



Item No.	Size	EAN	Inner	Outer
900984	31 pc	69426292+	6	12
4882 8				

45 PC HOME USE TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 9 mm snap off knife
- 10 pc 9 mm knife blades
- 140 mm (5-1/2 in.) VDE voltage detector
- 3.5 m (12 ft.) tape measure
- 100 mm (4 in.) screwdriver handle
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 20 pc bits:
 - ⊖ 4, 5, 6 mm ⊕ #1, #2, #3
 - ⊕ #1, #2, #3 ⊖ 3, 4, 5, 6 mm
 - ⊕ T-10, T-15, T-20, T-25, T-27, T-30, T-40



Item No.	Size	EAN	Inner	Outer
900192	45 pc	69426292+	0	8
6698 3				

24 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 3.5 m (12 ft.) tape measure
- 225 g (8 oz.) claw hammer
- 9 mm snap off knife
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 10 pc bits:
 - ⊖ 5, 6 mm ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm ⊕ T-15, T-20
- Zipper case included



Item No.	Size	EAN	Inner	Outer
900194	24 pc	69426292+	0	12
1424 3				

39 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- 160 mm (6 in.) long nose pliers
- 160 mm (6 in.) diagonal pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 20 pc bits
- 4 pc precision screwdrivers
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- Utility knife



Item No.	Size	EAN	Inner	Outer
900196	39 pc	69426292+	8999 9	0 8

21 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc tweezer
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 16 pc H4 x 28 mm CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.0, 2.5, 3.0 mm
 - ⊕ #000, #00, #0
 - ⊗ T-4, T-5, T-6, T-7
 - ⊗ T-8, T-9, T-10, T-15



Item No.	Size	EAN	Inner	Outer
900404	21 pc	69426292+	9022 3	8 16

34 PC SCREWDRIVER SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊖ 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- Ratchet driver
- 5 pc precision screwdrivers:
 - ⊕ #00, #0
 - ⊖ 1.4, 2.0, 3.0 mm
- 5 pc screwdrivers:
 - ⊕ #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
 - ⊖ 3 x 75 mm (1/8 x 3 in.)
 - 5 x 100 mm (3/16 x 4 in.)
 - 6 x 100 mm (1/4 x 4 in.)
- 2 pc stubby screwdrivers:
 - ⊕ #2 x 38 mm (1-1/2 in.)
 - ⊖ 6 x 38 mm (1/4 x 1-1/2 in.)



Item No.	Size	EAN	Inner	Outer
900401	34 pc	69426292+	9348 4	6 12

28 PC GENERAL TOOL SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊖ 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- 225 g (8 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- Ratchet driver
- 150 mm (6 in.) adjustable wrench
- 150 mm (6 in.) torpedo level
- 9 mm snap off knife
- 160 mm (6 in.) linesman pliers



Item No.	Size	EAN	Inner	Outer
900402	28 pc	69426292+	9349 1	6 12

39 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper
- 1 pc tweezer
- 4 pc precision screwdrivers:
 - ⊖ 1.4, 2.0 mm
 - ⊕ #00, #0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 28 pc H4 x 28 mm CR-V precision bits:
 - ⊖ 1.0, 1.5, 2.0, 2.5, 3.0 mm
 - ⊕ #000, #00, #0, #1
 - ⊗ T-3, T-4, T-5, T-6, T-7
 - ⊕ T-8, T-9, T-10
 - ⊖ 0.9, 1.3, 1.5, 2.0, 2.5 mm
 - ⊖ 2.0, 3.0
 - ⊗ Y20
 - ⊗ 0.8, 1.2, 1.5



Item No.	Size	EAN	Inner	Outer
900405	39 pc	69426292+	9023 0	6 12

2 PC UNIVERSAL WRENCH SET

- Big universal wrench:
 - 5~15~27 mm (3/16~19/32~1-1/16 in.)
- Small universal wrench:
 - 5~11~16 mm (3/16~7/16~5/8 in.)
- Fits Metric or SAE fasteners



Item No.	Size	EAN	Inner	Outer
900302	2 pc	5904 6	6 12	

14 PC SEE-THROUGH SOCKET SET

- 10 pc see-through spline sockets: 10 mm (3/8 in.), 11 mm (7/16 in.), 12 mm (15/32 in.), 13 mm (1/2 in.), 14 mm (9/16 in.), 15 mm (19/32 in.), 16 mm (5/8 in.), 17 mm (11/16 in.), 18 mm (23/32 in.), 19 mm (3/4 in.)
- 1 pc 75 mm (3 in.) see-through extension
- 1 pc quick release adaptor for use with regular sockets
- 1 pc socket adaptor for use with regular ratchet handle
- 1 pc see-through ratchet wrench



Item No.	Size	EAN	Inner	Outer
900314	14 pc	5906 0	6 12	

43 PC STUBBY TOOL SET

- 23 pc CR-V bits:
 - ⊕ #0, #1, #2 x 2, #3
 - ⊖ 1/8, 5/32, 3/16 x 2, 1/4 in.
 - ⊖ 1/8, 5/32, 3/16, 7/32 in.
 - ⊕ #1, #2, #3
 - ⊗ T-10, T-15, T-20, T-25, T-27, T-30
- 16 pc 1/4 in. Dr. sockets:
 - 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
 - 4, 5, 6, 7, 8, 9, 10, 11 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 2-3/8 in. extension bar
- 1 pc 3 in. extension bar
- Stubby ratchet handle



Item No.	Size	EAN	Inner	Outer
900236	43 pc	69426292+	2842 4	6 12

2 PC UNIVERSAL QUICK SNAP WRENCH SET

- Small wrench: 9-22 mm (3/8 in.-7/8 in.)
- Big wrench: 23-32 mm (7/8 in.-1-1/4 in.)
- Non-slip bi-material handle
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work



Item No.	Size	EAN	Inner	Outer
900304	2 pc	8094 1	6 12	

UNIVERSAL QUICK SNAP WRENCH SMALL

- 9-22 mm (3/8-7/8 in.)
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work
- Non-slip bi-material handle



Item No.	Size	EAN	Inner	Outer
900305	9-22 mm (3/8-7/8 in.)	8313 3	6 36	

15 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 160 mm (6 in.) long nose pliers
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc 9 mm snap off knife
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910023	15 pc	69426292+	8308 9	0 10

30 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 8 pc hex keys: 1.5-6 mm
- 8 pc 1/4 in. Dr. sockets: 5-12 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 50 mm extension bar
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910024	30 pc	69426292+	9764 2	0 10

6 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 3.5 m (12 ft.) tape measure
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc Slotted screwdriver 6 x 100 mm (1/4 x 4 in.)
- 1 pc PH screwdriver #2 x 100 mm (4 in.)
- 1 pc 9 mm snap off knife
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN	Inner	Outer
910025	6 pc	69426292+	4050 1	0 10

54 PC TOOL SET

- 1/4 in. Dr. 72 tooth CR-V ratchet handle
- 3/8 in. (M) x 1/4 in. (F) adaptor
- 1/4 in. Dr. x 75 mm extension bar
- 31 pc CR-V bits:
 - ⊕ #0, #1, #2, #3
 - ⊖ 3, 4, 5, 6, 7 mm
 - ⊙ 2, 2.5, 3, 4, 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊙ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
 - ⊙ #0, #1, #2, #3
- 10 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19 mm
- Ratchet screwdriver handle
- 1/4 in. Dr. bit/socket adaptor
- 60 mm (2-1/4 in.) bit extension bar
- 150 mm (6 in.) adjustable wrench



Item No.	Size	EAN	Inner	Outer
910102	54 pc	69426292+	1592 9	6 12

13-IN-1 MULTI-TOOL IN WATERPROOF BOX

- Long nose pliers
- Regular pliers
- Hard wire cutter
- Bottle opener & large slotted screwdriver
- Saw
- Small slotted screwdriver
- Awl
- Medium slotted screwdriver
- Phillips screwdriver
- Nail file & cleaner



Item No.	Size	EAN	Inner	Outer
911001	13-in-1	69426292+	8876 3	12 48

15 PC TOOL SET


- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) CR-V linesman pliers
- Magnetic bit holder
- 150 mm (6 in.) adjustable wrench
- 10 pc CR-V bits:
 - ⊖ 5, 6 mm
 - ⊕ #1, #2, #3
 - ⊙ 4, 5, 6 mm
 - ⊙ T-15, T-20
- 9 mm snap-off knife



Item No.	Size	EAN	Inner	Outer
910101	15 pc	69426292+	1590 5	6 12

15-IN-1 MULTI KNIFE IN WATERPROOF BOX

- Bottle & can opener
- Knife
- Wood saw
- Fish scaler & hook remover
- Scissors
- Corkscrew
- Wire stripper
- Nail file & cleaner
- Phillips screwdriver
- Leather punch
- Bottle opener & screwdriver



Item No.	Size	EAN	Inner	Outer
911004	15-in-1	69426292+	8879 4	12 48

MULTI-FUNCTION KNIFE

- Knife
- Scissors
- Bottle opener
- Small slotted screwdriver
- Can opener
- Medium slotted screwdriver
- Stripper
- Leather punch
- Corkscrew



Item No.	Size	EAN	Inner	Outer
950009	9-in-1	69426292+	5961 0	6 36

6 PC BALL END HEX KEY 24/CAN

- 2, 2.5, 3, 4, 5, 6 mm



Item No.	Size	EAN	Inner	Outer
916001	24/can	69426292+	8066 8	24 144

6 PC TORX KEY 24/CAN

- T-9, T-10, T-15, T-20, T-25, T-30



Item No.	Size	EAN	Inner	Outer
916002	24/can	69426292+	8067 5	24 144

MINI FOLDING KNIFE 50/CAN



Item No.	Size	EAN	Inner	Outer
916003	50/can	69426292+	8260 0	50 300

POCKET ALUMINUM LEVEL 40/CAN



Item No.	Size	EAN	Inner	Outer
916004	40/can	69426292+	8798 8	40 240

SURVIVAL MULTI-FUNCTION TOOL SET

- Slide multi-tool with nylon pouch
- 3 W CREE LED torch
- 3 pc AAA batteries included



Item No.	Size	EAN	Inner	Outer
950025		69426292+	5188 0	6 12

TRAVELER MULTI-FUNCTION TOOL SET

- LED torch with 12 V auto cigarette adapter
- Mini multi-tool with nylon pouch



Item No.	Size	EAN	Inner	Outer
950026		69426292+	5189 7	6 24

SKELETON MULTI-FUNCTION TOOL SET

- 9-in-1 multi-tool with nylon pouch
- 150 LM LED torch
- 2 pc AA batteries included



Item No.	Size	EAN	Inner	Outer
950028		69426292+	7183 3	6 24

MAGNETIC BLUETOOTH SPEAKER

- Built-in rechargeable li-battery
- Belt clip with magnet
- IP55 water resistant

CE RoHS FC



Item No.	Size	EAN	Inner	Outer
950151	97 (L) x 91 (H) x 56 (W)	69426292+	8421 5	6 12


40 PC TOOL BOX SET

- 19 pc CR-V bits:
 - ⊕ #1, #2, #3
 - ⊖ 4, 5, 6 mm
 - ⊙ #1, #2, #3
 - ⊙ 3, 4, 5 mm
 - ⊙ #1, #2, #3
 - ⊙ T-10, T-15, T-20, T-30
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 90 mm (3-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1 pc stubby ratchet driver
- 15 pc 1/4 in. Dr. sockets: 4, 4.5, 5 x 2, 5.5, 6 x 2, 7, 8 x 2, 9, 10 x 2, 11, 12 mm
- 1 pc stubby ratchet handle
- 1 pc 50 cm (19 in.) tool box



Item No.	Size	EAN	Inner	Outer
990009	40 pc	69426292+	9262 3	0 10


EASY DISPLAY SET UP:



Item No.	QP height (cm)	QP QTY/ pallet	Pallet height (cm)	EU Pallet QTY	US Pallet QTY	AU Pallet QTY
QP #1	51	8	115	176	384	144
QP #2	61	4	74	132	288	108
QP #3	78	4	91	88	192	72
QP #4	71	4	84	88	192	72
QP #5	100	4	113	88	192	72




EASY DISPLAY SET UP:



TACTIX PRO PLIERS

- Chrome-Nickel steel for maximum durability
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorberency
- Meets or exceeds DIN standards



The high leverage design is 25%+ more efficient than standard pliers

TACTIX PRO LONG NOSE PLIERS

CR-NI



Item No.	Size	EAN	Inner	Outer
201501P	160 mm (6 in.)	69426292+ 6133 9	6	36
201503P	205 mm (8 in.)	6134 6	6	24

TACTIX PRO DIAGONAL PLIERS

CR-NI



Item No.	Size	EAN	Inner	Outer
201505P	160 mm (6 in.)	69426292+ 6135 3	6	36
201507P	190 mm (7-1/2 in.)	6136 0	6	24

TACTIX PRO LINESMAN PLIERS

CR-NI



Item No.	Size	EAN	Inner	Outer
201511P	190 mm (7-1/2 in.)	69426292+ 6137 7	6	24
201513P	215 mm (8-1/2 in.)	6138 4	6	24

TACTIX PRO END NIPPER

CR-NI



Item No.	Size	EAN	Inner	Outer
201523P	190 mm (7-1/2 in.)	69426292+ 6139 1	6	24


TACTIX PRO AUTO-GRIP GROOVE JOINT PLIERS

- Auto-grip function adjusts lower jaw 4X faster than traditional groove joint pliers
- Chrome-Vanadium steel
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorberency
- Meets or exceeds DIN standards

CR-V



Item No.	Size	EAN	Inner	Outer
201533P	250 mm (10 in.)	69426292+ 6538 4	6	24
201534P	300 mm (12 in.)	6539 1	6	12





TACTIX PRO SCREWDRIVERS

- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increases grip and leverage
- S3+ steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Magnetic tip
- Meets or exceeds DIN standards

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205300P	0.4 x 2.5 x 75 mm (3/32 x 3 in.) E-TIP	6059 2	6	72
205301P	0.5 x 3.0 x 75 mm (1/8 x 3 in.) E-TIP	6060 8	6	72
205303P	0.8 x 4.0 x 100 mm (5/32 x 4 in.) E-TIP	6062 2	6	72

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205305P	1.0 x 5.5 x 38 mm (1/4 x 1-1/2 in.)	6064 6	6	72
205306P	1.0 x 5.5 x 100 mm (7/32 x 4 in.)	6065 3	6	72
205310P	1.2 x 6.5 x 100 mm (1/4 x 4 in.)	6069 1	6	72
205313P	1.2 x 8.0 x 150 mm (5/16 x 6 in.)	6072 1	6	60
205315P	1.6 x 10 x 200 mm (3/8 x 8 in.)	6074 5	6	60

TACTIX PRO PHILLIPS SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205322P	#0 x 75 mm (3 in.)	6076 9	6	72
205325P	#1 x 100 mm (4 in.)	6079 0	6	72
205326P	#2 x 38 mm (1-1/2 in.)	6080 6	6	72
205327P	#2 x 100 mm (4 in.)	6081 3	6	72
205330P	#3 x 150 mm (6 in.)	6084 4	6	60

TACTIX PRO POZI SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205341P	#0 x 75 mm (3 in.)	6087 5	6	72
205344P	#1 x 100 mm (4 in.)	6090 5	6	72
205345P	#2 x 38 mm (1-1/2 in.)	6091 2	6	72
205346P	#2 x 100 mm (4 in.)	6092 9	6	72
205348P	#3 x 150 mm (6 in.)	6094 3	6	60


TACTIX PRO TORX® SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205351P	T-8 x 75 mm (3 in.)	6095 0	6	72
205352P	T-10 x 75 mm (3 in.)	6096 7	6	72
205353P	T-15 x 100 mm (4 in.)	6097 4	6	72
205354P	T-20 x 100 mm (4 in.)	6098 1	6	72
205355P	T-25 x 100 mm (4 in.)	6099 8	6	72
205356P	T-27 x 125 mm (5 in.)	6100 1	6	72
205357P	T-30 x 125 mm (5 in.)	6101 8	6	72
205358P	T-40 x 150 mm (6 in.)	6102 5	6	60


TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO 9 PC BALL END LONG HEX KEY SET



Item No.	Size	EAN 69426292+	Inner	Outer
206503P	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6021 9	6	36
206504P	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6022 6	6	36

TACTIX PRO 9 PC LONG TORX® KEY SET



Item No.	Size	EAN 69426292+	Inner	Outer
206505P	T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50	6023 3	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO ADJUSTABLE WRENCH

- Torque ridge handle design creates a high leverage comfortable grip
- Meets 1.3X DIN torque standard




Item No.	Size	Max opening mouth	EAN 69426292+	Inner	Outer
210061P	150 mm (6 in.)	24 mm (15/16 in.)	6024 4	6	36
210063P	200 mm (8 in.)	30 mm (1-3/16 in.)	6025 1	6	36
210065P	250 mm (10 in.)	36 mm (1-3/8 in.)	6026 8	6	24
210067P	300 mm (12 in.)	44 mm (1-3/4 in.)	6027 5	6	12

TACTIX PRO T-HANDLE KEY

- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increase grip and leverage
- S3+ steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Meets or exceeds DIN standards

TACTIX PRO BALL END T-HANDLE HEX KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206401P	2 mm	5975 6	6	60
206402P	2.5 mm	5976 3	6	60
206403P	3 mm	5977 0	6	60
206405P	4 mm	5978 7	6	60
206407P	5 mm	5979 4	6	60
206409P	6 mm	5980 0	6	36
206411P	7 mm	5981 7	6	36
206413P	8 mm	5982 4	6	36
206415P	10 mm	5983 1	6	36
206421P	5/64 in.	5984 8	6	60
206423P	3/32 in.	5985 5	6	60
206425P	1/8 in.	5986 2	6	60
206427P	5/32 in.	5987 9	6	60
206429P	3/16 in.	5988 6	6	60
206431P	1/4 in.	5989 3	6	36
206433P	5/16 in.	5990 9	6	36
206435P	3/8 in.	5991 6	6	36


TACTIX PRO T-HANDLE TORX® KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206441P	T-9	5992 3	6	60
206442P	T-10	5993 0	6	60
206443P	T-15	5994 7	6	60
206444P	T-20	5995 4	6	60
206445P	T-25	5996 1	6	60
206446P	T-27	5997 8	6	36
206447P	T-30	5998 5	6	36
206448P	T-40	5999 2	6	36
206449P	T-45	6000 4	6	36
206450P	T-50	6001 1	6	36


TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO 7 PC BALL END T-HANDLE HEX SET



Item No.	Size	EAN 69426292+	Inner	Outer
206457P	2.5, 3, 4, 5, 6, 8, 10 mm	6002 8	6	12
206458P	3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6003 5	6	12

TACTIX PRO 7 PC T-HANDLE TORX® SET



Item No.	Size	EAN 69426292+	Inner	Outer
206459P	T-10, T-15, T-20, T-25, T-27, T-30, T-40	6004 2	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



50% larger striking face than traditional head.

TACTIX PRO CLAW HAMMER

- Shock absorbing forged design
- Precision forged head
- Durable one-piece construction
- Oversized striking face
- Ergonomic design, non-slip 3 color handle
- Meets or exceeds DIN standards



Item No.	Size	EAN 69426292+	Inner	Outer
221805P	450 g (16 oz.)	7108 6	6	12

28 PC STUBBY RATCHET SET


- 20 pc S2 color bits:
 - 4, 5.5, 6.5 mm; ● #1, 2, 3; ● #1, 2, 3;
 - 3, 4, 5, 6 mm; ● T10, T15, T20, T25, T27, T30, T40
- 1 pc CR-V bit socket adapter
- 5 pc 1/4 in. Dr. CR-V sockets: 4, 5, 6, 8, 10 mm
- 1 pc 1/4 in. Dr. stubby ratchet handle
- 1 pc stainless steel quick chuck



Item No.	Size	EAN 69426292+	Inner	Outer
555928P	28 pc	5633 5	12	24

PRECISION
TOOLS

PRECISION SCREWDRIVERS



5 PC PRECISION SCREWDRIVER SET

- #00, #0
- 0.8, 1.5, 2.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545223	5 pc	69426292+	1899 9	6 36

6 PC PRECISION SCREWDRIVER BOX SET

- #0, #1
- 2.0, 3.0 mm
- T-8, T-10

S2



Item No.	Size	EAN	Inner	Outer
545218	6 pc	69426292+	4155 3	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET

- #00, #0 & #1
- 2.0, 2.5, 3.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545221	6 pc	69426292+	1898 2	6 36

7 PC PRECISION SCREWDRIVER BOX SET

- #00, #0 & #1
- 1.5, 2.5, 3.0 mm
- T-6

S2



Item No.	Size	EAN	Inner	Outer
545231	7 pc	69426292+	1903 3	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET

- #00, #0
- 1.5, 2.0, 2.5, 3.0 mm

S2



Item No.	Size	EAN	Inner	Outer
545551	6 pc	69426292+	6037 0	6 36

6 PC TORX PRECISION SCREWDRIVER BOX SET

- T-5, T-6, T-7, T-8, T-9 & T10

S2



Item No.	Size	EAN	Inner	Outer
545557	6 pc	69426292+	6038 7	6 36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

11 PC MOBILE PHONE TOOL BOX SET

- #0 2.0 mm
- T-5, T-6 & T8
- 1 pc organizer
- 2 pc shell opener
- 3 pc special screwdriver.

S2



Item No.	Size	EAN	Inner	Outer
545571	11 pc	69426292+	6041 7	6 24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC PRECISION SCREWDRIVER BOX SET

- #00, #0, #1
- 0.8, 1.0, 1.5, 2.0, 2.5, 3.0 mm
- T-6, T-7, T-8, T-9 & T10
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545575	15 pc	69426292+	6042 4	6 24



PRECISION

32 PC PRECISION SCREWDRIVER BIT BOX SET

- 30 pc bits:
- ⊕ #000, #00, #0 & #1
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5 & 4.0
- ⊗ #0, #1
- ⊙ T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0 & 4.0 mm
- 1 pc 115 mm (4-1/2 in.) extension bar
- 1 pc precision screwdriver handle



Item No.	Size	EAN	Inner	Outer
545532	32 pc	69426292+	6	36

44 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ⊙ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ⊗ 2.0, 3.0
- ⊙ Y2.0
- ⊗ 0.8, 1.2, 1.5
- ⊙ U2.6
- ⊙ R0.8

S2



Item No.	Size	EAN	Inner	Outer
545601	44 pc	69426292+	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

20 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc suction cup
- 12 pc H4 x 28 mm S2 Precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ⊗ 0.8, 1.2
- ⊙ T-4, T-5, T-6, T-7, T-8 & T-10
- ⊗ 2.0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc sim card ejector
- 1 pc triangle paddle
- 1 pc organizer



Item No.	Size	EAN	Inner	Outer
545603	20 pc	69426292+	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc triangle paddle
- 8 pc H4 x 45 mm S2 precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ⊗ 0.8
- ⊙ T-4, T-5 & T-6
- ⊗ Y2.0
- 1 pc suction cup
- 1 pc sim card ejector
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545605	15 pc	69426292+	6	36

53 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 2 pc precision screwdrivers: ⊕ 0.8 ⊕ #00
- 2 pc plastic opening sticks
- 1 pc suction cup
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ⊙ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ⊗ 2.0, 3.0
- ⊙ Y2.0
- ⊗ 0.8, 1.2, 1.5
- ⊙ R0.8
- 1 pc sim card ejector
- 1 pc triangle paddle
- 1 pc tweezer
- 1 pc organizer

S2



Item No.	Size	EAN	Inner	Outer
545625	53 pc	69426292+	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

14 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper pliers
- 10 pc precision screwdrivers:
- ⊕ #00, #0
- ⊖ 1.5, 2.0, 2.5, 3.0 mm
- ⊙ T-5, T-6, T-8, & T-10

S2



Item No.	Size	EAN	Inner	Outer
545714	14 pc	7192 5	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET SLOTTED

- ⊖ 1.6 mm (1/16 in.), 2.0 mm (5/64 in.), 2.4 mm (3/32 in.), 3.0 mm (1/8 in.), 3.6 mm (9/64 in.), 4.0 mm (5/32 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
545217	6 pc	1896 8	6	36

SLOTTED SCREW STARTER

- Hold slotted screw.

CR-V



Item No.	Size	EAN	Inner	Outer
545207		1891 3	6	36

8 PC SCREWDRIVER BIT SET

- 6 pc bits:
- ⊕ #2,
- ⊖ 1/4 in.,
- ⊙ T-15, T-20, T-25,
- ⊙ #1.
- 1 pc 4 in. extension bar.
- 1 pc quick-change screwdriver handle.

CR-V



Item No.	Size	EAN	Inner	Outer
545211	8 pc	1893 7	6	36



4-IN-1 POCKET PRECISION SCREWDRIVER

- ⊕ #00, #1
- ⊖ 2.0 mm (5/64 in.), 3.0 mm (1/8 in.)

CR-V



Item No.	Size	EAN	Inner	Outer
545239	4-in-1	1907 1	12	72

ADJUSTABLE HAND VISE

- 1/4 in. capacity, 3-jaw chuck.
- Holds small drill bits, deburrers, wires, files and reamers.
- Collets hold from 0.5-6.5 mm.

CR-V




Item No.	Size	EAN	Inner	Outer
545251		1913 2	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

17 PC HOBBY TOOLS SET

- 1 pc 300 mm (12 in.) ruler
- 2 pc tweezers
- 1 pc magnifier 3X
- 1 pc flush cutting pliers
- 1 pc hobby knife
- 5 pc hobby knife blades
- 1 pc 9 mm snap-off knife
- 1 pc 4-in-1 pocket screwdriver
- ⊕ #000, #0, ⊖ 2.0, 3.0
- 1 pc cutting mat 30 x 22 cm
- 3 pc needle file



Item No.	Size	EAN	Inner	Outer
545717	17 pc	6044 8	0	12




8 PC DOWEL CENTER SET

- Correctly and accurately position marks for precise drilling for dowel holes.
- Contents: 2 of each size ø 1/4, 5/16, 3/8, 1/2 in.



Item No.	Size	EAN	Inner	Outer
545093	8 pc	1834 0	12	144



3 PC DRILL BIT SET



- Ideal for creating pocket hole joints and center-boring.
- 3/8 x 6 in. (9.5 x 152 mm) step drill bit.
- 3/8 in. (9.5 mm) drill stops.
- 1 pc hex wrench.



Item No.	Size	EAN	Inner	Outer
545097	3 pc	1836 4	6	48

12 PC FRET SAW BLADE SET

- Fits most popular saw frames.
- 3 of each size #6 (16T), #7 (14T), #10 (12T), #12 (10T).



Item No.	Size	EAN	Inner	Outer
545031	12 pc	69426292+	1803 6	24 144

3 PC CARVING SET

- Highly polished stainless-steel double ended tools.
- Knurled gripping surfaces for better control.
- Use for mixing, applying, spreading and smoothing.

STAINLESS STEEL



Item No.	Size	EAN	Inner	Outer
545033	3 pc	69426292+	1804 3	12 144

SWIVEL HEAD PIN VISE

- Freewheeling head is especially suited for drilling and tapping.
- Two double end hardened steel collets.
- Use for tool making, electric assembly and hobbies.



Item No.	Size	EAN	Inner	Outer
545041	0.1-3.0 mm (0.004-0.118 in.)	69426292+	1808 1	12 144

TAPERED REAMER

- Hardened and ground steel cutting edges with comfortable handle.
- Designed to help deburring, finish, widening and repairing holes.
- Capacity 3 to 16 mm (0.118 to 0.063 in.).



Item No.	Size	EAN	Inner	Outer
545049	3-16 mm	69426292+	1812 8	12 48

ADJUSTABLE SAW FRAME

- Fits blades from 10-140 mm (3/8-5-1/2 in.)



Item No.	Size	EAN	Inner	Outer
545069		69426292+	1822 7	6 36

PARALLEL CLAMP


- Opening: 0-25.4 mm (1 in.)



Item No.	Size	EAN	Inner	Outer
545057		69426292+	1816 6	12 72

MICRO HAND DRILL

- Turn by pushing the knurled center ring up and down.
- Ideal for all small drill bits.
- Compliments TACTIX Precision sets 545077&545079.



Item No.	Size	EAN	Inner	Outer
545051	0.1-1.5 mm (0.004-0.059 in.)	69426292+	1813 5	12 144

10 PC RIFFLER FILE SET


- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- For detail work in wood, plaster, plastic and metal.
- Plastic pouch included.



Item No.	Size	EAN	Inner	Outer
545075	10 pc	69426292+	1825 8	12 48

10 PC NEEDLE FILE SET

- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- Plastic pouch included.



Item No.	Size	EAN	Inner	Outer
545076	10 pc	69426292+	4152 2	12 48

20 PC NUMBER DRILL BIT SET

- Top quality HSS ground drill bits.
- Drill numbers 61-80.

H.S.S



Item No.	Size	EAN	Inner	Outer
545077	20 pc	69426292+	1826 5	12 72

20 PC MICRO DRILL BIT SET

- Top quality HSS ground drill bits.
- Drill numbers 0.3-1.6 mm.

H.S.S



Item No.	Size	EAN	Inner	Outer
545079	20 pc	69426292+	1827 2	12 72

10 PC DRILL BIT


- Popular sizes ranging from 0.5-2.2 mm that fit most miniature power drills.
- Top quality HSS for use on wood, plastic and most metals and will stay sharp far longer than ordinary carbon bits. sharp far longer than ordinary carbon bits.

H.S.S



Item No.	Size	EAN	Inner	Outer
545081	10 pc	69426292+	1828 9	12 72

RIGHT ANGLE DRIVE ATTACHMENT



Item No.	Size	EAN	Inner	Outer
545089		69426292+	1832 6	6 36

HANDY COUNTERSINK

- Great multi-use tool for deburring and countersinking.
- Chamfered head has five cutting flutes and is made from tool steel.
- Works on many surfaces including iron, wood, plastic, copper, aluminum and sheet metal.



H.S.S

Item No.	Size	EAN	Inner	Outer
545109	3/4 in. (19.1 mm)	69426292+	1842 5	12 48

HINGE BIT

- Use for drilling pilot hole in cabinet and door hinges, door butts and hardware.
- Spring loaded outer guide keeps drill centered for perfect pilot holes.
- Adjustable drill depth.




H.S.S

Item No.	Size	EAN	Inner	Outer
545113	5/64 in.	69426292+	1844 9	12 72
545115	7/64 in.	69426292+	1845 6	12 72
545117	9/64 in.	69426292+	1846 3	12 72

COUNTERSINK

- Stepped shank for use with most 1/4 in. and 3/8 in. chucks.
- Multi fluted cutting edge removes stock quickly and prevents chatter.
- For deburring and chamfering holes on steel, plastic, wood and other materials.

H.S.S



Item No.	Size	EAN	Inner	Outer
545103	1/2 in. (12.7 mm)	69426292+	1839 5	24 144
545105	5/8 in. (15.9 mm)	69426292+	1840 1	24 144
545107	3/4 in. (19.1 mm)	69426292+	1841 8	24 144

4 PC ADJUSTABLE PILOT BIT SET

- #6 (3/32 in.), #8 (7/64 in.), #10 (1/8 in.) & #12 (9/64 in.)
- 1/4 in. hex shanks prevent slippage in electric drills and used in power screwdrivers.
- Drill, countersink and counterbore precision screw holes in a single operation when doing fine carpentry and woodworking.

H.S.S



Item No.	Size	EAN	Inner	Outer
545111	4 pc	69426292+	1843 2	12 144

PLUG CUTTER


- Provide accurate plugs for covering screw holes in decking, flooring and other woodworking projects.
- Engineered to start cutting plugs easily with hand-held drills or drill press.



Item No.	Size	EAN	Inner	Outer
545119	10 mm	69426292+	1847 0	12 72
545121	13 mm	69426292+	1848 7	12 72
545123	16 mm	69426292+	1849 4	12 72

SCRIBER

- This scriber consists of short straight and short 90° bent steel points which thread into knurled body.
- Made of carbon steel
- Overall length: 200 mm (8 in.)



Item No.	Size	EAN	Inner	Outer
545145	200 mm (8 in.)	69426292+	6	72

SCRIBER

- Marks hard materials including hardened steel, stainless steel, ceramics and glass.



Item No.	Size	EAN	Inner	Outer
545143	145 mm (5-3/4 in.)	1859 3	12	144

JUNIOR HACKSAW

- SK4 blade.



Item No.	Size	EAN	Inner	Outer
545297	152 mm (6 in.)	1936 1	12	72

5 PC CARVING TOOL SET

- Half round chisel 9 mm (11/32 in.).
- Straight chisel 11 mm (3/8 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Bent V parting tool 4.5 mm (11/64 in.).
- Bent gouge 11 mm (3/8 in.).



Item No.	Size	EAN	Inner	Outer
545285	5 pc	1930 9	6	36

6 PC CARVING TOOL SET

- Bent gouge 11 mm (3/8 in.).
- Bent V parting tool 9 mm (11/32 in.).
- Straight round chisel 9 mm (11/32 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Straight chisel 11 mm (3/8 in.).
- Bent round chisel 9 mm (11/32 in.).



Item No.	Size	EAN	Inner	Outer
545283	6 pc	1929 3	6	36

FLAT LEG DIVIDER

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545147	102 mm (4 in.)	1861 6	6	36
545149	152 mm (6 in.)	1862 3	6	36

OUTSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545151	103 mm (4 in.)	1863 0	6	36
545153	150 mm (6 in.)	1864 7	6	36

INSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN	Inner	Outer
545155	106 mm (4-3/16 in.)	1865 4	6	36
545157	160 mm (6-5/16 in.)	1866 1	6	36

DRILL BIT GAUGE

- High-quality stainless-steel gauge quickly and accurately identifies drill bit size.
- Permanently etched markings are clear and easy to read indicating both hole size and decimal equivalent.



Item No.	Size	EAN	Inner	Outer
545128	1-13 mm	3446 3	24	96

POCKET CENTER PUNCH

- Punches, marks, scribes and starts drill, nail or screw hole.
- One-hand spring impact operation. No hammer needed.



Item No.	Size	EAN	Inner	Outer
545141	125 mm (5 in.)	1858 6	12	144

15 LEAF PARALLEL GAUGE WITH RULER

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.
- 75 mm (3 in.) ruler.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.05	0.002	0.33	0.013
0.08	0.003	0.35	0.014
0.10	0.004	0.40	0.016
0.13	0.005	0.45	0.018
0.15	0.006	0.50	0.020
0.20	0.008	0.55	0.022
0.28	0.011	0.63	0.025
0.30	0.012		



Item No.	Size	EAN	Inner	Outer
545161	15 pc	1868 5	6	36

20 LEAF TAPER GAUGE

- 0.05, 0.1, 0.15, 0.2, 0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7, 0.75, 0.8, 0.85, 0.9, 0.95 & 1.0 mm
- 102 mm leaf is from 6-10 mm wide.



Item No.	Size	EAN	Inner	Outer
545165	20 pc	1870 8	6	36



ANGLE PROTRACTOR

- Measure and mark the degrees of an angle on outside, inside and sloped angles.
- Graduations from 0° to 165° in opposite directions with lock nut.



Item No.	Size	EAN	Inner	Outer
545131		1853 1	6	72

FOLDING RULER

- Metric and SAE graduations.



Item No.	Size	EAN	Inner	Outer
545133	200 mm (8 in.)	1854 8	12	72

STEEL PROTRACTOR

- For setting bevels, measuring and transferring angles.
- Stainless steel quality for better accuracy.
- Permanently etched graduations; 0-180°.
- 150 mm (6 in.) adjustable arm locks into place with knurled thumb nut.



Item No.	Size	EAN	Inner	Outer
545173	150 mm (6 in.)	1874 6	6	36

PROTRACTOR AND DEPTH GAUGE

- A versatile tool that allows the angle and depth to be measured simultaneously.
- 0-180° in opposite directions allowing the direct reading of angles and supplementary angles.



Item No.	Size	EAN	Inner	Outer
545175	150 mm (6 in.)	1875 3	6	36



EYEGGLASS LOUPE

- 10 x magnifying power.
- Scratch resistant lens.



Item No.	Size	EAN	Inner	Outer
545009		1792 3	12	144

GLASS MAGNIFIER

- 3 x magnifying power.
- Diameter: 58 mm (2-1/4 in.)



Item No.	Size	EAN	Inner	Outer
545261		1918 7	12	72

FOLDING POCKET MAGNIFIER

- 4 x magnifying power
- Optical quality precision grounded glass lens.
- Durable swing-away case provides protective cover for lens and serves as a handle.



Item No.	Size	EAN	Inner	Outer
545263		1919 4	12	72

MICRO SNIPS

- Spring action handles speeds your work by returning the snips to the open position.
- Excellent for modeling, needlecraft, bead stringing etc.

STAINLESS STEEL

Item No.	Size	EAN	Inner	Outer
545005	1790 9	69426292+	24	144

MINI SCISSORS

- Spring loaded and knurled handles for excellent use on modeling, needlecraft, bead stringing etc.

STAINLESS STEEL

Item No.	Size	EAN	Inner	Outer
545025	120 mm (4-4/5 in.)	1800 5	12	144

STRAIGHT TIP JEWELLERS TINSNIPS

- Suitable for cutting intricate shapes in light gauge metal and materials.

Item No.	Size	EAN	Inner	Outer
545037	180 mm (7 in.)	1806 7	6	36

CUTTING KNIFE SET

- 1 pc cutting knife with cover
- 5 pc blades in storage box.
- Replacement blades #545013.

Item No.	Size	EAN	Inner	Outer
545045	1810 4	69426292+	12	72

MAGNIFIER TWEEZERS

- Elegantly simple and easy to use.
- 25 mm (1 in.) magnifier mounted on a 75 mm (2-1/2 in.) stainless steel handle with fold out precision tweezers.
- Focal point for the magnifier is matched to the tweezers point.

Item No.	Size	EAN	Inner	Outer
545007	10 x power	1791 6	24	144

2 PC TWEEZERS SET

- Durable plastic quality.
- Serrated jaws with wide tips.
- Great for crafts and school projects.

Item No.	Size	EAN	Inner	Outer
545035	2 pc	1805 0	6	72

4 PC TWEEZERS SET

- Use for electronics repair, precision assembly, and models.
- Includes self-locking, needle point, angle point and flat smooth point.
- Non-slip knurled grips.
- Heavy duty tweezers set.

STAINLESS STEEL

Item No.	Size	EAN	Inner	Outer
545065	4 pc	1919 4	12	72

STRAIGHT TIP FORCEPS

- Quality box joint construction with serrated jaws.
- Use as pliers, clamp, heat sink, vise, etc.

STAINLESS STEEL

Item No.	Size	EAN	Inner	Outer
545061	160 mm (6-1/4 in.)	1818 0	12	72

HOBBY HAMMER

- One head flat and the other chisel shaped for spreading rivet heads.
- Great for driving home small pins, nails and railroad spikes.

Item No.	Size	EAN	Inner	Outer
545071	210 mm (8-1/2 in.)	1823 4	12	72

BALL PEIN HAMMER

- Drop forged steel head for strength and durability.
- Use for shaping metal or riveting.

Item No.	Size	EAN	Inner	Outer
545073	210 mm (8-1/2 in.)	1824 1	12	72

EYEGLOSS REPAIR KIT

- Includes: screwdriver, tweezers, screws, nose pads and rubber o-rings.
- Convenient travel case.
- Perfect for quick emergency repairs and adjustments.

Item No.	Size	EAN	Inner	Outer
545237	1906 4	69426292+	12	144

PLUMB BOB

- Made of iron and nickel plated to prevent rust.
- 3 m long braided cord for easy handle.

Item No.	Size	EAN	Inner	Outer
545253	140 g (5 oz)	1914 9	12	48

LED LIGHT MAGNETIC PICK-UP TOOL

- Powerful magnetic pick-up tool holds up to 5 lbs.
- Durable, energy efficient LED bulb.
- Easy pick up in dark and hard to reach areas.
- Extends up to 31-1/2 in. (800 mm)

MAGNETIC TIP

Item No.	Size	EAN	Inner	Outer
545265	1920 0	69426292+	12	72

TELESCOPING MAGNETIC PICK-UP

- Powerful magnet holds up to 5 lbs.
- Telescopic from 6 to 24 in. (152 to 610 mm)

MAGNETIC TIP

Item No.	Size	EAN	Inner	Outer
545267	1921 7	69426292+	12	144

BENDABLE SHAFT MAGNETIC PICK-UP

- Powerful magnet holds up to 1.5 lbs.
- Overall length is 24 in. (610 mm)

MAGNETIC TIP

Item No.	Size	EAN	Inner	Outer
545269	1922 4	69426292+	12	72

SWIVEL VACUUM VISE

Item No.	Size	EAN	Inner	Outer
545255	1915 6	69426292+	0	6

13 PC CARVING KNIFE BOX SET

- 10 pc blades: 2 pc chisel, 2 pc V-gouge, 2 pc V-gouge, 2 pc U-gouge, 2 pc U-gouge.
- 2 pc storage tubes.
- 1 pc precision carving knife handles.

Item No.	Size	EAN	Inner	Outer
545279	13 pc	1927 9	6	36

17 PC HOBBY KNIFE SET

- 15 pc blades: 5 of short radius; 5 of sharp angle; 5 of short angle.
- 1 pc storage tube.
- 1 pc precision knife handle.

SK5

Item No.	Size	EAN	Inner	Outer
545291	17 pc	1933 0	6	36

MAGNETIZER/DEMAGNETIZER

Item No.	Size	EAN	Inner	Outer
545273	1924 8	69426292+	12	72

GLASS CUTTER

- Steel wheel with honed angle of 120 degrees for cutting single and double strength glass.
- Ball end for starting the run and notches in the cutting head for helping to break out thinner glass.

Item No.	Size	EAN	Inner	Outer
545293	130 mm (5-1/8 in.)	1934 7	12	144

ACRYLIC CUTTER

- Precise cutting of plexiglass and styrene sheet.

Item No.	Size	EAN	Inner	Outer
545295	195 mm (7-1/2 in.)	1935 4	12	72

2 PC MINI PLIERS SET

- Built-in spring return.
- Excellent for modeling, needlecraft, bead string etc.

Item No.	Size	EAN	Inner	Outer
545301	165 mm (6-1/2 in.)	1938 5	6	36

4 PC PRECISION BLADE BOX SET

- Straight, 35° bend, 90° bend, 180° hook.
- plastic storage box included.



Item No.	Size	EAN	Inner	Outer
545313	4 pc	69426292+	6	36

TORPEDO LEVEL

- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



Item No.	Size	EAN	Inner	Outer
545317	150 mm (6 in.)	69426292+	12	48

BULL'S EYE LEVEL

- Made of unbreakable acrylic plastic.
- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



Item No.	Size	EAN	Inner	Outer
545319		69426292+	12	144

4 PC MARKING TOOL SET

- 1 pc steel awl.
- 1 pc steel scribe.
- 1 pc storage tube.
- 1 pc precision grip handle.



Item No.	Size	EAN	Inner	Outer
545321	4 pc	69426292+	6	36

RECTANGULAR TELESCOPING MIRROR

- Telescopic from 11 to 29-1/2 in. (280 to 750 mm)
- Inspection mirror 2 x 3-1/2 in. (50 x 89 mm)



Item No.	Size	EAN	Inner	Outer
545323		69426292+	12	72

ROUND INSPECTION MIRROR

- Telescopic from 9-1/2 to 27-1/2 in. (241 to 698.5 mm)
- Inspection mirror 2 in. (50 mm)



Item No.	Size	EAN	Inner	Outer
545325		69426292+	12	72

12 SETS 10 mm (3/8 in.) GROMMETS SET

- Including 12 sets grommets.
- To repair or add 10 mm (3/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545299GRO	12 sets	5911 4	10	60

12 SETS 16 mm (5/8 in.) GROMMETS SET

- Including 12 sets grommets.
- To repair or add 16 mm (5/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545300GRO	12 sets	7022 5	10	60

13 PC 10 mm GROMMET REPAIR KIT

- Including 12 sets grommets.
- To repair or add 10 mm (3/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.




Item No.	Size	EAN	Inner	Outer
545299	13 pc	1937 8	6	36

13 PC 16 mm GROMMET REPAIR KIT

- Including 12 sets grommets.
- To repair or add 16 mm (5/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN	Inner	Outer
545300	13 pc	7021 8	6	36



HAND TOOLS



TACTIX PEN

- Retractable ballpoint pen
- Soft grip for comfort



Item No.	Size	EAN 69426292+	Inner	Outer
999001		9901 1	20	200

BANNER PEN

- Retractable ballpoint pen



Item No.	Size	EAN 69426292+	Inner	Outer
999002		6489 7	50	1000

TACTIX POLO SHIRT

- Cotton/polyester



Item No.	Size	EAN 69426292+	Inner	Outer
999111S	BLACK S	7181 9	0	60
999111	BLACK M	9903 5	0	60
999112	BLACK L	9904 2	0	60
999113	BLACK XL	9905 9	0	60
999114	BLACK XXL	9919 6	0	60
999115	BLACK XXXL	9933 2	0	60
999116S	WHITE S	7182 6	0	60
999116	WHITE M	9906 6	0	60
999117	WHITE L	9907 3	0	60
999118	WHITE XL	9908 0	0	60
999119	WHITE XXL	9920 2	0	60
999120	WHITE XXXL	9934 9	0	60

TACTIX LANYARD



Item No.	Size	EAN 69426292+	Inner	Outer
999012		6740 9	0	500

MICRO FIBER LENS CLOTH



Item No.	Size	EAN 69426292+	Inner	Outer
999011		9932 5	0	2500

TACTIX T-SHIRT

- 100% cotton



Item No.	Size	EAN 69426292+	Inner	Outer
999121	BLACK M	9909 7	0	60
999122	BLACK L	9910 3	0	60
999123	BLACK XL	9911 0	0	60
999124	BLACK XXL	9921 9	0	60
999126	WHITE M	9912 7	0	60
999127	WHITE L	9913 4	0	60
999128	WHITE XL	9914 1	0	60
999129	WHITE XXL	9922 8	0	60

TACTIX CAP

- Hook and loop closure
- One size fits all



Item No.	Size	EAN 69426292+	Inner	Outer
999101		9902 8	12	72

TACTIX BANNER


- Suitable for indoor or outdoor use



Item No.	Size	EAN 69426292+	Inner	Outer
999201	1.2 x 0.59 m (47 x 23 in.)	9918 9	0	20

3 PC GIFT SET

- 1 pc 32 GB dual drive USB 3.1 & Type-C
- 1 pc TACTIX pen
- 1 pc TACTIX 2 m (6 ft.) tape measure



Item No.	Size	EAN 69426292+	Inner	Outer
999033	3 pc		0	1

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
200001	1	200721	6	205426	10	206057	14	206339	15	215707	17
200003	1	201001	6	205431	11	206058	14	206343	15	215771	17
200005	1	201003	6	205433	11	206059	14	206345	15	215772	17
200007	1	201005	6	205435	11	206060	14	206347	15	215803	17
200008	1	201009	6	205437	11	206061	14	206360	15	215805	17
200009	1	201011	6	205439	11	206062	14	206366	15	215851	17
200011	1	201017	6	205440	11	206071	14	206367	15	215901	17
200013	1	201025	6	205441	11	206072	14	206377	15	215907	17
200015	1	201063	6	205445	11	206073	14	206378	15	216004	17
200017	1	201083	6	205500	12	206074	14	206379	15	216005	17
200019	1	202011	7	205501	12	206076	14	206380	15	216006	17
200021	1	202013	7	205503	12	206078	14	206381	15	216033	18
200023	1	202015	7	205505	12	206080	14	206382	15	216034	18
200024	1	202017	7	205509	12	206082	14	206383	15	216035	18
200025	1	202024	7	205511	12	206084	14	206384	15	216036	18
200029	2	204001	7	205513	12	206091	14	206385	15	216038	18
200029DISPLAY	2	204005	7	205515	12	206092	14	206386	15	216053	18
	2	204007	7	205523	12	206093	14	206393	15	216054	18
200053	2	204009	7	205601	12	206094	14	206397	15	216055	18
200061	2	204024	7	205604	12	206095	14	207201	15	216056	18
200063	2	204025	7	205605VD	12	206096	14	209021	15	216058	18
200065	2	204036	7	205611	13	206097	14	210001	16	216093	18
200071	2	205000	8	205612	13	206098	14	210003	16	216203	18
200075	2	205001	8	205613	13	206099	14	210005	16	216211	18
200081	2	205002	8	205614	13	206100	14	210007	16	216404	18
200083	2	205003	8	205617	13	206101	14	210009	16	216447	18
200085	2	205004	8	205618	13	206102	14	210011	16	217001	18
200087	2	205009	8	205621	13	206111	14	210013	16	217022	18
200089	2	205010	8	205622	13	206112	14	210015	16	217025	18
200091	3	205013	8	205623	13	206113	14	210017	16	217029	18
200101	3	205014	8	205624	13	206114	14	210019	16	217051	18
200103	3	205015	8	205626	13	206116	14	210021	16	217053	18
200104	3	205017	8	205627	13	206118	14	210023	16	217055	18
200105	3	205020	8	205628	13	206120	14	210025	16	217057	18
200107	3	205031	8	205629	13	206122	14	210027	16	217201	19
200108	3	205032	8	205632	13	206124	14	210029	16	217203	19
200109	3	205033	8	205635	13	206131	14	210123	16	217210	19
200111	3	205035	8	205641	13	206132	14	210142VD	16	217211	19
200113	3	205037	8	205642	13	206133	14	210143VD	16	217401	19
200114	3	205038	8	205645	13	206134	14	215001	16	218003	19
200115	3	205041	8	205646	13	206135	14	215003	16	218005	19
200117	3	205045	8	205647	13	206136	14	215005	16	218011	19
200119	3	205047	8	205651	13	206137	14	215007	16	218013	19
200121	3	205052	8	205652	13	206138	14	215009	16	218101	19
200123	3	205054	8	205653	13	206139	14	215011	16	218103	19
200124	3	205055	8	205655	13	206140	14	215013	16	218105	19
200151	4	205057	8	205656	13	206141	14	215015	16	218107	19
200153	4	205061	8	205659	13	206142	14	215017	16	218109	19
200161	4	205063	8	205660	13	206151	14	215019	16	218121	19
200163	4	205069	8	205705	13	206152	14	215023	16	218123	19
200165	4	205071	8	205706	13	206153	14	215027	16	218147	19
200181	4	205073	8	205707	13	206154	14	215030	16	218151	19
200183	4	205075	8	205708	13	206156	14	215035	16	218161	19
200185	4	205077	8	205709	13	206158	14	215040	16	218162	19
200187	4	205081	8	205710	13	206160	14	215413	16	218163	19
200189	4	205083	8	205711	13	206162	14	215417	16	218164	19
200191	4	205085	8	205774	13	206164	14	215427	16	218165	19
200201	4	205151	8	205775	13	206171	14	215429	16	220011	20
200221	4	205153	8	205776	13	206172	14	215433	16	220013	20
200223	4	205155	8	205791	11	206173	14	215437	16	220015	20
200225	4	205157	8	205793VD	12	206174	14	215453	16	220017	20
200227	5	205159	8	206001	13	206175	14	215455	16	220019	20
200303	5	205161	8	206003	13	206176	14	215457	16	220021	20
200313	5	205173	8	206005	13	206177	14	215459	16	220031	20
200316	5	205177	8	206007	13	206178	14	215475	16	220033	20
200501	5	205183	8	206009	13	206179	14	215479	16	220035	20
200503	5	205185	8	206015	13	206180	14	215601	16	220037	20
200505	5	205187	8	206017	13	206181	14	215603	16	220039	20
200507	5	205189	8	206028	13	206182	14	215604	16	220051	20
200509	5	205211	9	206031	14	206195	14	215605	16	220103	20
200513	5	205213	9	206032	14	206201	14	215607	16	220105	20
200551	5	205233	9	206033	14	206203	14	215609	16	220107	20
200553	5	205241	9	206034	14	206205	14	215611	17	220109	20
200555	5	205245	9	206036	14	206209	15	215613	17	220111	20
200557	5	205247	9	206038	14	206301	15	215614	17	220113	20
200559	5	205248	9	206040	14	206303	15	215615	17	220115	20
200563	5	205249	9	206042	14	206305	15	215617	17	220531	20
200565	5	205250	9	206044	14	206307	15	215631	17	220533	20
200603	5	205253	9	206046	14	206309	15	215632	17	220535	20
200611	5	205387	10	206048	14	206311	15	215633	17	220631	20
200613	5	205401	10	206050	14	206313	15	215634	17	220635	20
200621	5	205403	10	206051	14	206315	15	215636	17	220637	20
200623	5	205405	10	206052	14	206317	15	215701	17	221001	20
200633	5	205407	10	206053	14	206331	15	215703	17	221003	20
200711	6	205408	10	206054	14	206333	15	215704	17	221005	20
200713	6	205409	10	206055	14	206335	15	215705	17	221007	20
200719	6	205411	10	206056	14	206337	15	215706	17	221031	20

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
221051	20	230112	24	250056	26	267111	33	284150	38	301005	43
221053	20	233005	24	250059	26	267117VD	33	284151	38	301103	43
221055	20	233181	24	250110	27	267311	33	284152	38	301256	44
221057	21	233183	24	250112	27	267313	33	284153	38	301601	44
221071	21	233185	24	250113	27	267315	33	284154	38	301603	44
221073	21	233305	24	250116	27	267317	33	284155	38	301607	44
221075	21	233307	24	250119	27	267321	33	284157	38	301609	44
221201	21	235083	24	251011	27	267323	33	284201	38	301612	44
221203	21	235085	24	251013	27	267341	33	284202	38	301615	44
221205	21	235088	24	251016	27	267401	33	284203	38	301631	44
221209	21	235089	24	251019	27	267403	33	284204	38	301633	44
221211	21	235183	24	251033	27	268001	33	284206	38	301635	44
221213	21	235185	24	253001	27	268004	33	284215	39	305000	44
221215	21	235188	24	253005	27	268011	33	284223	39	305001	44
222003	21	235283	24	253007	27	268012	33	284301	39	305002	44
222005	21	235285	24	253011	27	269001	33	284302	39	305003	44
222007	21	235288	24	253022	27	269005	33	284306	39	305004	44
222009	21	235292	24	254000	27	269006	33	284307	39	305005	44
222011	21	235341	24	254002	28	270003	34	284313	39	305006	44
222013	21	235343	24	254005	28	270007	34	284903	39	305031	45
222103	21	235345	24	254101	28	270009	34	284907	39	305033	45
222107	21	235347	24	254105	28	270015	34	289015	41	305056	45
222111	21	235353	25	254111	28	273011	34	290801	41	305101	45
222551	21	235355	25	254191	28	273013	34	290802	41	305102	45
222557	21	235357	25	258051	27	273015	34	290803	41	305103	45
222559	21	235361	24	258055	27	273023	34	290804	41	305104	45
222561	21	235363	24	258101	27	273027	34	290805	41	305106	45
222563	21	235365	24	258103	27	273111	34	290806	41	305111	45
222565	21	235367	24	258105	27	273113	34	290901	41	305113	45
222701	21	235373	25	260001	29	273115	34	290902	41	305116	45
222703	21	235375	25	260005	29	273117	34	290903	41	305193	45
222705	21	235377	25	260011	29	273203	34	290904	41	305195	45
222751	21	235381	24	260021	29	273212	35	290905	41	305401	45
222753	21	235383	24	260031	29	273214	35	290906	41	305471	45
223001	22	235385	24	260035	29	273218	35	291301	41	308003	45
223003	22	235387	24	260036	29	273237	35	291302	41	308007	45
223005	22	235393	25	260038	29	275111	35	291303	41	308035	45
223007	22	235395	25	260039	29	275113	35	293001	39	310151	46
223037	22	235397	25	260043	29	275115	35	293005	40	310173	46
223101	22	236401	24	260511	29	275117	35	293021	39	310191	46
223102	22	236403	24	260513	29	275119	35	293023	40	310213	46
223103	22	236405	24	260515	29	275121	35	293025	40	310231	46
223203	22	236411	24	261003	29	275123	35	293401	40	310233	46
224001	22	236413	24	261007	29	280208	35	293402	40	310235	46
224101	22	236415	24	261015	30	280210	35	293403	40	315003	46
224103	22	239012	25	261051	30	280212	35	293441	40	315011	46
224105	22	239013	25	261125	30	281040	35	293442	40	315013	46
224106	22	239043	25	261201	30	281111	35	293701	40	315021	47
224107	22	239055	25	261203	30	281113	35	293702	40	315031	47
225011	22	239057	25	261215	30	281211	35	293751	40	315037	47
225015	22	239081	25	261223	30	281330	35	293752	40	315039	47
225017	22	239083	25	261501	30	281402	35	294801	41	330001	47
225018	22	239091	25	261503	30	281408	36	294802	41	330031	47
225019	22	239093	25	263015	30	281423	36	294803	41	330042	47
225021	22	239111	25	263017	30	281432	36	294820	41	330043	47
225023	22	239161	25	265001	31	282051	36	298101	41	330045	48
225025	22	239211	25	265003	31	282061	36	298103	42	330081	48
225029	22	239212	25	265005	31	283012	36	298113	42	330083	48
225031	22	239215	25	265011	31	283014	36	298117	42	335001	48
225053	22	239216	25	265013	31	283022	36	298201	42	335003	48
225061	23	239219	25	265015	31	283024	36	298205	42	335005	48
225065	23	239220	25	265021	31	283026	36	298213	42	335007	48
225067	23	239241	25	265022	31	283033	36	298221	42	335009	48
225069	23	239243	25	265023	31	283063	36	298225	42	335011	48
225071	23	239245	25	265025	31	283065	36	298401	42	335013	48
225073	23	239263	26	265061	31	283073	36	298403	42	335021	48
225075	23	240020	26	265063	31	283083	36	298409	42	335025	48
225079	23	240030	26	265064	31	283085	36	298421	42	335027	48
225081	23	240120	26	265065	31	283094	37	298422	42	335029	48
225093	23	240130	26	265071	31	283096	37	298423	42	335031	48
225625	23	240230	26	265073	31	283111	37	298424	42	335101	48
227001	23	240260	26	265074	31	283151	37	298501	42	335103	48
227003	23	240510	26	265075	31	283153	37	298503	42	335105	48
227005	23	240520	26	265104	31	283164	37	298505	42	335109	48
227009	23	240530	26	265122	31	283903	37	300000	43	335113	48
227011	23	240620	26	265123	31	283907	37	300001	43	335201	48
227013	23	240630	26	265125	31	283909	37	300003	43	335202	48
227015	23	240730	26	265127	31	284001	37	300005	43	335203	48
227017	23	240760	26	266011	32	284013	37	300007	43	335210	48
227027	23	241001	26	266051	32	284015	37	300009	43	335211	48
227101	23	241005	26	266255	32	284031	37	300010	43	335212	48
227303	23	245011	26	267005	32	284035	38	300012	43	335213	48
227323	23	245111	26	267007	32	284051	38	300021	43	336002	48
230011	23	245311	26	267031	32	284071	38	300033	43	336040	49
230033	23	245411	26	267032	32	284079	38	300103	43	336070	49
230085	23	250051	26	267053	32	284091	38	301001	43	338003	49
230103	24	250053	26	267105	32	284103	38	301003	43	338015	49

HAND TOOLS

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.
338017	49		360133	51		360597	52		361034	53		361173	53
338082	49		360140	51		360598	52		361035	53		361174	53
339013	49		360141	51		360599	52		361036	53		361175	53
339060	49		360142	51		360600	52		361037	53		361176	53
340008	49		360143	51		360601	52		361038	53		361177	53
340030	49		360144	51		360602	52		361039	53		361178	53
340041	49		360150	51		360603	52		361040	53		361179	53
340201	49		360151	51		360604	52		361041	53		361180	53
340206	49		360152	51		360611	52		361042	53		361181	53
340225	49		360153	51		360612	52		361043	53		361191	53
340513	50		360160	51		360613	52		361044	53		361192	53
340601	50		360161	51		360614	52		361045	53		361193	53
340603	50		360162	51		360615	52		361046	53		361194	53
340615	50		360163	51		360616	52		361047	53		361203	53
340617	50		360164	51		360617	52		361048	53		361204	53
340621	50		360165	51		360618	52		361049	53		361205	53
340626	50		360166	51		360619	52		361050	53		361206	53
340632	50	NEW	360167	51		360620	52		361051	53		361207	53
340904	50		360501	51		360631	52		361052	53		361208	53
342002	50		360502	51		360632	52		361053	53		361209	53
342003	50		360503	51		360633	52		361054	53		361210	53
342004	50		360504	51		360634	52		361072	53		361211	53
360001	51		360505	51		360641	52		361073	53		361212	53
360002	51		360506	51		360642	52		361074	53		361213	53
360003	51		360507	51		360643	52		361075	53		361214	53
360004	51		360508	51		360645	52		361076	53	NEW	361215	53
360005	51		360509	51		360646	52		361077	53		361221	53
360006	51		360510	51		360647	52		361078	53		361223	53
360007	51		360511	51		360649	52		361079	53		361224	53
360008	51		360521	51		360651	52		361080	53		361225	53
360009	51		360522	51		360653	52		361081	53		361226	53
360010	51		360523	51		360703	52		361082	53		361227	53
360021	51		360524	51		360705	52		361083	53		361228	53
360022	51		360525	51		360707	52		361084	53		361229	53
360023	51		360526	51		360721	52		361085	53		361230	53
360024	51		360527	51		360722	52		361086	53		361231	53
360025	51		360528	51		360723	52		361087	53		361232	53
360026	51		360529	51		360724	52		361088	53		361233	53
360027	51		360530	51		360731	52		361089	53		361234	53
360028	51		360531	51		360732	52		361090	53		361235	53
360029	51		360532	51		360733	52		361101	53		361236	53
360030	51		360533	51		360741	52		361102	53		361237	53
360031	51		360534	51		360742	52		361103	53		361238	53
360032	51		360535	51		360743	52		361104	53		361239	53
360033	51		360536	51		360744	52		361105	53		361240	53
360041	51		360537	51		360745	52		361106	53		361241	53
360042	51		360538	51		360746	52		361107	53		361242	53
360043	51		360539	51		360751	52		361108	53		361251	53
360044	51		360540	51		360753	52		361109	53		361252	53
360045	51		360541	51		360754	52		361110	53		361253	53
360046	51		360542	51		360755	52		361111	53		361255	53
360047	51		360543	51		360756	52		361112	53		361257	53
360048	51		360544	51		360757	52		361113	53		361259	53
360049	51		360545	51		360758	52		361114	53		361261	53
360051	51		360546	51		360803	52		361115	53		361263	53
360052	51		360547	51		360804	52		361116	53		361265	53
360053	51		360548	51		360805	52		361117	53		361273VD	58
360054	51		360549	51		360806	52		361118	53		361275VD	58
360055	51		360550	51		360807	52		361119	53		361276VD	58
360056	51		360561	51		360808	52		361120	53		361277VD	58
360057	51		360562	51		360809	52		361121	53		361280VD	58
360058	51		360563	51		360823	52		361122	53		361282VD	58
360059	51		360564	51		360824	52		361123	53		361285VD	58
360061	51		360565	51		360825	52		361124	53		361287VD	58
360062	51		360566	51		360826	52		361141	53		361301	54
360063	51		360567	51		361002	53		361142	53		361302	54
360064	51		360568	51		361003	53		361143	53		361303	54
360065	51		360569	51		361004	53		361144	53		361304	54
360066	51		360570	51		361005	53		361145	53		361322	54
360067	51		360571	51		361006	53		361146	53		361323	54
360068	51		360572	51		361007	53		361147	53		361324	54
360069	51		360580	52		361008	53		361148	53		361332	54
360070	51		360581	52		361009	53		361149	53		361333	54
360071	51		360582	52		361010	53		361150	53		361334	54
360072	51		360583	52		361011	53		361151	53		361341	54
360101	51		360584	52		361012	53		361161	53		361342	54
360102	51		360585	52		361013	53		361162	53		361343	54
360103	51		360586	52		361014	53		361163	53		361344	54
360104	51		360587	52		361015	53		361164	53		361345	54
360105	51		360588	52		361016	53		361165	53		361346	54
360120	51		360589	52		361017	53		361166	53		361347	54
360121	51		360591	52		361018	53		361167	53		361351	54
360122	51		360592	52		361019	53		361168	53		361352	54
360123	51		360593	52		361020	53		361169	53		361353	54
360124	51		360594	52		361031	53		361170	53		361354	54
360131	51		360595	52		361032	53		361171	53		361355	54
360132	51		360596	52		361033	53		361172	53		361356	54

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
362105	56	363071	59	363447	59	365179	65	370134	69	372503	71
362106	56	363073	59	363603	59	365181	65	370135	69	372505	71
362107	56	363074	59	363604	59	365183	65	370136	69	372507	71
362108	56	363075	59	363605	59	365185	65	370137	69	372509	71
362109	56	363077	59	363607	59	365223	65	370139	69	372511	71
362111	56	363080	59	363609	59	365224	65	370143	69	372513	71
362112	56	363081	59	363611	59	365225	65	370145	69	372515	71
362113	56	363082	59	363613	59	365226	65	370147	69	372517	71
362123	55	363083	59	363615	59	365241	64	370151	69	372519	71
362131	55	363084	59	363617	59	365242	64	370155	69	372521	71
362132	56	363085	59	363619	59	365243	64	370159	69	372522	71
362301	56	363086	59	363621	59	365261	64	370163	69	372524	71
362302	57	363087	59	363623	59	365261WB	64	370501	69	372526	71
362303	57	363088	59	363624	59	365321	63	370503	69	372528	71
362304	57	363089	59	363625	59	365321WB	63	370511	69	372907	71
362305	57	363090	59	363627	59	365354	65	370512	69	372908	71
362306	57	363091	59	363629	59	365405	64	370513	69	373005	72
362307	57	363092	59	363631	59	365413	64	370534	69	373006	72
362308	57	363093	59	363632	59	369201	68	370535	69	373007	72
362309	57	363095	59	363633	59	369202	68	370536	70	373101	71
362311	57	363096	59	363635	59	369203	68	370536	70	373103	71
362312	57	363097	59	363636	59	369204	68	370708VD	70	373105	71
362313	57	363098	59	363637	59	369205	68	370710VD	70	373107	71
362314	57	363099	59	363639	59	369206	68	370712VD	70	373107	71
362315	57	363101	59	363641	59	369207	68	370713VD	70	373109	71
362316	57	363103	59	363663	59	369207	68	370714VD	70	373111	71
362321	57	363104	59	363664	59	369208	68	370715VD	70	373113	71
362323	57	363105	59	363665	59	369380	68	370717VD	70	373115	71
362331	56	363107	59	363666	59	369381	68	370719VD	70	373117	71
362332	57	363108	59	363667	59	370003	69	371003	70	373119	71
362335	57	363109	59	363668	59	370005	69	371005	70	373121	71
362351VD	NEW	363111	59	363669	59	370007	69	371007	70	373123	71
362353VD	58	363113	59	363670	59	370009	69	371009	70	373125	71
362355VD	58	363133	59	363671	59	370011	69	371011	70	373127	71
362401	58	363134	59	363672	59	370013	69	371013	70	373129	71
362403	58	363135	59	363673	59	370015	69	371015	70	373131	71
362405	58	363136	59	363674	59	370017	69	371017	70	373133	71
362407	58	363137	59	363675	59	370019	69	371019	70	373135	71
362409	58	363138	59	363676	59	370021	69	371021	70	373137	71
362411	58	363139	59	363677	59	370023	69	371023	70	373139	71
362413	58	363140	59	363678	59	370025	69	371025	70	373141	71
362415	58	363141	59	363679	59	370027	69	371027	70	373143	71
363001	58	363142	59	363703	59	370029	69	371029	70	373145	71
363003	58	363143	59	363705	59	370031	69	371065	70	373147	71
363005	58	363144	59	363707	59	370033	69	371103	70	373149	71
363006	58	363145	59	363709	59	370036	69	371105	70	373149	71
363007	58	363146	59	363711	59	370037	69	371107	70	373165	71
363008	58	363147	59	363715	59	370039	69	371109	70	373246	72
363009	58	363350	59	363787	60	370039	69	371111	70	373258	72
363010	58	363351	59	363803	60	370041	69	371113	70	373259	72
363011	58	363353	59	363807	60	370043	69	371115	70	373260	72
363012	58	363355	59	363820	60	370045	69	371117	70	373261	72
363013	58	363357	59	363901	60	370047	69	371165	70	373262	72
363014	58	363359	59	363902	60	370049	69	371208	70	373263	72
363015	58	363361	59	363906	60	370051	69	371209	70	373264	72
363016	58	363363	59	363907	60	370053	69	371210	70	373265	72
363017	58	363365	59	363910	60	370054	69	371211	70	373266	72
363018	58	363367	59	363911	60	370055	69	371212	70	373267	72
363019	58	363369	59	363912	60	370056	69	371213	70	373268	72
363020	58	363371	59	363913	60	370057	69	371214	70	373269	72
363022	58	363373	59	363914	60	370058	69	371215	70	373307	72
363024	58	363375	59	363915	60	370059	69	371216	70	373318	72
363025	58	363377	59	363916	60	370062	69	371217	70	373341	72
363026	58	363379	59	363917	60	370063	69	371218	70	373482	72
363028	58	363403	59	363918	60	370064	69	371219	70	373486	72
363029	58	363405	59	363919	60	370065	69	371222	70	373487	72
363030	58	363407	59	363920	60	370066	69	371224	70	373503	72
363032	58	363409	59	363921	60	370067	69	371267	70	373507	73
363034	58	363411	59	363922	60	370068	69	371301	70	373601	72
363051	59	363413	59	363923	60	370070	69	371903	71	375007	73
363052	59	363415	59	363924	60	370075	69	371905	71	375007	73
363053	59	363417	59	363925	60	370080	69	371907	71	376001	73
363054	59	363419	59	363926	60	370085	69	371909	71	376002	73
363055	59	363421	59	363927	60	370086	69	371911	71	376004	73
363056	59	363423	59	363928	60	370087	69	371913	71	376021	73
363057	59	363425	59	363929	60	370088	69	371915	71	376022	73
363058	59	363427	59	363930	60	370089	69	371917	71	376024	73
363059	59	363429	59	363931	60	370090	69	371919	71	376031	73
363060	59	363431	59	363932	60	370091	69	371921	71	376032	73
363061	59	363433	59	363933	60	370092	69	371923	71	376033	73
363062	59	363435	59	363934	60	370093	69	371925	71	376034	73
363063	59	363437	59	363935	60	370094	69	371927	71	376041	73
363065	59	363439	59	363936	60	370095	69	371929	71	376042	73
363066	59	363441	59	363937	60	370096	69	371931	71	376061	73
363067	59	363442	59	363938	60	370097	69	371933	71	376206	73
363068	59	363443	59	363939	60	370098	69	371935	71	376401	73
363069	59	363445	59	363940	60	370099	69	371937	71	376402	73
										376403	73
										376404	73
										376418	74
										376420	74
										380016	74

HAND TOOLS

Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
380025	74	406506US	81	530316	90	900061	100	205348P	111	206433P	112
380035	74	406508US	81	530318	90	900062	100	205351P	111	206435P	112
381002	74	406510US	81	530320	90	900063	100	205352P	111	206441P	112
381006	74	406710EU	81	530322	90	900064	100	205353P	111	206442P	112
381010	74	406710US	81	530332	90	900065	100	205354P	111	206443P	112
381014	74	406901	81	530334	90	900079	101	205355P	111	206444P	112
381018	74	406903	81	530335	90	900092	101	205356P	111	206445P	112
382503	74	406905	81	530336	90	900107	100	205357P	111	206446P	112
382505	74	406907	81	530337	90	900111	101	205358P	111	206447P	112
382513	74	406909	81	530350	90	900122	103	206401P	112	206448P	112
382515	74	408011	80	530380	91	900123	103	206402P	112	206449P	112
382601	75	408013	80	530422	91	900154	102	206403P	112	206450P	112
382602	75	408015	80	530444	91	900155	102	206405P	112	206457P	112
382604	75	408017	80	530430	91	900161	102	206407P	112	206458P	112
382605	75	408019	80	530431	91	900163	102	206409P	112	206459P	112
383001	75	408021	80	530432	91	900165	102	206411P	112	206503P	

Handwriting practice lines on page 225. The page features a faint background image of a modern building with a glass facade and a large overhanging section. The lines are horizontal and evenly spaced, covering the majority of the page area.

Handwriting practice lines on page 226. The page features a faint background image of a modern building with a glass facade and a large overhanging section. The lines are horizontal and evenly spaced, covering the majority of the page area.

CATALOGUE 2024/25



www.tactixtools.com

MERIDIAN
美瑞实业

Meridian International Co., Ltd.

1886 Laiyin Road, Songjiang, Shanghai, China

Tel: (021) 3763 3311

Fax: (021) 3763 3322 3763 3355

www.meridianintl.com

Distributed by

